

**BUILDING CODE COUNCIL  
SUBCOMMITTEE OF COUNTY BUILDING OFFICIALS  
MINUTES OF FEBRUARY 10, 2009 MEETING**

Members in Attendance: Douglas Haigh, Timothy Hiu, Brian Kajikawa, and Ralph Nagamine.

Staff present: Kerry Yoneshige and Ronald Tanaka, Department of Accounting and General Services (DAGS)

Public: Via teleconference, Kraig Stevenson, Vernon Ta'a, Plumbers Union 675, Gregg Serikaku, Plumbing and Mechanical Contractor's Association

1. Timothy Hiu convened the meeting at 8:47a.m.
2. Minutes of the January 27, 2009 meeting were reviewed and approved with one revision to item 10i which should read "units" instead of "unite".
3. The UPC amendments were reviewed and the following revisions were made.
  - a. Section 3-183-10; deleted
  - b. Section 3-183-13 K1(A); eliminate "professional" and replace with "Hawaii licensed"
  - c. Section 3-183-13 K5 (N); change language to "The septic tank shall be certified by a third party certification body accredited in accordance with ISO/IEC guide 65, entitled "General requirements for bodies operating product certification systems". Delete 724.0 of section 3-183-7
  - d. Chapter 412.1; revised to add "and shall be permitted as shown in Table 4-1
4. UPC provisions on medical gases will be addressed at the county level.
5. Grey water administrative rules to be adopted by the Department of Health should acknowledge the State Building Code provisions.
6. Next meeting was scheduled for March 10, 2009 at 8:30 am. The purpose of the meeting will be to review, discuss, and approve the 2006 UPC and the final version of the amendments.
7. The meeting was adjourned at 9:30 am.