

**BUILDING CODE COUNCIL  
SUBCOMMITTEE OF COUNTY BUILDING OFFICIALS  
MINUTES OF DECEMBER 2, 2008 MEETING**

Members in Attendance: Douglas Haigh, Timothy Hiu, Brian Kajikawa, and Ralph Nagamine. Other Building Code Council (the Council) members in attendance; William Brizee

Staff present: Kerry Yoneshige and Larry Uyehara, Department of Accounting and General Services (DAGS)

Public: Via teleconference, Kevin Scott (ICC), Vernon Taa (Plumbers Union), Gregg Serikaku (PAMCA), and Howard Wiig (Department of Business, Economic Development and Tourism)

1. Timothy Hiu convened the meeting at 9:07a.m.
2. Minutes of the October 7, 2008 which had been recessed and reconvened on October 10, 2008 were reviewed and approved without amendment.
3. After discussing Senate Bill 2458, Doug made a motion to recommend support of this bill to the Council. Brian seconded and the subcommittee unanimously approved the motion.
4. Review of the UPC; Kerry told the subcommittee that he had received an email from Jerry Haruno advising that the UPC amendments from the Department of Health were not completed. Tim made a motion and Ralph seconded that the Subcommittee make a request to the DOH to provide a timetable for when the proposed amendments to the UPC would be completed. The subcommittee unanimously approved the motion.
5. Review, discussion, and action on proposed amendments to the 2006 IECC were as follows
  - a. Revised §3-181-7 Low Energy Buildings – Section 101.5.2.; item 1 applies to conditioned spaces and item 2 to non habitable spaces
  - b. Revised §3-181-8 General – Ralph’s proposed section 101.6 becomes Section 104.1.
  - c. Added §3-181-9 Inspections – which deletes Section 105.
  - d. Added §3-181-10 Certificate – Section 401.3.
  - e. Revised §3-181-11 Insulation and Fenestration Requirements by Component – Table 402.1.1 to reflect a floor R-value of 0 for climate zone 1
  - f. Revised §3-181-12 Ceiling Insulation Alternative – Table 402.1.1.1 to eliminate foam board insulation, and inserted new Section 402.1.1.4.
  - g. Revised §3-181-13 Equivalent U-Factors – Table 402.1.3 for the Floor and Crawl Space U-Factors to be N/A and delete footnote b

- h. Revised §3-181-14 Glazed Fenestration Exemption – Section 402.3.3 , split to two sections fully shaded and north facing windows and 15 square feet of glass where only the later would be subject to the U factor
  - i. Adopted section amendments for Section 403
  - j. Revised §3-181-18 Mechanical Systems Commissioning and Completion Requirements – Section 503.2.9 to require prior to issuance of Certificate of Occupancy, design professional shall provide a evidence of system compliance in accordance with Section 503
  - k. Proposed revision to section 505.7 was not adopted.
6. Tim told the subcommittee that he would provide a short statement for the subcommittee to adopt the 2008 National Electrical Code at the reconvened meeting.
7. Meeting was recessed at 12:05 p.m. until Tuesday, December 9 at 8:30 a.m. in the Comptroller's Conference Room.
8. Meeting was reconvened at 8:30 p.m. on Tuesday, December 9, 2008 in the Comptroller's Conference Room. Members in Attendance: Douglas Haigh, Timothy Hiu, Brian Kajikawa, and Ralph Nagamine. Staff present: Kerry Yoneshige, Department of Accounting and General Services (DAGS). Public: Via teleconference, Kevin Scott Kraig Stevenson
9. Review, discussion, and action on proposed amendments to the 2006 IECC
- a. Section 101.5.2 add back deleted portion
  - b. Table 402.1.1, For climate zone 1, Ceiling R-Value column section reference revised to 402.1.1.1 and all zeros changed to NR, not required
  - c. Table 402.1.1.1, title change , Ceiling to Roof
  - d. Section 402.1.1.4, Attic changed to Roof in title and item 3 add at end of sentence "or R-15 for installation above roof deck"
  - e. Table 402.1.3, Climate zone 1 change NA to NR, not required
10. Ralph made a motion to accept and forward to the Council, the amendments (with changes made today) to the 2006 IECC and Doug seconded. The committee then unanimously approved the motion.
11. Doug requested that Howard to provide the provisions of the 2009 IECC that were not adopted.
12. The meeting was adjourned at 9:07 a.m.