

(REVISED, MAY 1952)

Por. of Gov't. Id. of Kealakehe,  
North Kona, Hawaii

. Being Lots 1-20, incl; of the  
Kealakehe Homesteads, 2nd Series  
and roads therein.

G.L. 3432 to Palani Ranch  
Co., Inc. (Expires 10/1/73).

Furnished Land Office  
May 5, 1952

Folder 419-F

See CSF 15706 - 15707

See map by Belt  
Collins & Assoc

14776, 14777, 14778  
See CSF 14056, 14057, 14742

CARTON 20

Furn. Id. May 5, 1952  
Folder 419-F



TERRITORY OF HAWAII  
SURVEY DEPARTMENT

C.S.F. No. Carton 20

HONOLULU

May 1, 1952

(REVISED MAY 1952)

Portion of the Government Land of Kealakehe,  
North Kona, Hawaii.

Being also all of Lots 1 to 20, inclusive, of the  
Kealakehe Homesteads, 2nd Series and roads therein.

Beginning at a + on set stone and ahu at the Southeast corner  
of this tract, on the north boundary of the land of Keahuolu and on the  
west side of a 50 foot road reserve,  $87^{\circ} 38' 54.1$  feet from a "K"  
marked on a solid rock called "Lua Lapauwila", the coordinates of said  
point of beginning referred to Government Survey Triangulation Station  
"KEAHUOLU" being 6612.2 feet North and 15119.0 feet East, and running  
by azimuths measured clockwise from True South:-

1.  $87^{\circ} 38'$  178.9 feet along the land of Keahuolu, L.C.Aw. 8452:12  
to A. Keohokalole to a + on set stone and ahu;
2.  $83^{\circ} 08'$  416.0 feet along the land of Keahuolu, L.C.Aw. 8452:12  
to A. Keohokalole to a + on set stone and ahu;
3.  $68^{\circ} 38'$  495.0 feet along the land of Keahuolu, L.C.Aw. 8452:12  
to A. Keohokalole to a + on set stone and ahu;
4.  $56^{\circ} 38'$  778.0 feet along the land of Keahuolu, L.C.Aw. 8452:12  
to A. Keohokalole to a + on set stone and ahu;
5.  $74^{\circ} 08'$  1725.0 feet along the land of Keahuolu, L.C.Aw. 8452:12  
to A. Keohokalole to a + on set stone and ahu;
6.  $75^{\circ} 15'$  1770.0 feet along the land of Keahuolu, L.C.Aw. 8452:12  
to A. Keohokalole to a + on set stone and ahu;
7.  $81^{\circ} 55'$  848.0 feet along the land of Keahuolu, L.C.Aw. 8452:12  
to A. Keohokalole to a + on set stone and ahu;
8.  $78^{\circ} 40'$  1628.0 feet along the land of Keahuolu, L.C.Aw. 8452:12  
to A. Keohokalole to a + on set stone and ahu;
9.  $76^{\circ} 50'$  7218.0 feet along the land of Keahuolu, L.C.Aw. 8452:12  
to A. Keohokalole crossing old Government  
Trail to a + on pahoehoe and ahu;

10. 80° 10' 1743.0 feet along the land of Keahuolu, L.C.Aw. 8452:12 to A. Keohokalole to a + on pahoehoe and ahu;
11. 78° 50' 826.0 feet along the land of Keahuolu, L.C.Aw. 8452:12 to A. Keohokalole to a + on pahoehoe and ahu, the direct azimuth and distance to Government Survey Triangulation Station "KAIWI" being: 131° 18' 160.1 feet;
12. 190° 54' 1090.7 feet along portion of the Government land of Kealakehe to a + on pahoehoe and ahu;
13. 183° 12' 2397.3 feet along portion of the Government land of Kealakehe to a + on set stone and ahu;
14. 248° 32' 1118.0 feet along portion of the Government land of Kealakehe to a + on pahoehoe and ahu;
15. 195° 17' 563.7 feet along portion of the Government land of Kealakehe to a + on pahoehoe and ahu;
16. 176° 35' 695.0 feet along portion of the Government land of Kealakehe to a + on pahoehoe and ahu, the coordinates of said point referred to Government Survey Triangulation Station "KEAHUOLU" being: 7594.8 feet North and 458.5 feet West;
17. 260° 05' 3234.0 feet along the land of Honokohau Iki, (sometimes shown as Honokohau 2) L.C.Aw. 9971:9 to W.P. Leleiohoku to a + on pahoehoe and ahu;
18. 259° 50' 3134.0 feet along the land of Honokohau Iki, L.C.Aw. 9971:9 to W.P. Leleiohoku, crossing old Government Trail to a + on set stone and ahu;
19. 259° 20' 4015.0 feet along the land of Honokohau Iki, L.C.Aw. 9971:9 to W.P. Leleiohoku, to a + on set stone and ahu;
20. 263° 35' 649.0 feet along the land of Honokohau Iki, L.C.Aw. 9971:9 to W.P. Leleiohoku, to a + on set stone and ahu;
21. 262° 20' 660.0 feet along the land of Honokohau Iki, L.C.Aw. 9971:9 to W.P. Leleiohoku, to a + on set stone and ahu;
22. 261° 57' 1536.0 feet along the land of Honokohau Iki, L.C.Aw. 9971:9 to W.P. Leleiohoku, to a + on set stone and ahu, the same being the West corner of Grant 3456 to G. McDougall;
23. 284° 00' 350.0 feet along Grant 3456 to G. McDougall to a + on set stone and ahu;

- 24. 271° 00' 168.0 feet along Grant 3456 to G. McDougall to a + on set stone and ahu;
- 25. 271° 30' 591.2 feet along Grant 3456 to G. McDougall to a + on set stone and ahu, the same being on the West side of a 50 foot road reserve, 91° 30' 55.8 feet from a + on pahoehoe rock called "Kukuipuloa";
- 26. 335° 06' 3427.1 feet along West side of 50 foot road reserve to the point of beginning and containing an Area of 1617.77 Acres; reserving therefrom the ancient trails within this area that may be used by the public from time to time.

Compiled from Gov't. Survey  
 Registered Maps 11 and 2122,  
 Field Book 809 and U.S. Geo-  
 logical Survey Quadrangle,  
 Keahole Point, Hawaii.

TERRITORY OF HAWAII  
 SURVEY DEPARTMENT

BY: *Francis H. Kanahele*  
 Francis H. Kanahele  
 Senior Geodetic Engineer  
 dll