

Lot 5,
Kahoahuna Lots,
Kuaia, N.Hilo, Hawaii.

Grant 3671, to
A. W. Crockett

See Reg Maps Nos.1697
and 1699

File in Carton 107.

Crockett Lat

Section # 5 Kuaia

Hilo, Hawaii

Notes of Survey.

Beginning at the West angle of Section # 2., this point being marked by an ohia tree marked \triangle surrounded by 3 triangular pits, the boundary runs:-

- | | | | Section 2 | |
|-----|---------------|---|-----------|---|
| 1- | S. 81° 31' E. | - | tree | - 996 ft along road to a pile of stones, |
| 2- | S. 7° 55' W. | - | " | - 314 " " along E. side of road 20 ft. wide |
| 3- | S. 36° 55' W. | - | " | - 191 " " " " " " |
| 4- | S. 12° 31' W. | - | " | - 193 " " " " " " |
| 5- | S. 33° 03' W. | - | " | - 567 " " " " " " |
| 6- | S. 18° 00' W. | - | " | - 279 " " " " " " |
| 7- | S. 29° 21' W. | - | " | - 616 " " " to the South angle ^{of this} at an ohia tree marked \triangle |
| 8- | N. 54° 40' W. | - | " | - 191 " along Gov't remainder |
| 9- | N. 85° 28' W. | - | " | - 598 " " " " " " |
| 10- | N. 88° 43' W. | - | " | - 342 " " " " to the West angle near bank of the Kahoakuna or Kaawali gulch, - at an ohia tree marked \triangle |
| 11- | N. 22° 41' E. | - | " | - 368 " the line following the windings of the bank of the gulch, |
| 12- | N. 41° 45' E. | - | " | - 520 " " " " " " " " |
| 13- | N. 19° 08' E. | - | " | - 435 " " " " " " " " |
| 14- | N. 13° 39' E. | - | " | - 262 " " " " " " " " |

15- 76.31°13'E. - "true" - 609 ft, the line following the windings of the bank of the gulch, to the Initial Point.

Containing an area of 49.68 acres, reserving to the Gov't a right of way 20 feet in width between stations 1 and 2, and also a right of way 20 feet in width along the bank of the Kahoakuna or Kaawalii gulch.

A.B. Lockenstein, Surveyor.

November. 1893

Section # 2 - corner - this
is a corner

Pages of answer

Q. X. 279

bedroom p 999

room office

Nov. 18. 93

