

Lot 48,
Kalopa Homesteads,
Hamakua, Hawaii.

Furnished Land Office,

March 24, 1918.

Gr. 9122 Antone B. Rodrigues

File in Carton 76

Territory of Hawaii,

Office of the Government Survey.

Honolulu, T. H., November 22, 1917.

Lot 48,
Kalopa Homesteads,
Hamakua, Hawaii.

Beginning at a $1\frac{1}{2}$ inch galvanized iron pipe at the East corner of this lot and the South corner of Lot 47, on the Northwest side of Upper Kalopa Road, the coordinates of said point of beginning referred to Government Survey Trig. Station "Kalanialai" being 2851.1 feet South and 5519.9 feet West, as shown on Government Survey Registered Map No. 2586, and running by true azimuths:-

1. 73° 55' 278.9 feet along the Northwest side of Upper Kalopa Road to a $1\frac{1}{2}$ inch pipe;
2. 20° 00' 322.3 feet along the Northwest side of Upper Kalopa Road to a $1\frac{1}{2}$ inch pipe;
3. 35° 00' 1015.2 feet along same; to a $1\frac{1}{2}$ inch pipe;
4. 119° 14' 459.4 feet to a pipe on top of East edge of Keahua Gulch;
5. 256° 54' 110.0 feet along top of East edge of Keahua Gulch to a pipe;
6. 201° 40' 115.4 feet along same to a pipe;
7. 129° 54' 83.7 feet along same to a pipe;
8. 221° 54' 100.0 feet along same to a pipe;
9. 198° 54' 389.5 feet along same to a pipe;
10. 234° 54' 220.7 feet along same to a pipe;
11. 202° 54' 173.6 feet along same to a pipe;
12. 163° 53' 148.4 feet along same to a pipe;

Lot 48,
Kalopa Homesteads,
Hamakua, Hawaii.

-2-

11/22/17-

13. 222° 35' 262.6 feet along same to a pipe;
14. 198° 54' 96.3 feet along same to a pipe;
15. 235° 00' 97.3 feet along same to a pipe;
16. 305° 00' 717.0 feet along Lot 47 to the point of beginning.

AREA 19-68/100 ACRES.

Compiled from survey
of Alfin Johnson, By

A. S. Hansen
Assistant Government Surveyor.

✓

Excepting and reserving therefrom a right-of-way 20 feet wide for the ditch across this lot, said right-of-way containing an Area of 20/100 Acre, LEAVING A NET AREA OF 19-48/100 ACRES.