



TERRITORY OF HAWAII
SURVEY DEPARTMENT

HONOLULU

February 28, 1939.

C.S.F.No. _____

(Revised February 1939)

Remainder of Lot 244,
Kapaa Homesteads, 4th Series

Kapaa, Puna, Kauai

Beginning at a 3/4 inch pipe at the west corner of this lot, the north corner of Kapaa Dumping Ground (Executive Order 671) and on the boundary between lots 243 and 244, Kapaa Homesteads, 4th Series, the coordinates of said point of beginning referred to Government Survey Triangulation Station "Nonou" being 8611.30 feet North and 9908.40 feet East, as shown on Government Survey Registered Map 2583, and running by azimuths measured clockwise from True South:-

1. 229° 06' 341.70 feet along Lot 243, Kapaa Homesteads, 4th Series, to a 1-1/2 inch iron pipe at an angle in the south side of Kanaele Road;
2. 327° 23' 465.90 feet along the south side of Kanaele Road to a 3/4 inch pipe;
3. 254° 41' 161.10 feet along same to a 3/4 inch pipe;
4. 216° 35' 93.64 feet along same;
5. 285° 17' 37.79 feet along the south side of 40 foot Road;
6. Thence along same on a curve to the right with a radius of 60.00 feet, the chord azimuth and distance being: 314° 21' 30" 58.31 feet;
7. 343° 26' 156.77 feet along west side of 40-foot Road;
8. 00° 20' 89.84 feet along the west boundary of Lot 2-B Kapaa Rice and Kula Lots to a 3/4 inch pipe;

CANCELLED
H. Newton
April 14, 1941

February 28, 1939.

- 9. 2° 25' 319.90 feet along same to a 1-1/2 inch pipe;
- 10. 131° 40' 473.00 feet along Kapaa Dumping Ground
(Executive Order 671) to a 3/4 inch pipe;
- 11. 126° 05' 589.10 feet along same to the point of beginning.

AREA 6.03 ACRES.

Compiled from Govt.
Survey Office records
and data fur.by Cty.
Engrs. of Kauai.

*copy
8/14*

CANCELLED
*H. Z. Newton
April 14, 1941*

William H. Watt
William H. Watt
Principal Engineering Draftsman.
aa

HM

N.	S.	E	W.	Area	Coords Compared with Original Remainder
1002.88	1002.86	843.45	843.44	6.03 Acres	Lot 244 - O.K. Same Col. BK 399 143 3/1/39 G. Robinson