

(Revised 1956)
POUHALA HOMESTEADS

LOT 5
PARTS 1 AND 2
Pouhala, Waikele, Ewa, Oahu, Hawaii

Furnished Land Department
June 28, 1965

Folder 254

OAHU FILE
CARTON 17

*Furnished Land Dept June 28/65
folder 254*



STATE OF HAWAII

SURVEY DIVISION

DEPT. OF ACCOUNTING AND GENERAL SERVICES

HONOLULU

April 29, 1965

C.S.F. No. OAHU FILE
CARTON 17

(Revised 1956)

POUHALA HOMESTEADS

LOT 5

PARTS 1 AND 2

Pouhala, Waikele, Ewa, Oahu, Hawaii

Being a portion of the Government (Crown) Land of Pouhala

PART 1: Beginning at a pipe at the west corner of this parcel of land, the north corner of Lot 8 (Revised 1956) of Pouhala Homesteads, and on the southeasterly side of Nawaakoa Street, the coordinates of said point of beginning referred to Government Survey Triangulation Station "EWA CHURCH" being 3782.33 feet South and 9813.96 feet West, as shown on Government Survey Registered Map 4084, thence running by azimuths measured clockwise from True South:-

1. 226° 15' 78.62 feet along the southeasterly side of Nawaakoa Street to a pipe;
2. 316° 15' 10.00 feet along southwesterly side of Hula Street to a pipe;
3. Thence along the southwesterly side of Hula Street, on a curve to the right with a radius of 30.00 feet, the chord azimuth and distance being: 271° 15' 42.43 feet to a pipe;
4. 316° 15' 236.05 feet along the southwesterly side of Hula Street to a pipe;
5. Thence along the southwesterly side of Pahu Street, on a curve to the left with a radius of 74.00 feet, the chord azimuth and distance being: 271° 15' 104.65 feet to a pipe;
6. 226° 15' 18.89 feet along the southeasterly side of Pahu Street to a pipe;
7. 14° 00' 74.81 feet along R.P. 5694, L.C.Aw. 6545, Apana 1 to H. Haalilio to a pipe;

OAHU FILE
CARTON 17

April 29, 1965

- 2 -

8. 47° 26' 144.80 feet along R.P. 836, L.C.Aw. 890, Apana 1 to Kūhano to a pipe;
9. 137° 13' 387.04 feet along Lot 8 (Revised 1956) of Pouhala Homesteads, to the point of beginning and containing an Area of 46,557 Square Feet.

PART 2: Beginning at a pipe at the west corner of this parcel of land, and the east corner of Hula Street and 12-Foot Roadway, the coordinates of said point of beginning referred to Government Survey Triangulation Station "EWA CHURCH" being 3676.79 feet South and 9703.71 feet West, as shown on Government Survey Registered Map 4084, thence running by azimuths measured clockwise from True South:-

1. 226° 15' 111.65 feet along the southeasterly side of 12.00-Foot Roadway to a pipe;
2. Thence along the southwesterly side of Former Oahu Railway and Land Company's Railroad Right-of-Way (Wahiawa Branch), on a curve to the right with a radius of 1765.50 feet, the chord azimuth and distance being: 305° 49' 55" 282.86 feet to a pipe;
3. 14° 00' 52.23 feet along R.P. 5694, L.C.Aw. 6545, Apana 1 to H. Haalilio to a pipe;
4. 46° 15' 88.63 feet along the northwesterly side of Pahu Street to a pipe;
5. Thence along the northwesterly side of Pahu Street, on a curve to the right with a radius of 30.00 feet, the chord azimuth and distance being: 91° 15' 42.43 feet to a pipe;
6. 136° 15' 276.05 feet along the northeasterly side of Hula Street, to the point of beginning and containing an Area of 42,973 Square Feet.

SURVEY DIVISION
DEPARTMENT OF ACCOUNTING AND GENERAL SERVICES
STATE OF HAWAII

By: Akira Taga
Akira Taga
Land Surveyor ac

Compiled from Govt.
Survey Records.