

Lot 21
Pupukea-Paumalu Homesteads
Koolauloa Oahu

Copy furnished Land Office
Jan. 26, 1909.

Gr 7290 to Lucy M. Joseph

File in Carton 28.

Territory of Hawaii,

Office of the Government Survey,

Honolulu, T. H.,.....January 25th, 1909.....

Lot 21

Pupukea-Paumalu Homesteads,
Koolauloa, Oahu.

Beginning at 1 inch pipe at the South corner of this lot and the West corner of Lot 20 and on the North side of a 50 Foot Road Reserve on side hill, from which the true azimuth and distance to Government Survey Trig. Station "Puu Wihuena" is $141^{\circ} 01'$ 1775.5 feet and the coordinates of said point of beginning referred to Government Survey Trig. Station "Pupukea" are 2861.0 feet South and 5909.3 feet East, as shown on Government Survey Registered Map No. 2252, and running by true azimuths:-

1. $99^{\circ} 30'$ 130.0 feet along the North side of 50 Foot Road Reserve;
2. $123^{\circ} 20'$ 92.5 feet along the same;
3. $154^{\circ} 00'$ 180.5 feet along the same;
4. $140^{\circ} 30'$ 224.0 feet along the same;
5. $162^{\circ} 00'$ 143.0 feet along the same;
6. $125^{\circ} 15'$ 82.0 feet along the same;
7. $118^{\circ} 20'$ 367.0 feet along the same;
8. $145^{\circ} 40'$ 194.0 feet along the same to 1 inch pipe on fence line;
9. $222^{\circ} 00'$ 2139.0 feet along Lot 6A along fence to 1-1/2 inch pipe in Paumalu Gulch on the South bank of stream;
10. Thence up the center of Paumalu Stream along Lot 22 to a point in the center of said stream, the direct azimuth and distance being: $307^{\circ} 55'$ 3075.0 feet;

11. 90° 01' 30" 1375.0 feet up the bluff to a galvanized iron pipe;
12. 39° 37' 300.0 feet to bluff marked by galvanized iron pipe;
13. 95° 30' 852.0 feet along bluff to galvanized iron pipe;
14. 45° 00' 672.0 feet to the point of beginning.

Area 90.2 Acres.

Clay L. Joranson

Assistant Government Surveyor.