

LOTS 330, 331 & 346  
Olaa Reservation Lots  
Olaa, Puna, Hawaii

Furnished Land Office  
July 11, 1952

Folder 246

CARTON 186

*Furnished July 11, 1952  
Folder 246*



TERRITORY OF HAWAII

SURVEY DEPARTMENT

HONOLULU

July 1, 1952

Carton No. 186

~~XXXXXX~~

Lots 330, 331 and 346

Olaa Reservation Lots

Olaa, Puna, Hawaii, T. H.

Being a portion of the Government (Crown) Land of Olaa

Beginning at the south corner of this parcel of land, being also the south corner of Lot 346, Olaa Reservation Lots and the east corner of Lot 347, Olaa Reservation Lots (Grant 4404 to Frank T. Smith) and on the boundary between the lands of Olaa and Keaau (Land Court Application 1053), the true azimuth and distance to a spike in original mark +XLVIII at the end of Course 60 of the main description of Land Court Application 1053, being  $40^{\circ} 05' 389.61$  feet, the coordinates of said spike in original mark +XLVIII referred to Government Survey Triangulation Station "OLAA" being 47360.00 feet south and 33114.10 feet west and running by azimuths measured clockwise from True South from the point of beginning:

1.  $124^{\circ} 12'$  1891.23 feet along Lot 347, Olaa Reservation Lots (Grant 4404 to Frank T. Smith);
2.  $214^{\circ} 12'$  3630.00 feet along Lot 345, Olaa Reservation Lots (Grant 4175 to F. M. Wakefield) and Lot 332, Olaa Reservation Lots (Grant 8585 to Rosa Waltgen), across 30-foot road and along Lot 329, Olaa Reservation Lots (Grant 4237 to W. A. McKay);
3.  $304^{\circ} 12'$  2083.00 feet along Lot 315, Olaa Reservation Lots (Grant 4533 to F. G. Snow) and end of 30-foot road reserve;
4.  $30^{\circ} 12'$  170.80 feet along the land of Keaau, Land Court Application 1053, to a spike in concrete;
5.  $47^{\circ} 20' 30''$  365.50 feet along the land of Keaau, Land Court Application 1053, to a spike in concrete;

July 1, 1952

6. 39° 49' 218.90 feet along the land of Keaau, Land Court Application 1053, to a spike in original mark  $\Delta$ XLV;
7. 41° 56' 163.30 feet along the land of Keaau, Land Court Application 1053, to a spike in concrete;
8. 30° 38' 273.70 feet along the land of Keaau, Land Court Application 1053, to a spike in concrete;
9. 21° 34' 617.30 feet along the land of Keaau, Land Court Application 1053, to a spike in concrete;
10. 43° 14' 221.80 feet along the land of Keaau, Land Court Application 1053, to a spike in original mark +XLVI;
11. 47° 26' 30" 693.30 feet along the land of Keaau, Land Court Application 1053, to a spike in original mark  $\Delta$ XLVII;
12. 37° 16' 725.70 feet along the land of Keaau, Land Court Application 1053, to a spike in concrete;
13. 21° 22' 119.90 feet along the land of Keaau, Land Court Application 1053, to a spike in concrete;
14. 45° 53' 30" 115.40 feet along the land of Keaau, Land Court Application 1053, to the point of beginning and containing a Gross Area of 166.523 Acres and a Net Area of 165.150 Acres, after excluding therefrom the 30-foot road crossing this parcel of land between Lots 330 and 331, Olaa Reservation Lots, containing an area of 1.373 Acres, said 30-foot road is more particularly shown on the plan attached hereto and made a part hereof.

Compiled from Gov't. Survey  
Registered Map 2250 and Ld.  
Ct.App. 1053.  
Robinson's Calc:Bk 15 Pg 119

TERRITORY OF HAWAII  
SURVEY DEPARTMENT

BY:   
A. G. M. Robinson  
Cadastral Engineer  
ry