

(Revised May 1941)

LOT 46

Waianae Homesteads
Waianae, Oahu

Grant S-13839
Rose L. Sanders

File in Carton 22

Furnished Land Office
May 21, 1941

Folder 377



TERRITORY OF HAWAII

SURVEY DEPARTMENT

HONOLULU

May 20, 1941

C.S.F.No. _____

(Revised May 1941)

Lot 46
Waianae Homesteads
Waianae, Oahu

Being a portion of the Government (Crown) Land of Waianae

Beginning at a pipe at the south corner of this lot, and on the northwest side of Government Road, the coordinates of said point of beginning referred to Government Survey Triangulation Station "KUWALE" being 1050.0 feet North and 2778.6 feet West, as shown on Government Survey Registered Map 2501, and running thence by azimuths measured clockwise from True South:-

1. 224° 35' 55.00 feet along Lot 45, Waianae Homesteads (revised May 1941) to a pipe;
2. 134° 35' 100.00 feet along same to a pipe;
3. 224° 35' 90.53 feet along same to a pipe;
4. 134° 00' 753.00 feet along same to a pipe on the southeast side of a 20-foot homestead road;
5. 224° 12' 30" 16.30 feet along the southeast side of a 20-foot homestead road to a pipe;
6. 238° 52' 64.30 feet along same to a pipe;
7. 220° 08' 74.60 feet along same to a pipe;
8. 193° 02' 30" 73.60 feet along same to a pipe;
9. 183° 53' 30" 66.50 feet along same to a pipe;
10. 209° 14' 30" 34.10 feet along same to a pipe;
11. 314° 00' 840.10 feet along Lot 47, Waianae Homesteads (revised May, 1941) to an iron pin;

(over)

Lot 46, Waianae Homesteads
(continued)

-2-

May 20, 1941

- 12. 23° 30' 373.10 feet along Lot S of Land Court Application 1102 to a pipe on the northwest side of Government Road;
- 13. 67° 09' 105.40 feet along the northwest side of Government Road to the point of beginning.

AREA 6.01 ACRES

Survey by,

*Compared
field*

Thomas C. Ryan
 Thomas C. Ryan
 Assistant Cadastral Engineer
 bkp

7/11

N.	S.	E.	W.	Area	Coords
966.67	966.67	258.75	858.78	6.008 Ac.	1050.11 N 2778.58 W } Kunaiaia

Gl. R. 9/29/76 5/21/41 G. R. ...