

Lot 621,
Waiakea Hmstds., 2nd. Series,
Waiakea, S.Hilo, Hawaii.

Copy furnished Land Office.

May 9, 1919

(part 4)

Grant 10672₁ to
(Mrs) Alice Hamilton

File in Carton 155.

Territory of Hawaii,

Office of the Government Survey.

Honolulu, T. H., April 25, 1919

Lot 621,
Waiakea Homesteads, 2nd. Series,
Waiakea, South Hilo, Hawaii.

Beginning at an iron pipe at the Southeast corner of this lot, the Southwest corner of Lot 620 and on the North side of "Road 10", the coordinates of said point of beginning referred to Government Survey Trig. Station "Halai" being 12360.8 feet South and 543.7 feet West, as shown on Government Survey Registered Map No. 2650, and running by true azimuths:-

1. 85° 40' 968.0 feet along the North side of "Road 10" to an iron pipe;
2. 175° 40' 1840.0 feet along Lot 622 to an iron pipe;
3. 265° 40' 968.0 feet along Lot 521 to an iron pipe;
4. 355° 40' 1840.0 feet along Lot 620 to the point of beginning.

AREA 40-89/100 ACRES.

Excepting and reserving therefrom a right-of-way 20 feet wide for the railroad across this lot, said right-of-way containing an Area of 48/100 Acre, LEAVING A NET AREA OF 40-41/100 ACRES.

Compiled from Survey of
W.H.Chun & D.Kealalio, by



Assistant Government Surveyor.

ABANDONED RAILROAD RIGHT-OF-WAY
Situated within Lot 621
Waiakea Homesteads, 2nd Series

Waiakea, So.Hilo, Island of Hawaii, HI

Grant 10936, Part 1
to Nobor Okuda

Furnished Land Department
March 20, 1974

Folder 173-B

HAWAII FILE
CANTON 155



STATE OF HAWAII

SURVEY DIVISION

DEPT. OF ACCOUNTING AND GENERAL SERVICES

HONOLULU

March 16, 1973

C.S.F. No. HAWAII FILE
CARTON 155

ABANDONED RAILROAD RIGHT-OF-WAY

Situated within Lot 621 of Waiakea Homesteads, 2nd Series

Waiakea, South Hilo, Island of Hawaii, Hawaii

Being a portion of the Government (Crown) Land of Waiakea.

Being also the right-of-way (20-foot wide) for the railroad, accepted and reserved from Grant 10672, Part 1 to (Mrs.) Alice Hamilton (Lot 621 of Waiakea Homesteads, 2nd Series).

Being a strip of land twenty (20.00) feet wide, extending ten (10.00) feet on each side of the following-described centerline:

Beginning at the south end of this centerline and on the north side of Kawailani Road, the coordinates of said point of beginning referred to Government Survey Triangulation Station "HALAI" being 12,376.29 feet South and 748.11 feet West, as shown on Government Survey Registered Map 2650, thence running by azimuths measured clockwise from True South: -

1. $174^{\circ} 40'$ 420.00 feet;
2. Thence on a curve to the left with a radius of 330.00 feet, the chord azimuth and distance being:
 $154^{\circ} 50'$ 223.93 feet;
3. $135^{\circ} 00'$ 397.00 feet to the north end of this centerline and containing an AREA OF 20,909 SQUARE FEET or 0.48 ACRE.

SURVEY DIVISION
DEPARTMENT OF ACCOUNTING AND GENERAL SERVICES
STATE OF HAWAII

Compiled from
Govt. Survey Records.

By: Robert T. Hashimoto
Robert T. Hashimoto
Land Surveyor

ac

Checked By	<u>H. Fujita</u>	Date:	<u>3/14/73</u>
Cal. Book No.	<u>2</u>	Page	<u>105</u>
Closure	<u>2</u>		