

Lot 64

Waikamalo-Maulua Lots

North Hilo, Hawaii

Lot 64.

Original.

Copy furnished to Land Dept.
with other copies in box
April 1, 1908

File in Carton 134

Readjusted-

WAIKAUMALO - MAULUA LOTS.

North Hilo.

Lot No. 64.

Description and Plan :-

Beginning at the East corner, which point is marked
by an iron pipe, and post ^{LXIII} LXIV on West bank of Waikaumalo Gulch. The
coordinates of said point are S. 11543.7
W. 1342.0 referred to Puu Ohai
primary Trig. Station as shown on Hawaii Territory Survey Reg. Map No. ~~22-91~~
and running by true bearings : --

1. N 79° 17' W 25.0 feet along edge of Gulch ;
2. S 79° 14' W 292.0 " " " " " ;
3. S 72° 08' W 163.0 " " " " " ;
4. S 53° 00' W 247.5 " " " " " ;
5. N 86° 17' W 142.0 " " " " " ;
6. S 74° 00' W 333.1 " " " " " ;
7. S 45° 21' W 204.5 " " " " " ;
8. S 41° 04' W 147.0 " " " " " ;
9. N 83° 15' W 156.0 " " " " " ;
10. S 64° 45' W 219.0 " " " " " ;
11. S 35° 58' W 106.6 " " " " " ;
12. S 68° 46' W 239.0 " " " " " ;
13. S 32° 59' W 170.4 " " " " " ;
14. S 7° 46' W 125.8 " " " " " to the South corner, mkd. by

pipe and pile of stones on mauka edge
of Fern trail on West bank of
Waikaumalo Gulch. Ohia bears

N 55° 30' E 7 ft. Dist. The coordinates
S. 12797.5 ft.
of which point are W. 3239.2 ft. ;

15.	N 54° 33' W	35.5	feet along Roadway ;
16.	S 48° 05' W	89.6	" " " ;
17.	N 6° 05' W	70.1	" " " ;
18.	N 52° 05' W	108.5	" " " ;
19.	N 15° 28' E	121.4	" " " ;
20.	N 36° 52' W	78.0	" " " ;
21.	S 73° 49' W	243.0	" " " " ;
22.	N 52° 09' W	188.2	" " " ;
23.	N 35° 30' E	162.0	" " " ;
24.	N 25° 02' W	119.0	" " " " ;
25.	S 83° 47' W	198.8	" " " ;
26.	N 0° 36' W	111.3	" " " ;
27.	S 55° 15' W	405.4	" " " ;
28.	N 74° 08' W	96.4	" " " ;
29.	N 25° 07' W	110.0	" " " ;
30.	N 22° 59' E	153.4	" " " ;
31.	N 16° 24' W	139.4	" " " ;
32.	N 83° 33' W	40.8	" " " to the West corner, which point is

marked by an iron pipe-, pile of stones

LXI

and post LXIV . The coordinates are

S. 11969.2 feet

W. 4471.6 feet, referred to Puu Ohai

primary Trig. Station ;

33. N 7° 54' E 2142.7 feet along Lot No. 61, to the North corner, on
 Manaloa Gulch which point is marked by
 iron pipe at West edge of stream, from
 which point \triangle cut on boulder bears
 S 20° 34' W (true) 31 ft. dist. Ohia \triangle
 bears on East bank bears S 10° 19' W true
 Ohia tree on bank bears N 22° E (true)

The coordinates of said North corner,
S. 9857.4 feet
are W. 4177.1 feet, referred to Puu Ohai
primary Trig. Station ;

34. S 58 58' E 3309.7 feet to the point of beginning.

Containing 100.0 Acres

J. H. Morgan

Surveyor.

Hilo, Hawaii.

May 1902.

Error in closure Lat 9.4 Dep. 1.1

Checked by -

J. H. Morgan

Old or A.B. Loebenstein's Description Checks as follows :-

Coord. I. Pt. Ref. to Puu Ohai	= 11950.1 S	4450.9 W
" " " from Bearings and Dist.	= <u>11929.4 S</u>	<u>4427.5 W</u>
Error in Closing	= 20.7	23.4