	The State of Hawai'i PSAPs conducted Wireless 9-1-1 testing of Wireless Cell Sites and Sectors which
	included 1 Sites and 3 Sectors. Contributions to the total include: Honolulu C&C HPD PSAP performed 0 Site and 0 Sector tested;
1/1/2015 - 1/31/2015	Hawai'i County Police PSAP performed 0 Site and 0 Sector tested;  Maui County Police PSAP performed 1 Site and 3 Sector tested; and
	Kauai County Police PSAP performed 0 Site and 0 Sector tested.
1/1/2015 - 1/31/2015	The Honolulu City & County Primary PSAP is reporting that it's MSAG Community and Street Segment Sweep, Phase V Project, the MSAG Community of Haleiwa was completed; however, there are several
	cane roads that require additional detailed editing. The MSAG Communities of Wahiawa, Wailua, and
4 /4 /2045 4 /24 /2045	Mokuleia have been initiated.  The Honolulu City & County Primary PSAP is reporting that an additional Police Beat has been spatially
1/1/2015 - 1/31/2015	realigned and completed.  The Honolulu Police Department Primary PSAP and their 9-1-1 Data Service Provider (Akimeka)
	initiated a new project to create a new Bus Stop Layer. This layer was developed to provide an
1/1/2015 - 1/31/2015	additional resource to locate 9-1-1 callers for the Dispatchers. The Bus Stop locations were also added to the Common Places layer for HPD, and the Address Points for HFD, EMS, and Ocean Safety.
	The Honolulu Police Department Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) initiated a new project to create and upload Emergency Service Zone (ESZs)/Emergency Service
1/1/2015 - 1/31/2015	Numbers (ESNs) to their 9-1-1 Databases. Letters have been prepared for submission to 9-1-1 System Service Provider (Hawai'ian Telcom) for approval.
	The Hawai'i County Primary PSAP, Maui County Primary PSAPs (Maui & Molokai), and Kauai County Primary PSAP continue to performed GIS updates and spatial realignments to their GIS data to conform
1/1/2015 - 1/31/2015	to new GIS requirements necessary for NG9-1-1 operations. This also include performing the MSAG
	and ALI records corrections to ensure 9-1-1 Database synchronization.  The Hawai'i County Primary PSAP and its 9-1-1 Data Service Provider (Akimeka) continued with the
1/1/2015 - 1/31/2015	situational awareness project to provide the Hawai'i County public safety responders with a visual display of the Kilauea's East Rift, June 27 Lava Flow. The Lava Flow layers were delivered and
	uploaded to the Hawai'i County PowerMap system during the January 7 & 20 updates.
	February 2015
	1 Coldally 2013
Dates	Description
Dates 2-Feb	Description  The Honolulu City & County Primary and Secondary PSAPs and their 9-1-1 Data Service Provider (Akimeka), has forwarded updated Wireless Cell Tower and Cell Sector to Honolulu DIT for upload to
	Description  The Honolulu City & County Primary and Secondary PSAPs and their 9-1-1 Data Service Provider (Akimeka), has forwarded updated Wireless Cell Tower and Cell Sector to Honolulu DIT for upload to the GeoComm GIS system for the Oahu PSAPs.  The Hawai'i County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) prepared and
	Description  The Honolulu City & County Primary and Secondary PSAPs and their 9-1-1 Data Service Provider (Akimeka), has forwarded updated Wireless Cell Tower and Cell Sector to Honolulu DIT for upload to the GeoComm GIS system for the Oahu PSAPs.
2-Feb	Description  The Honolulu City & County Primary and Secondary PSAPs and their 9-1-1 Data Service Provider (Akimeka), has forwarded updated Wireless Cell Tower and Cell Sector to Honolulu DIT for upload to the GeoComm GIS system for the Oahu PSAPs.  The Hawai'i County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) prepared and delivered forty-nine (49) GIS layers for the Intrado MapFlex deliverable. The GIS layers were delivered
2-Feb	Description  The Honolulu City & County Primary and Secondary PSAPs and their 9-1-1 Data Service Provider (Akimeka), has forwarded updated Wireless Cell Tower and Cell Sector to Honolulu DIT for upload to the GeoComm GIS system for the Oahu PSAPs.  The Hawai'i County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) prepared and delivered forty-nine (49) GIS layers for the Intrado MapFlex deliverable. The GIS layers were delivered to a temporary FTP website as the Intrado MapFlex FTP site is still being developed and configured.  The State of Hawai'i PSAPs are reporting the Wireless 9-1-1 Database Annual Audit is completed for Spring-PCS with an average match rate accuracy of 89.25 %. Contributions to the Statewide accuracy percentage include:
2-Feb	Description  The Honolulu City & County Primary and Secondary PSAPs and their 9-1-1 Data Service Provider (Akimeka), has forwarded updated Wireless Cell Tower and Cell Sector to Honolulu DIT for upload to the GeoComm GIS system for the Oahu PSAPs.  The Hawai'i County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) prepared and delivered forty-nine (49) GIS layers for the Intrado MapFlex deliverable. The GIS layers were delivered to a temporary FTP website as the Intrado MapFlex FTP site is still being developed and configured.  The State of Hawai'i PSAPs are reporting the Wireless 9-1-1 Database Annual Audit is completed for Spring-PCS with an average match rate accuracy of 89.25 %. Contributions to the Statewide accuracy percentage include: Honolulu C&C with 81.8 % match accuracy Hawai'i County with 93.5 % match accuracy
2-Feb 5-Feb	Description  The Honolulu City & County Primary and Secondary PSAPs and their 9-1-1 Data Service Provider (Akimeka), has forwarded updated Wireless Cell Tower and Cell Sector to Honolulu DIT for upload to the GeoComm GIS system for the Oahu PSAPs.  The Hawai'i County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) prepared and delivered forty-nine (49) GIS layers for the Intrado MapFlex deliverable. The GIS layers were delivered to a temporary FTP website as the Intrado MapFlex FTP site is still being developed and configured.  The State of Hawai'i PSAPs are reporting the Wireless 9-1-1 Database Annual Audit is completed for Spring-PCS with an average match rate accuracy of 89.25 %. Contributions to the Statewide accuracy percentage include: Honolulu C&C with 81.8 % match accuracy
2-Feb 5-Feb	Description  The Honolulu City & County Primary and Secondary PSAPs and their 9-1-1 Data Service Provider (Akimeka), has forwarded updated Wireless Cell Tower and Cell Sector to Honolulu DIT for upload to the GeoComm GIS system for the Oahu PSAPs.  The Hawai'i County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) prepared and delivered forty-nine (49) GIS layers for the Intrado MapFlex deliverable. The GIS layers were delivered to a temporary FTP website as the Intrado MapFlex FTP site is still being developed and configured.  The State of Hawai'i PSAPs are reporting the Wireless 9-1-1 Database Annual Audit is completed for Spring-PCS with an average match rate accuracy of 89.25 %. Contributions to the Statewide accuracy percentage include: Honolulu C&C with 81.8 % match accuracy Hawai'i County with 93.5 % match accuracy and
2-Feb 5-Feb	Description  The Honolulu City & County Primary and Secondary PSAPs and their 9-1-1 Data Service Provider (Akimeka), has forwarded updated Wireless Cell Tower and Cell Sector to Honolulu DIT for upload to the GeoComm GIS system for the Oahu PSAPs.  The Hawai'i County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) prepared and delivered forty-nine (49) GIS layers for the Intrado MapFlex deliverable. The GIS layers were delivered to a temporary FTP website as the Intrado MapFlex FTP site is still being developed and configured.  The State of Hawai'i PSAPs are reporting the Wireless 9-1-1 Database Annual Audit is completed for Spring-PCS with an average match rate accuracy of 89.25 %. Contributions to the Statewide accuracy percentage include: Honolulu C&C with 81.8 % match accuracy Hawai'i County with 93.5 % match accuracy Maui County with a 87.5 %; match accuracy; and Kauai County with a 84.2 % match accuracy. All sites and sectors within the State of Hawai'i are returned to a 100 % match rate at the conclusion of the audit.  The Honolulu City & County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) provided
2-Feb 5-Feb	Description  The Honolulu City & County Primary and Secondary PSAPs and their 9-1-1 Data Service Provider (Akimeka), has forwarded updated Wireless Cell Tower and Cell Sector to Honolulu DIT for upload to the GeoComm GIS system for the Oahu PSAPs.  The Hawai'i County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) prepared and delivered forty-nine (49) GIS layers for the Intrado MapFlex deliverable. The GIS layers were delivered to a temporary FTP website as the Intrado MapFlex FTP site is still being developed and configured.  The State of Hawai'i PSAPs are reporting the Wireless 9-1-1 Database Annual Audit is completed for Spring-PCS with an average match rate accuracy of 89.25 %. Contributions to the Statewide accuracy percentage include: Honolulu C&C with 81.8 % match accuracy Hawai'i County with 93.5 % match accuracy Maui County with a 87.5 %; match accuracy; and Kauai County with a 84.2 % match accuracy. All sites and sectors within the State of Hawai'i are returned to a 100 % match rate at the conclusion of the audit.
2-Feb  5-Feb  6-Feb	Description  The Honolulu City & County Primary and Secondary PSAPs and their 9-1-1 Data Service Provider (Akimeka), has forwarded updated Wireless Cell Tower and Cell Sector to Honolulu DIT for upload to the GeoComm GIS system for the Oahu PSAPs.  The Hawai'i County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) prepared and delivered forty-nine (49) GIS layers for the Intrado MapFlex deliverable. The GIS layers were delivered to a temporary FTP website as the Intrado MapFlex FTP site is still being developed and configured.  The State of Hawai'i PSAPs are reporting the Wireless 9-1-1 Database Annual Audit is completed for Spring-PCS with an average match rate accuracy of 89.25 %. Contributions to the Statewide accuracy percentage include: Honolulu C&C with 81.8 % match accuracy Hawai'i County with 93.5 % match accuracy; and Kauai County with a 87.5 %; match accuracy; and Kauai County with a 84.2 % match accuracy. All sites and sectors within the State of Hawai'i are returned to a 100 % match rate at the conclusion of the audit.  The Honolulu City & County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) provided updated GIS information to the 9-1-1 Service Provider (Hawai'ian Telcom) for the Intrado PowerMap 4.1 system. The Honolulu City & County Primary and Secondary PSAPs updated their CAD system with new GIS data.  The Kauai County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) prepared thirty-seven
2-Feb  5-Feb  5-Feb	Description  The Honolulu City & County Primary and Secondary PSAPs and their 9-1-1 Data Service Provider (Akimeka), has forwarded updated Wireless Cell Tower and Cell Sector to Honolulu DIT for upload to the GeoComm GIS system for the Oahu PSAPs.  The Hawai'i County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) prepared and delivered forty-nine (49) GIS layers for the Intrado MapFlex deliverable. The GIS layers were delivered to a temporary FTP website as the Intrado MapFlex FTP site is still being developed and configured.  The State of Hawai'i PSAPs are reporting the Wireless 9-1-1 Database Annual Audit is completed for Spring-PCS with an average match rate accuracy of 89.25 %. Contributions to the Statewide accuracy percentage include: Honolulu C&C with 81.8 % match accuracy Hawai'i County with a 87.5 %; match accuracy, and Kauai County with a 87.5 %; match accuracy, and Kauai County with a 84.2 % match accuracy.  All sites and sectors within the State of Hawai'i are returned to a 100 % match rate at the conclusion of the audit.  The Honolulu City & County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) provided updated GIS information to the 9-1-1 Service Provider (Hawai'ian Telcom) for the Intrado PowerMap 4.1 system. The Honolulu City & County Primary and Secondary PSAPs updated their CAD system with new GIS data.  The Kauai County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) prepared thirty-seven (37) GIS layers for the Intrado MapFlex deliverable. The GIS layers were delivered to a temporary FTP website as the Intrado MapFlex FTP site is still being developed and configured.
2-Feb  5-Feb  6-Feb	Description  The Honolulu City & County Primary and Secondary PSAPs and their 9-1-1 Data Service Provider (Akimeka), has forwarded updated Wireless Cell Tower and Cell Sector to Honolulu DIT for upload to the GeoComm GIS system for the Oahu PSAPs.  The Hawai'i County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) prepared and delivered forty-nine (49) GIS layers for the Intrado MapFlex deliverable. The GIS layers were delivered to a temporary FTP website as the Intrado MapFlex FTP site is still being developed and configured.  The State of Hawai'i PSAPs are reporting the Wireless 9-1-1 Database Annual Audit is completed for Spring-PCS with an average match rate accuracy of 89.25 %. Contributions to the Statewide accuracy percentage include: Honolulu C&C with 81.8 % match accuracy Hawai'i County with 93.5 % match accuracy Maui County with a 87.5 %; match accuracy. All sites and sectors within the State of Hawai'i are returned to a 100 % match rate at the conclusion of the audit.  The Honolulu City & County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) provided updated GIS information to the 9-1-1 Service Provider (Hawai'ian Telcom) for the Intrado PowerMap 4.1 system. The Honolulu City & County Primary and Secondary PSAPs updated their CAD system with new GIS data.  The Kauai County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) prepared thirty-seven (37) GIS layers for the Intrado MapFlex deliverable. The GIS layers were delivered to a temporary FTP
2-Feb  5-Feb  6-Feb	The Honolulu City & County Primary and Secondary PSAPs and their 9-1-1 Data Service Provider (Akimeka), has forwarded updated Wireless Cell Tower and Cell Sector to Honolulu DIT for upload to the GeoComm GIS system for the Oahu PSAPs.  The Hawai'i County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) prepared and delivered forty-nine (49) GIS layers for the Intrado MapFlex deliverable. The GIS layers were delivered to a temporary FTP website as the Intrado MapFlex FTP site is still being developed and configured.  The State of Hawai'i PSAPs are reporting the Wireless 9-1-1 Database Annual Audit is completed for Spring-PCS with an average match rate accuracy of 89.25 %. Contributions to the Statewide accuracy percentage include:  Honolulu C&C with 81.8 % match accuracy Hawai'i County with 93.5 % match accuracy Maui County with a 87.5 %; match accuracy.  All sites and sectors within the State of Hawai'i are returned to a 100 % match rate at the conclusion of the audit.  The Honolulu City & County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) provided updated GIS information to the 9-1-1 Service Provider (Hawai'ian Telcom) for the Intrado PowerMap 4.1 system. The Honolulu City & County Primary and Secondary PSAPs updated their CAD system with new GIS data.  The Kauai County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) prepared thirty-seven (37) GIS layers for the Intrado MapFlex deliverable. The GIS layers were delivered to a temporary FTP website as the Intrado MapFlex FTP site is still being developed and configured.  The Hawai'i County Primary PSAP's 9-1-1 Data Service Provider (Akimeka) have received a request from Intrado to provide the symbology for the GIS layers delivered on February 5, 2015. Akimeka recommended to Intrado that the symbology utilized for the MapFlex system should be customized to the
2-Feb  5-Feb  6-Feb  6-Feb	The Honolulu City & County Primary and Secondary PSAPs and their 9-1-1 Data Service Provider (Akimeka), has forwarded updated Wireless Cell Tower and Cell Sector to Honolulu DIT for upload to the GeoComm GIS system for the Oahu PSAPs.  The Hawai'i County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) prepared and delivered forty-nine (49) GIS layers for the Intrado MapFlex deliverable. The GIS layers were delivered to a temporary FTP website as the Intrado MapFlex FTP site is still being developed and configured.  The State of Hawai'i PSAPs are reporting the Wireless 9-1-1 Database Annual Audit is completed for Spring-PCS with an average match rate accuracy of 89.25 %. Contributions to the Statewide accuracy percentage include:  Honolulu C&C with 81.8 % match accuracy Hawai'i County with 93.5 % match accuracy; and Kauai County with a 87.5 %; match accuracy; and Kauai County with a 87.5 %; match accuracy. All sites and sectors within the State of Hawai'i are returned to a 100 % match rate at the conclusion of the audit.  The Honolulu City & County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) provided updated GIS information to the 9-1-1 Service Provider (Hawai'ian Telcom) for the Intrado PowerMap 4.1 system. The Honolulu City & County Primary and Secondary PSAPs updated their CAD system with new GIS data.  The Kauai County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) prepared thirty-seven (37) GIS layers for the Intrado MapFlex deliverable. The GIS layers were delivered to a temporary FTP website as the Intrado MapFlex FTP site is still being developed and configured.  The Hawai'i County Primary PSAP's 9-1-1 Data Service Provider (Akimeka) have received a request from Intrado to provide the symbology of the GIS layers delivered on February 5, 2015. Akimeka recommended to Intrado that the symbology tillized for the MapFlex system should be customized to the Hawai'i County Primary and Secondary PSAP's individually as their operational requirements are different for the
2-Feb  5-Feb  6-Feb  6-Feb	The Honolulu City & County Primary and Secondary PSAPs and their 9-1-1 Data Service Provider (Akimeka), has forwarded updated Wireless Cell Tower and Cell Sector to Honolulu DIT for upload to the GeoComm GIS system for the Oahu PSAPs.  The Hawai'i County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) prepared and delivered forty-nine (49) GIS layers for the Intrado MapFlex deliverable. The GIS layers were delivered to a temporary FTP website as the Intrado MapFlex FTP site is still being developed and configured.  The State of Hawai'i PSAPs are reporting the Wireless 9-1-1 Database Annual Audit is completed for Spring-PCS with an average match rate accuracy of 89.25 %. Contributions to the Statewide accuracy percentage include:  Honolulu C&C with 81.8 % match accuracy Hawai'i County with 93.5 % match accuracy; and Kauai County with a 87.5 %; match accuracy. All sites and sectors within the State of Hawai'i are returned to a 100 % match rate at the conclusion of the audit.  The Honolulu City & County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) provided updated GIS information to the 9-1-1 Service Provider (Hawai'ian Telcom) for the Intrado PowerMap 4.1 system. The Honolulu City & County Primary and Secondary PSAPs updated their CAD system with new GIS data.  The Kauai County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) prepared thirty-seven (37) GIS layers for the Intrado MapFlex Aeliverable. The GIS layers were delivered to a temporary FTP website as the Intrado MapFlex FTP site is still being developed and configured.  The Hawai'i County Primary PSAP's 9-1-1 Data Service Provider (Akimeka) prepared thirty-seven (37) GIS layers for the Intrado MapFlex FTP site is still being developed and configured.  The Hawai'i County Primary PSAP's 9-1-1 Data Service Provider (Akimeka) have received a request from Intrado to provide the symbology for the GIS layers delivered on February 5, 2015. Akimeka recommended to Intrado that the symbology utilized for the MapFlex system sh

	The Hawai'i County Primary and Secondary PSAPs have received from their 9-1-1 Data Service
10-Feb	Provider (Akimeka) and updated the GIS information in the PowerMap 4.0 GIS system supporting 9-1-1 operations.
10-Feb	The Maui County Primary PSAPs (Maui and Molokai) and their 9-1-1 Data Service Provider (Akimeka) prepared for delivery fifty-two (52) GIS layers for the Intrado MapFlex deliverable. The GIS layers were to be delivered to a temporary FTP website as the Intrado MapFlex FTP site is still being developed and configured.
10-Feb	The Maui County Primary PSAPs (Maui and Molokai) and their 9-1-1 Data Service Provider (Akimeka) prepared GIS information for the Intergraph CAD system and the PowerMap 4.0 system. Updates to the CAD Geofile and PowerMap 4.0 system include: Street Centerline, Address Points, Points of Interest, and WSP Cell Towers, WSP Sector Layer, Police Beats, Gate Codes, and Coastal Names.
12-Feb	The State of Hawai'i PSAPs are reporting the Wireless 9-1-1 Database Annual Audit is completed for Verizon-Wireless with an average match rate accuracy of 98.25 %. Contributions to the Statewide accuracy percentage include:  Honolulu C&C with 95.1 % match accuracy Hawai'i County with 99.2 % match accuracy Maui County with a 99.5 %; match accuracy; and Kauai County with a 99.2 % match accuracy.  All sites and sectors within the State of Hawai'i are returned to a 100 % match rate at the conclusion of the audit.
12-Feb	The Honolulu City & County Primary and Secondary PSAPs and their 9-1-1 Data Service Provider (Akimeka), have updated the Net Junctions with the latest MSAG Communities and Police Beats in the Motorola PCAD.
12-Feb	The Kauai County PSAP and their 9-1-1 Data Service Provider (Akimeka) updated GIS information in the GIS data in the TriTech (GeoComm) CAD system and the PowerMap 4.0 GIS systems.
12-Feb	The Maui County Primary PSAPs (Maui and Molokai) and their 9-1-1 Data Service Provider (Akimeka) delivered fifty-two (52) GIS layers for the Intrado MapFlex deliverable to Intrado. Files were required to be compressed, encrypted, and submitted via e-mail to Intrado.
13-Feb	The Honolulu Police Department Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) formally initiated a new project to assign Emergency Service Numbers (ESN) to the Emergency Service Zones (ESZ) and create a new ESZ/ESN layer. Official letter was submitted to the Telco requesting the addition to the required data field to the MSAG and ALI records.
17-Feb	The Honolulu City & County Primary and Secondary PSAPs and their 9-1-1 Data Service Provider (Akimeka), has forwarded updated Wireless Cell Tower and Cell Sector to Honolulu DIT for upload to the GeoComm GIS system for the Oahu PSAPs.
19-Feb	The Honolulu City & County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) provided updated GIS information to the 9-1-1 Service Provider (Hawai'ian Telcom) for the Intrado PowerMap 4.1 system. The Honolulu City & County Primary and Secondary PSAPs updated their CAD system with new GIS data.
20-Feb	The Kauai County PSAP and their 9-1-1 Data Service Provider (Akimeka) participated in a meeting to discuss the implementation of the new Police Beats 453 and the IRA assignments for the CAD system.
23-Feb	The Honolulu City & County Primary and Secondary PSAPs and their 9-1-1 Data Service Provider (Akimeka), has forwarded updated Wireless Cell Tower and Cell Sector to Honolulu DIT for upload to the GeoComm GIS system for the Oahu PSAPs.
23-Feb	The Honolulu City & County Primary and Secondary PSAPs and their 9-1-1 Data Service Provider (Akimeka), have updated the Net Junctions with the latest MSAG Communities and Police Beats in the Motorola PCAD.
23-Feb	The Primary PSAP's 9-1-1 Data Service Provider (Akimeka) received a notification from Intrado that they were moving forward with their FTP site for GIS updates and requested a sample of a typical GIS update. Information was exchanged regarding the secure FTP site and a deliver data date was scheduled for February 25, 2015.
24-Feb	The Hawai'i County Primary and Secondary PSAPs have received from their 9-1-1 Data Service Provider (Akimeka) and updated the GIS information in the PowerMap 4.0 GIS system supporting 9-1-1 operations.
24-Feb	The Kauai County PSAP and their 9-1-1 Data Service Provider (Akimeka) updated GIS information in the GIS data in the TriTech (GeoComm) CAD system.
24-Feb	The Maui County Primary PSAPs (Maui and Molokai) and their 9-1-1 Data Service Provider (Akimeka) prepared GIS information for the Intergraph CAD system and the PowerMap 4.0 system. Updates to the CAD Geofile and PowerMap 4.0 system include: Street Centerline, Address Points, Points of Interest, Fire Beats, WSP Cell Towers, WSP Sector Layer, Fire Response Areas, Police Response Areas, Bridges, Streams, and Major Roads.

25-Feb	The State of Hawai'i PSAPs are reporting the Wireless 9-1-1 Database Annual Audit is completed for AT&T Mobility with an average match rate accuracy of 90.58 %. Contributions to the Statewide accuracy percentage include: Honolulu C&C with 94.3 % match accuracy Hawai'i County with 99.6 % match accuracy Maui County with a 86.4 %; match accuracy; and Kauai County with a 82.0 % match accuracy. All sites and sectors within the State of Hawai'i are returned to a 100 % match rate at the conclusion of the audit.
25-Feb	The Maui County Primary PSAPs (Maui and Molokai) and their 9-1-1 Data Service Provider (Akimeka) delivered GIS information for the Intergraph CAD system and the PowerMap 4.0 system. Updates to the CAD Geofile and PowerMap 4.0 system include: Street Centerline, Address Points, Points of Interest, WSP Cell Towers, WSP Sector Layer, Fire Response Areas, Police Response Areas, and Bridges.
26-Feb	The Kauai County PSAP and their 9-1-1 Data Service Provider (Akimeka) updated GIS information in the PowerMap 4.0 GIS systems.
26-Feb	The Primary PSAP's 9-1-1 Data Service Provider (Akimeka) was able to successfully log-in and deliver GIS data and put the implementation back on a move forward basis for all Primary PSAPs to the Intrado Secure FTP site.
2/1/2015 - 2/28/2015	The Hawai'i County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) conducted a Quarterly 9-1-1 database synchronization analysis which resulted in a 99.14 % match rate between the MSAG and GIS Databases. An inventory of the ALI Record database yielded a match rate of 99.1 % which requires further research and correction to the remaining ALI Records.
2/1/2015 - 2/28/2015	The State of Hawai'i PSAPs continue with the implementation of the Intrado MapFlex mapping system. The State of Hawai'i PSAPs performed an assessment and provided approval to their 9-1-1 database Provider to deliver all visual layers for 9-1-1 purposes. Continuous configuration improvements to the MapFlex were performed and the system has been placed in a "monitor & Training mode" until a GIS update process is developed and implemented. Very positive steps taken during this month to ensure an operational solution is implemented for all the PSAPs.
2/1/2015 - 2/28/2015	The State of Hawai'i PSAPs processed 110,296 total 9-1-1 calls. Contributions to the total include: Honolulu C&C Primary and Secondary PSAPs with 77,047 total 9-1-1 calls; Hawai'i County Primary and Secondary PSAPs with 17,222 total 9-1-1 calls; Maui County Primary PSAPs (Maui & Molokai) with 11,289 total 9-1-1 calls; and Kauai County PSAP with 4,738 total 9-1-1 calls.  * There were 118 total calls with "No ALI" answered by the PSAPs. That is 0.106 % of all 9-1-1 calls.
2/1/2015 - 2/28/2015	The State of Hawai'i PSAPs performed 517 total 9-1-1 Net Transactions, 142 MSAG and 375 ALI transactions. Contributions to the total include: Honolulu C&C with 146 total 9-1-1 Net Transactions, 7 MSAG and 139 ALI transactions; Hawai'i County with 130 total 9-1-1 Net Transactions, 26 MSAG and 104 ALI transactions; Maui County with 151 total 9-1-1 Net Transactions, 21 MSAG and 130 ALI transactions; and Kauai County with 90 total 9-1-1 Net Transactions, 88 MSAG and 2 ALI transactions.
2/1/2015 - 2/28/2015	The State of Hawai'i PSAPs received a 701/709 Report Status of 0 - 701 and 0 - 709 respectively. The 701/709 Report is an indication from the TelCo of the Wireline customers requesting telephone service which does not MSAG validate. A "701" discrepancy indicates a House Number that is "out of range"; and a "709" discrepancy indicates a customer provided a "Street Name" or "MSAG Community" which did not MSAG validate: Contributions to the State totals and status include: Honolulu C&C: 0 - 701 Discrepancies and 0 - 709 Discrepancies; Hawai'i County: 0 - 701 Discrepancies and 0 - 709 Discrepancies; Maui County: 0 - 701 Discrepancies and 0 - 709 Discrepancies; and Kauai County: 0 - 701 Discrepancies and 0 - 709 Discrepancies.
2/1/2015 - 2/28/2015	The State of Hawai'i PSAPs Telephone Number Change Request (TNCR) total number of records in an open status is 1,226 ALI records. A TNCR is an indication of the Automatic Location Identification (ALI) records requiring some type of correction or modification. Contributions to the totals and status include: Honolulu C&C with 245 Records Submitted, 13 Pending Intrado, 106 Pending HawTel, 126 Unopened; Hawai'i County with 430 Records Submitted, 107 Pending Intrado, 64 Pending HawTel, 259 Unopened; Maui County with 340 Records Submitted, 49 Pending Intrado, 48 Pending HawTel, 243 Unopened; and Kauai County with 211 Records Submitted, 29 Pending Intrado, 53 Pending HawTel, 129 Unopened.

2/1/2015 - 2/28/2015	Databases (includes updates to both Wireless GIS layers). Contributions to the total include:
	Honolulu C&C HPD PSAP performed 13 Site and 47 Sector updates; Hawai'i County Police PSAP performed 3 Site and 9 Sector updates;
	Maui County Police PSAP performed 1 Site and 1 Sector updates; and
	Kauai County Police PSAP performed 0 Site and 0 Sector updates.
	The State of Hawai'i PSAPs conducted Wireless 9-1-1 testing of Wireless Cell Sites and Sectors which
	included 3 Sites and 15 Sectors. Contributions to the total include:  Honolulu C&C HPD PSAP performed 2 Site and 14 Sector tested;
2/1/2015 - 2/28/2015	Hawai'i County Police PSAP performed 0 Site and 0 Sector tested;
	Maui County Police PSAP performed 1 Site and 1 Sector tested; and
	Kauai County Police PSAP performed 0 Site and 0 Sector tested.
2/1/2015 - 2/28/2015	The Honolulu City & County Primary PSAP is reporting that it's MSAG Community and Street Segment Sweep, Phase VII Project, the MSAG Community of Haleiwa was completed; however, there are several
	cane roads that require additional detailed editing. The MSAG Communities of Wahiawa, Waialua,
	Mokuleia, Kalanianaole Hwy Project, and Makaha have been completed. The MSAG Communities of
	Waianae and Maili have been initiated.
2/1/2015 - 2/28/2015	The Honolulu City & County Primary PSAP is reporting that an additional two Police Beat have been spatially realigned and completed.
	The Honolulu Police Department Primary PSAP and their 9-1-1 Data Service Provider (Akimeka)
2/1/2015 - 2/28/2015	initiated a new project to create and upload Emergency Service Zone (ESZs)/Emergency Service  Numbers (ESNs) to their 9-1-1 Databases. Letters have been submitted to the 9-1-1 System Service
	Provider (Hawai an Telcom) for approval and implementation.
	The Honolulu Police Department Primary PSAP and their 9-1-1 Data Service Provider (Akimeka)
2/1/2015 - 2/28/2015	initiated a new special project to correct the numerous street segments along Kalanianaole Highway as a result of the many erroneous CAD recommendation for both HFD and EMS. The project was started on
	February 9, 2015 and completed on February 19, 2015.
2/4/2045 2/20/2045	The Honolulu Police Department Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) initiated a new special project to create a new Map Book which includes intersections, street ranges, for
2/1/2015 - 2/28/2015	Police Beats, and Common Place listings.
	The Hawai'i County Primary PSAP, Maui County Primary PSAPs (Maui & Molokai), and Kauai County
2/1/2015 - 2/28/2015	Primary PSAP continue to performed GIS updates and spatial realignments to their GIS data to conform to new GIS requirements necessary for NG9-1-1 operations. This also include performing the MSAG
	and ALI records corrections to ensure 9-1-1 Database synchronization.
	The Hawai'i County Primary PSAP and its 9-1-1 Data Service Provider (Akimeka) continued with the situational awareness project to provide the Hawai'i County public safety responders with a visual
2/1/2015 - 2/28/2015	display of the Kilauea's East Rift, June 27 Lava Flow. The Lava Flow layers were delivered and
	uploaded to the Hawai'i County PowerMap system during the January 7 & 20 updates.
	The Hawai'i County Primary and Secondary PSAPs continue with the implementation of the Intrado MapFlex mapping system. The Hawai'i County performed an assessment and provided approval to their
	9-1-1 database Provider to deliver all visual layers for 9-1-1 purposes. Continuous configuration
2/1/2015 - 2/28/2015	improvements to the MapFlex were performed and the system has been placed in a "monitor & Training
	mode" until a GIS update process is developed and implemented. Very positive steps taken during this month to ensure an operational solution is implemented for the Hawai'i PSAP.
	March 2015
Dates	Description Description
Dates	The Honolulu City & County Primary and Secondary PSAPs and their 9-1-1 Data Service Provider
2-Mar	(Akimeka), has forwarded updated Wireless Cell Tower and Cell Sector to Honolulu DIT for upload to the GeoComm GIS system for the Oahu PSAPs.
	The Honolulu City & County Primary PSAP and their 9-1-1 Data Service Provider (Akimeka) provided updated GIS information to the 9-1-1 Service Provider (Hawai'ian Telcom) for the Intrado PowerMap 4.1
6-Mar	system. The Honolulu City & County Primary and Secondary PSAPs updated their CAD system with new
	GIS data.
9-Mar	The Honolulu City & County Primary and Secondary PSAPs and their 9-1-1 Data Service Provider (Akimeka), has forwarded updated Wireless Cell Tower and Cell Sector to Honolulu DIT for upload to
	the GeoComm GIS system for the Oahu PSAPs.
10-Mar	The Hawai'i County Primary and Secondary PSAPs have received from their 9-1-1 Data Service Provider (Akimeka) and updated the GIS information in the PowerMap 4.0 GIS system supporting 9-1-1