

DEAN H. SEKI ACTING COMPTROLLER JAN S. GOUVEIA DEPUTY COMPTROLLER

STATE OF HAWAI'I DEPARTMENT OF ACCOUNTING AND GENERAL SERVICES

Enhanced 911 Board Meeting Thursday, March 15, 2012 McCoy Pavilion, Ala Moana Beach Park, Honolulu 10 am to 12 noon Agenda

- I. Call to Order
- II. Introductions
- III. Approval of Last Meeting's Minutes
- IV. Committee Updates by Committee Chairs
 - a. Finance Committee Kiman Wong
 - b. Technical Committee Victor Ramos
 - C. Communications Committee- Gordon Bruce

V. PSAP Status Updates

- a. Kauai Brandon Raines
- b. Oahu Gordon Bruce
- c. Molokai Victor Ramos
- d. Maui Clayton Tom
- e. Hawaii Paul Ferreira

VI. Items for Discussion, Consideration and Action

- a. Review of the Monthly Cash Flow Report
- b. Update on status of FY 2012 projects
 - i. HFD Fire/EMS CAD Upgrade
 - Clarification on what parts of a CAD system that should be covered by the 911 Fund.
 - 2. Contingency Plan for Fire & EMS CAD Upgrade
 - ii. Kauai CAD Upgrade
 - iii. Others
- c. Update on VoIP Surcharge

- i. Wavecom Solutions
- d. Wireless E911 Timeline update
- e. Act 168(11)
- f. Legislative update
- g. Confirmation Hearing Remarks
- h. Requests for approval for adjustments of FY 2012 Strategic Budget Plan Funding:
 - i. HPD \$ 1,549,940 for additional CAD upgrade costs.
 - ii. HFD Fire/EMS upgrade additional funding.
 - iii. Request for purchase of new equipment for Maui PSAP:
 - 1. CAD-Powerphone to replace PRO QA \$72.820
 - 2. Servers for Alternate PSAP Site \$11,954.12
 - 3. Laptops for Alternate PSAP Site \$11,249.18
 - 4. Mapping Workstation \$6,559.16
 - 5. CAD System Training \$29,487.50
 - 6. Total \$106,169.96
 - iv. Conference 911 Goes to DC
 - v. Docusign (online document signature service) \$200
 - vi. Others
- Discussion & Review of FY 2013-2017 Strategic Budget Plan-Recurring Items.
- VII. Executive Session (closed to public) –To consult with attorney on powers, immunities, and liabilities pursuant to HRS § 92-5(a)(4) on the following issues:
 - a. The exercise of the option to extend the existing contract with TKC Consulting Group, LLC for the Executive Director services to the board.
 - b. Hiring permanent staff to support the board.

VIII. Announcements

- IX. Next Meeting Date: Thursday, April 12, 2012, McCoy Pavilion, AlaMoana Park, 10 am 12 noon.
- X. Adjourn



DEAN H. SEKI
ACTING COMPTROLLER

JAN S. GOUVEIA
DEPUTY COMPTROLLER

STATE OF HAWAI'I DEPARTMENT OF ACCOUNTING AND GENERAL SERVICES

Enhanced 911 Board Meeting Thursday, March 15, 2012 McCoy Pavilion, Ala Moana Beach Park, Honolulu 10 am to 12 noon

Minutes

Board members: Paul Ferreira (Chair), Goldie Cross, John Thompson, Kiman Wong, Brandon Raines, Victor Ramos, Clayton Tom, Kerry Yoneshige (Comptroller's designee) and Gordon Bruce.

Board members absent: Roy Irei, Jeffrey Ono, Su Shin, and James LaClair.

Staff present: Thera Bradshaw, Courtney Tagupa, and Pat Ohara (AG).

Guests: Gwyn Hirasa (HawTel); Tony Ramirez (Akimeka, LLC), Morris Tamanaha (RMC),

Roy Halterman (Intrado), Thalia Burns (HPD), and Wayne Kruse (EMS).

Call to Order

The meeting was called to order at 10:00 am.

II. Introductions

Introductions were made of all in attendance.

- III. Approval of Last Meeting's Minutes
 - Mr. Kiman Wong motioned to accept the minutes. The motion was seconded and approve unanimously by voice vote without discussion.
- IV. Committee Updates by Committee Chairs
 - a. Finance Committee Kiman Wong

None

b. Technical Committee – Victor Ramos

None

c. Communications Committee- Gordon Bruce

None

V. PSAP Status Updates

- a. Kauai Brandon RainesNo updates
- b. Oahu Gordon BruceNo updates
- C. Molokai Victor Ramos
 No updates
- d. Maui Clayton TomNo updates
- e. Hawaii Paul Ferreira

 No updates
- VI. Items for Discussion, Consideration and Action
 - a. Review of the Monthly Cash Flow Report
 - Mr. Tagupa stated the following:
 - a. Receipts (Month of February) \$680,297.
 - b. Receipts (FY YTD February) \$5,833,246.
 - c. Disbursements (Month of February) \$473,608.
 - d. Disbursements (FY YTD February) \$1,928,173.
 - b. Update on status of FY 2012 projects
 - i. HFD Fire/EMS CAD Upgrade
 - 1. Clarification on what parts of a CAD system that should be covered by the 911 Fund.
 - The matter has been deferred awaiting Mr. Kenison Tejada's arrival.
 - Contingency Plan for Fire & EMS
 The matter has been deferred awaiting Mr. Kenison
 Tejada's arrival.
 - 3. EMS CAD Upgrade
 The matter is deferred.
 - ii. Kauai CAD Upgrade
 - Mr. Brandon Raines state that contract amendment is still in process to change the payment terms in order to pay down the existing encumbrance. However it is still

anticipated that part of the remaining encumbrance will carry over to FY 2013.

- iii. Others-None
- **C.** Update on VoIP Surcharge
 - i. Wavecom Solutions
 - Mr. Tagupa stated that the matter regarding the surcharge liability with Wavecom is still in discussion with Wavecom's CFO. Efforts are continuing until resolution is achieved.
- d. Enhanced 9-1-1 Timeline update
 - Mr. Tony Ramirez needs approval from Hawaii County for the information received. Mr. Ramirez recommended that that the change from Wireless E911 to Enhanced 9-1-1 on the website.
- e. Act 168(11)-None
- f. Legislative update
 - Ms. Thera Bradshaw stated that HB 2769 and SB 2909 have passed on both the House and Senate side.
- g. Confirmation Hearing Remarks
 - Mr. Paul Ferreira stated the following:
 - i. During the confirmation hearings in front of the Public Safety and Government Military Operations Committee, Some misinformation was relayed to the Vice Chair Senator Kidani and she made comments about the Board which included:
 - a. Having problems
 - b. Not being proactive
 - c. Not opposing the legislative action to raid the fund.
 - ii. There needs to be an effort to meet with Sen. Kidani as well as other committee members to clarify the accomplishments of the Board as well as its efforts to prevent the legislative raid of the E9-1-1 fund.

- iii. A recommendation was made by Ms. Bradshaw to invite the legislators to the 9-1-1 center(s) so they can understand the benefits the E9-1-1 Board has funded. And continue the information exchange.
- iv. Mr. Kerry Yoneshige stated that Sen. Kidani's comments revolved around the cell phone reception from remote areas and the buildup of cell towers in those remote locations. In addition the Board did give testimony against the raid on the E9-1-1 Fund so there appears to be a lot of misinformation relayed to Sen. Kidani.
- v. Ms. Goldie Cross recommended that the Board make the legislature aware of the large capital outlay for Next Generation 9-1-1.
- h. Requests for approval for adjustments of FY 2012 Strategic Budget Plan Funding:
 - i. HPD \$ 1,549,940(revised to \$1,011,700 for additional CAD upgrade costs.

Maj. Thompson advised that the amount HPD is requesting is an additional \$1,011,700 or for a total of \$3,011,700 for FY 2012. This represents just of portion of the entire HPD contract.

This item was reviewed and approved by both the Technical and Finance Committees to move forward for Board approval.

Mr. Victor Ramos motioned to approve the additional funding of \$1,011,700. The motion was seconded and was approved by voice vote without discussion with Maj. Thompson abstaining.

ii. HFD – Fire/EMS upgrade additional funding.This matter is deferred.

- iii. Request for purchase of new equipment for Maui PSAP:
 - 1. CAD-Powerphone to replace PRO QA \$72.820
 - 2. Servers for Alternate PSAP Site \$11,954.12
 - 3. Laptops for Alternate PSAP Site \$11,249.18
 - 4. Mapping Workstation \$6,559.16
 - 5. CAD System Training \$29,487.50

These items were reviewed and approved by both the Technical and Finance Committees to move forward for Board approval.

- Mr. Victor Ramos motioned to approve funding for the new equipment. The motion was seconded and approved by voice vote without discussion. Mr. Clayton Tom abstained.
- iv. Conference 911 Goes to DC-approval previously rendered.
- v. Docusign (online document signature service) \$200

 Mr. Clayton Tom motioned to approve funding in the
 amount of \$200. The motion was seconded and was
 unanimously approved by voice vote without discussion.
- vi. Others- Website information
- Discussion & Review of FY 2013-2017 Strategic Budget Plan-Recurring Items.
 - Mr. Tagupa recapped the Strategic Budget Plan for the Recurring Items that was presented in the Technical Committee as follows:
 - i. Provided a comparison of the FY 2012 forecasted expenditures to the future expenditures for FY 2013 through FY 2017.
 - ii. Provided a variance analysis of the changes from FY 2013 to FY 2017.
 - iii. Requested that the Technical committee approve the items listed in the Strategic Budget Plan.

- iv. The Technical Committee approved the Strategic Budget
 Plan for Recurring items to be sent to the Finance
 Committee and the Board for approval.
- VII. Executive Session (closed to public) –To consult with attorney on powers, immunities, and liabilities pursuant to HRS § 92-5(a)(4) on the following issues:
 - a. The exercise of the option to extend the existing contract with TKC Consulting Group, LLC for the Executive Director services to the board.
 - b. Hiring permanent staff to support the board.

VIII. Announcements

- a. Mr. Morris Tamanaha had emailed a document entitled Proposed California NG9-1-1 Roadmap that may be of benefit to the PSAPs and the connection service providers.
- b. Mr. Tony Ramirez announced the passing of Ms. Bernice Bishop-Kanoa who was formally with the Navy Region Center help desk and was instrumental in moving the NRC forward.
- c. Ms. Bradshaw will be sending a document that was signed into law which summarized:
 - i. Middleclass tax relief
 - ii. SPECTRUM
 - iii. NG9-1-1
- IX. Next Meeting Date: Thursday, April 12, 2012, McCoy Pavilion, AlaMoana Park, 10 am 12 noon.
- X. AdjournThe meeting was adjourned at 11:22am.

FIRST HAWAIIAN BANK ACCOUNT:					
General Fund		Prior Month			Ending
	Ind	ception-to-Date		In	ception-to-Date
ITEM		Cash Flow	Current		Cash Flow
		Balance	Month		Balance
Cash Inflow:					
Enhance 911 Surcharge Collection	\$	56,529,013.43	680,206.43	\$	57,209,219.86
Other Income	\$	11,555.22		\$	11,555.22
Interest Income	\$	1,824,281.66	91.01	\$	1,824,372.67
Prior Period Interest Income Adjustment	\$	(257,236.01)		\$	(257,236.01)
Net Interest Income	\$	1,567,045.65	\$ 91.01	\$	1,567,136.66
Subtotal Cash Inflow	\$	58,107,614.30	\$ 680,297.44	\$	58,787,911.74
Cash Outflow:					
Act 79 Fund Transfer to State	\$	(16,000,000.00)		\$	(16,000,000.00)
PSAP Reimbursement	\$	(21,354,143.96)	(369,382.10)	\$	(21,723,526.06)
Board Member Travel Expense	\$	(102,517.65)	(1,876.00)	\$	(104,393.65)
DB&F Revenue Assessments	\$	(2,802,186.53)		\$	(2,802,186.53)
DB&F Administrative Expense Assess.	\$	(679,605.31)		\$	(679,605.31)
WSP Reimbursement	\$	(897,964.66)	(75,086.52)	\$	(973,051.18)
Consultant-Intrado, Inc.	\$	(439,260.41)		\$	(439,260.41)
Consultant-Exec Director	\$	(1,967,416.89)	(27,083.33)	\$	(1,994,500.22)
Audit Expense	\$	(36,586.88)		\$	(36,586.88)
Other Board Related Expenses	\$	(3,592.00)	(180.00)	\$	(3,772.00)
Subtotal Cash Outflow	\$	(44,283,274.29)	\$ (473,607.95)	\$	(44,756,882.24)
Bank Balance	\$	13,824,340.01	\$ 206,689.49	\$	14,031,029.50
Encumbrances	\$	(2,486,371.39)			(2,486,371.39)
Unencumbered Cash	\$	11,337,968.62	\$ 206,689.49	\$	11,544,658.11

Note: Detail of Current Month Disbursements is on page 4. Detail of Encumbrances is on page 5.

	Hawaii PSAP	Kauai PSAP	Maui PSAP	Oahu PSAP	ADMIN		TOTAL		
FY2012 STRATEGIC BUDGET vs Actuals	8 MOS.	8 MOS.	8 MOS.	8 MOS.	8 MOS.	8 MOS.	ANNUAL Budget	Over/(UNDER) Budget	
TOTAL RECEIPTS	•	-	•	•	5,833,246	5,833,246	8,130,000	(2,296,754)	71.7%
Total CONFERENCES	5	-	-	12,024	18,537	30,566	204,300	(173,734)	
Total Non-RECURRING		-	•	•	-	ı	3,481,000	(3,481,000)	0.0%
Total RECURRING EXPENSES	138,070	210,900	393,744	616,303	538,590	1,897,608	6,732,735	(4,835,127)	28.2%
Total DISBURSEMENTS	138,075	210,900	393,744	628,328	557,126	1,928,173	10,418,035	(8,489,862)	18.5%
NET CASH INFLOW/(OUTFLOW)						3,905,073	6,729,497	(2,824,424)	

Note: Details of expenditures against budget are on pages 6 – 10.

FY2012 STRATEGIC PL	AN BUDGET	HAWAII	KAUAI	MAUI	OAHU	ADMIN	TOTAL	%
DESCRIPTION	N	Budget	Budget	Budget	Budget	Budget	Budget	Budget
DISBURSEMENTS:								
	Administration	-	-	-	-	1,393,503	1,393,503	13.11%
	Maintenance	944,433	512,755	929,408	1,356,016	-	3,742,612	35.22%
Subtot	tal RECURRING	1,250,777	627,753	1,207,903	2,307,799	1,393,503	6,787,735	63.87%
Subtotal No	n-RECURRING	-	164,283	15,000	3,456,000	-	3,635,283	34.21%
Subto	tal Conferences	30,000	21,300	24,000	87,000	42,000	204,300	1.92%
Total Strate	gic Plan Budget	1,280,777	813,336	1,246,903	5,850,799	1,435,503	10,627,318	100.00%
	% of Budget	12.1%	7.7%	11.7%	55.1%	13.5%	100.0%	

Y2012 STRATI	EGIC BUDGET PLAN (MONTH OF FEB)	Kauai PSAP	Maui PSAP	Oahu PSAP	ADMIN	TOTAL
Income						
Total RECE	EIPTS	-	-	-	680,297	680,297
DISBURSE	MENTS:					
RECUF	RRING EXPENSES					
AI	DMINISTRATION					
	Board Member Travel	-	-	-	1,876	1,876
	Meeting Venue	-	-	-	180	180
	TKC Consulting Group, LLC	-	-	-	27,083	27,083
	WSP Cost Recovery					
	Sprint/Nextel (§138-4(d)(2))	-	-	-	75,087	75,087
	Total WSP Cost Recovery	-	-	-	75,087	75,087
To	otal ADMINISTRATION	-	-	-	104,226	104,226
M	AINTENANCE					
	MSAG Svcs (Akimeka, LLC)	25,820	254,612	56,403	-	336,83
To	otal MAINTENANCE	25,820	254,612	56,403	-	336,83
Ot	ther RECURRING					
	Hawaiian Telcom Charges					
	Hawaiian Telcom Trunk	9,283	23,208	-	-	32,49
	Long Distance Charges	28	27	-	-	5
	Total Hawaiian Telcom Charges	9,311	23,235	-	-	32,546
To	otal Other RECURRING	9,311	23,235	-	-	32,546
Total I	RECURRING EXPENSES	35,132	277,847	56,403	104,226	473,60
Total DISB	URESMENTS	35,132	277,847	56,403	104,226	473,60
	NET CASH INFLOW/(OUTFLOW)	(35,132)	(277,847)	(56,403)	576,072	206,689

FNHANC	ED 911 BOARD				
ANALYSIS OF ENCUMBRAN					
Vendor	FY 2011 ENCUMBRANCE Amount	Q1 AMOUNT PAID DOWN	ENCUMBRANCE CARRY-OVER	Q2 AMOUNT PAID DOWN	ENCUMBRANCE CARRY-OVER
C&C of Honolulu, Hawaii, Maui, Kauai Counties	1,556.51	(1,556.51)	-		-
Akimeka, LLC-Hawaii PSAP	36,311.62	(36,311.62)	-		-
Akimeka, LLC-Kauai PSAP	50,012.62	(50,012.62)	-		-
Akimeka, LLC-Maui PSAP	35,140.93	(35,140.93)	-		-
VisionAIR- (Kauai PSAP)	3,800,000.00	(525,451.44)	3,274,548.56	(788,177.17)	2,486,371.39
Integraph Conference-Hawai'l County PSAP	8,270.54	(8,270.54)	-		-
Nena Conference- Hawaii PSAP	19,559.05	(11,616.64)	7,942.41	(7,942.41)	-
Hawaiian Telcom-Oahu PSAP	2,070.12	(2,070.12)	-		-
Hawaiian Telcom-Oahu PSAP	350.00		350.00	(350.00)	-
Pictometry-Hawaii PSAP	1,070,342.18	(1,070,342.18)	-		-
Sprint-Operations (Direct Payment)	72,500.00	(72,500.00)	-		-
§36-27, HRS Revenue Assessment	108,378.55	(108,378.55)	-		-
§36-30, HRS Administrive Assessment	184,490.86	(184,490.86)	-		-
TOTAL	5,388,982.98	(2,106,142.01)	3,282,840.97	(796,469.58)	2,486,371.39

For month ending 29 Feb			ICAD.		
	Hawaii PSAP ANNUAL \$ Over/(UN)				
FY2012 STRATEGIC BUDGET PLAN	8 MOS.	ANNUAL Budget	\$ Over/(UNDER) Budget		
TOTAL RECEIPTS	-				
CONFERENCES	-				
		6 000	(6,000)		
911 Goes to Washington Conf APCO Conference	-	6,000			
	-	9,000	(9,000)		
Intergraph Conference	-	6,000	(6,000)		
Motorola CAD User's	-				
NASNA Conference	-				
Navigator			4		
Nena Conference	5	9,000	(8,995)		
NG911 Technology Forum	-				
Pictometry Future View Confer	-				
TriTech CAD Users	-				
Total CONFERENCES	5	30,000	(29,995)		
MAINTENANCE					
CAD Maintenance	_	66,867	(66,867)		
Excom911 Logging Recorder Maint	_		, ,		
GeoComm Maintenance	_				
Intergraph Call Taker License	_	34,140	(34,140)		
MSAG Svcs (Akimeka, LLC)	112,541	450,166	(337,625)		
Pictometry License Agreement	-	353,260	(353,260)		
Positron Equipment SW Maint	_	40,000	(40,000)		
Tritech CAD System Maintenance		.0,000	(10,000)		
EMS	_				
Honolulu Fire Dept.	_				
Total Tritech CAD System Maint.					
Total Tritech CAD System Maint.	-				
Total MAINTENANCE	112,541	944,433	(831,892)		
Other RECURRING					
EMS Tower Lease	-				
Hawaiian Telcom Charges					
Haw Tel Frame Relay & CIR	-				
Hawaiian Telcom Trunk	25,529	306,344	(280,815)		
HawT Chgs for C&C, Hickam, HPE	-				
Long Distance Charges	-				
Mileage	-				
Ocean Safety CML Charges	-				
Total Hawaiian Telcom Charges	25,529	306,344	(280,815)		
Total Other RECURRING	25,529	306,344	(280,815)		
Total RECURRING EXPENSES	138,070	1,250,777	(1,112,707)		
	138,075	1,280,777	(1,142,702)		

	UNDER)
Doubles Doubles	UNDER)
	dget
TOTAL RECEIPTS -	
CONFERENCES	
911 Goes to Washington Conf - 3,600	(3,600)
APCO Conference -	
Intergraph Conference -	
Motorola CAD User's -	
NASNA Conference -	
Navigator -	
Nena Conference - 7,200	(7,200)
NG911 Technology Forum -	
Pictometry Future View Confer - 10,500	(10,500)
TriTech CAD Users -	
Total CONFERENCES - 21,300	(21,300)
MAINTENANCE	
CAD Maintenance -	
Excom911 Logging Recorder Maint -	
GeoComm Maintenance -	
Intergraph Call Taker License -	
MSAG Svcs (Akimeka, LLC) 154,923 309,846 (154,923)
Pictometry License Agreement - 202,909 (202,909)
Positron Equipment SW Maint -	
Tritech CAD System Maintenance	
EMS -	
Honolulu Fire Dept	
Total Tritech CAD System Maint.	
Total MAINTENANCE 154,923 512,755 (357,832)
Other RECURRING	, , , ,
EMS Tower Lease -	
Hawaiian Telcom Charges	
Haw Tel Frame Relay & CIR -	
Hawaiian Telcom Trunk 55,699 114,998	(59,299)
HawT Chgs for C&C, Hickam, HPD -	
Long Distance Charges 279	279
Mileage -	
Ocean Safety CML Charges -	
Total Hawaiian Telcom Charges 55,977 114,998	(59,021)
Total Other RECURRING 55,977 114,998	(59,021)
	416,853)

		Maui PS	AP
		ANNUAL	Over/(UNDER)
FY2012 STRATEGIC BUDGET PLAN	8 MOS.	Budget	Budget
TOTAL RECEIPTS	-		
CONFERENCES			
911 Goes to Washington Conf	-	6,000	(6,000
APCO Conference	-		
Intergraph Conference	-	6,000	(6,000
Motorola CAD User's	-		
NASNA Conference	-		
Navigator	-		
Nena Conference	-	6,000	(6,000
NG911 Technology Forum	-		
Pictometry Future View Confer	-	6,000	(6,000
TriTech CAD Users	-		
Total CONFERENCES	-	24,000	(24,000
Non-RECURRING			
CAD Replacement/Upgrade			
Honolulu Fire Dept.	-		
Honolulu Police Dept.	-		
Total CAD Replacement/Upgrade	-		
Computers			
EMS CAD Live Rounting	-		
EMS Tritech-GeoComm Interface	-		
Total Computers	-		
Training			
RTO Training for CADS	-	15,000	(15,000
TriTech CAD System Admin Train	-		
Training - Other	-		
Total Training	-	15,000	(15,000
Total Non-RECURRING	-	15,000	(15,000
RECURRING EXPENSES			
MAINTENANCE			
CAD Maintenance	-	115,825	(115,825
Excom911 Logging Recorder Maint	-		
GeoComm Maintenance	-		
Intergraph Call Taker License	-		
MSAG Svcs (Akimeka, LLC)	254,612	436,521	(181,909
Pictometry License Agreement	-	377,062	(377,062
Positron Equipment SW Maint	-		
Tritech CAD System Maintenance			
EMS	-		
Honolulu Fire Dept.	-		
Total Tritech CAD System Maint.	-		
Total MAINTENANCE	254,612	929,408	(674,796
Other RECURRING			
EMS Tower Lease	-		
Hawaiian Telcom Charges			
Haw Tel Frame Relay & CIR	-		
Hawaiian Telcom Trunk	139,247	278,495	(139,248
HawT Chgs for C&C, Hickam, HPD	-		
Long Distance Charges	(115)		(115
	-		
Mileage			
Ocean Safety CML Charges	-		
	139,133	278,495	(139,36
Ocean Safety CML Charges	- 139,133 139,133	278,495 278,495	_
Ocean Safety CML Charges Total Hawaiian Telcom Charges			(139,362 (139,362 (814,159

	Oahu PSAP				
FY2012 STRATEGIC BUDGET PLAN	8 MOS.	ANNUAL Budget	Over/(UNDER Budget		
TOTAL RECEIPTS	-				
CONFERENCES					
911 Goes to Washington Conf	-	24,000	(24,000		
APCO Conference	11,743	27,000	(15,257		
Intergraph Conference	-				
Motorola CAD User's	-	12,000	(12,000		
NASNA Conference	-				
Navigator	-	3,000	(3,000		
Nena Conference	281	12,000	(11,719		
NG911 Technology Forum	-				
Pictometry Future View Confer	-				
TriTech CAD Users	-	9,000	(9,000		
Total CONFERENCES	12,024	87,000	(74,976		
Non-RECURRING					
CAD Replacement/Upgrade					
Honolulu Fire Dept.	-	1,400,000	(1,400,000		
Honolulu Police Dept.	-	2,000,000	(2,000,000		
Total CAD Replacement/Upgrade	-	3,400,000	(3,400,000		
Computers					
EMS CAD Live Rounting	-	20,000	(20,000		
EMS Tritech-GeoComm Interface	-	30,000	(30,000		
Total Computers	-	50,000	(50,000		
Training					
RTO Training for CADS	-				
TriTech CAD System Admin Train	-	6,000	(6,000		
Training - Other	-				
Total Training	-	6,000	(6,000		
Total Non-RECURRING	-	3,456,000	(3,456,000		
RECURRING EXPENSES					
MAINTENANCE					
CAD Maintenance	-	227,460	(227,460		
Excom911 Logging Recorder Maint	-	65,000	(65,000		
GeoComm Maintenance	-	40,000	(40,000		
Intergraph Call Taker License	-				
MSAG Svcs (Akimeka, LLC)	112,807	507,631	(394,824		
Pictometry License Agreement	-	300,905	(300,905		
Positron Equipment SW Maint	-				
Tritech CAD System Maintenance EMS	_	92,820	(92,820		
Honolulu Fire Dept.	_	112,200	, .		
Total Tritech CAD System Maint.		205,020	(112,200		
Total MAINTENANCE	112,807	1,346,016	(205,020		
Other RECURRING	112,007	1,340,010	(1,233,203		
EMS Tower Lease	_	7,690	(7,690		
Hawaiian Telcom Charges	_	7,030	(1,030		
Haw Tel Frame Relay & CIR	11,353		11,353		
Hawaiian Telcom Trunk	473,441	918,893	(445,452		
HawT Chgs for C&C, Hickam, HPD	4,730	3.5,555	4,730		
Long Distance Charges	-,,		.,,,,,		
Mileage	1,892		1,892		
Ocean Safety CML Charges	12,080	25,200	(13,120		
Total Hawaiian Telcom Charges	503,496	944,093	(440,597		
Total Other RECURRING	503,496	951,783	(448,287		
Total RECURRING EXPENSES	616,303	2,297,799	(1,681,496		
Total DISBURSEMENTS	628,328	5,840,799	(5,212,47		

For month ending 29 Fe	bruary 2	<u> </u>	
		ADMIN	Ī
FY2012 STRATEGIC BUDGET PLAN	8 MOS.	ANNUAL Budget	Over/(UNDER) Budget
TOTAL RECEIPTS	5,833,246	8,130,000	(2,296,754)
CONFERENCES			
911 Goes to Washington Conf	-	3,000	(3,000)
APCO Conference	-	3,000	(3,000)
Intergraph Conference	-		
Motorola CAD User's	-		
NASNA Conference	1,361	3,000	(1,639)
Navigator	-		
Nena Conference	-	3,000	(3,000)
NG911 Technology Forum	17,176	30,000	(12,824)
Pictometry Future View Confer	-		
TriTech CAD Users	-		
Total CONFERENCES	18,537	42,000	(23,463)
Non-RECURRING			
Training			
RTO Training for CADS	-		
TriTech CAD System Admin Train	-		
Training - Other	-	10,000	(10,000)
Total Training	-	10,000	(10,000)
Total Non-RECURRING	-	10,000	(10,000)
RECURRING EXPENSES			
ADMINISTRATION			
Audit Expense	12,042	12,042	(0)
Bank Charge	72	200	(000)
Board & Committee Venue	44 722	600	(600) (12,917)
Board Member Travel DB&F Assessments	11,733	24,650	(12,917)
DB&F Admin. Exp. Assess	31,356	374,000	(342,644)
DB&F Revenue Assessment	186,113	440,000	(253,887)
Total DB&F Assessments	217,469	814,000	(596,531)
E911 Logo Contest	-	11,911	(11,911)
Meeting Venue	180	,-	, , ,
NASNA Dues	100	100	-
Parking Permits	-	200	(200)
TKC Consulting Group, LLC	216,767	325,000	(108,233)
WSP Cost Recovery			
Sprint/Nextel	80,227	160,000	(79,773)
Total WSP Cost Recovery	80,227	160,000	(79,773)
Total ADMINISTRATION	538,590	1,348,503	(809,913)
Total DISBURSEMENTS	557,126	1,400,503	(843,377)
NET CASH INFLOW/(OUTFLOW)		6,729,497	(6,729,497)

• PSAP Operations

9-1-1 Call Volume – February 2012

(Source: Plant/CML Call Volumes Provided by Hawaiian Telcom, Inc.)

PSAP	Total	Wireline	%	Wireless	%
OAHU CIVILIAN (*)	76,894	23,457	30.5%	53,431	69.5%

^(*) Totals are based on calls to Primary PSAP.

OAHU C	-IV/II 1A NI		тот	AL PSAP 9-1	1 CALL VOLU	JME			
OAHU C	IVILIAN	Wire	line	Wire	eless	Adr	nin	Aban	doned
2012	Total	# of Calls	% to Total Wireline & Wireless	# of Calls	%to Total Wireline & Wireless	# of Calls	% to Total Calls	# of Calls	% Abandoned to Total
December									
November									
October									
September									
August									
July									
June									
May									
April									
March									
February	76,894	23,457	30.5%	53,431	69.5%	6	0.0%	6,843	8.9%
January	83,434	25,004	30.0%	58,409	70.0%	21	0.0%	7,257	8.7%
TOTAL YTD	160,328	48,461	30.2%	111,840	69.8%	27	0.0%	14,100	8.8%
AVG PER MO	80,164	24,231		55,920		14		7,050	

Note: Total Calls include Administrative calls that are not direct 911 calls.

OALIII	IVILIAN			TRANSFI	ERRED TO CA	LL TAKERS (HPDCT)				
UAHU C	IVILIAN		Wireline			Wireless		Adr	nin	Aban	doned
2012	Total	# of Calls	# of Calls		# of Calls	%to Total Wireline & Wireless	% of Total Wireless	# of Calls	%to Total Calls	# of Calls	% Abandoned to Total
December											
November											
October											
September											
August											
July											
June											
May											
April											
March											
February (*)	32,309	9,312	28.9%	39.7%	22,912	71.1%	42.9%	85	0.3%	743	2.3%
January	40,526	11,639	28.8%	46.5%	28,806	71.2%	49.3%	81	0.2%	1,095	2.7%
TOTAL YTD	72,835	20,951	28.8%	43.2%	51,718	71.2%	46.2%	166	0.2%	1,838	2.5%
AVG PER MO	36,418	10,476			25,859			83		919	
Note:	Total Calls incli	lude Administrative calls that are not direct 911 calls.									

^(*) No statistics were captured from February 27 – 29, 2012 while Dispatch was at the alternate site in Kapolei.

• PSAP Operations (continued)

9-1-1 Call Volume – February 2012 (continued)

OAHU C	IN/II IANI			TRANSFERR	ED TO URGE	NT RESPONS	E (HPDURS)				
UAHU C	IVILIAN		Wireline			Wireless		Adr	nin	Aban	doned
2012	Total	# of Calls	# of Calls		# of Calls	%to Total Wireline & Wireless	% of Total Wireless	# of Calls	%to Total Calls	# of Calls	% Abandoned to Total
December											
November											
October											
September											
August											
July											
June											
Иay											
April											
March											
ebruary	14,410	5,216	36.4%	22.2%	9,121	63.6%	17.1%	73	0.5%	955	6.6%
January	15,220	5,166	34.2%	20.7%	9,949	65.8%	17.0%	105	0.7%	620	4.1%
TOTAL YTD	29,630	10,382	35.3%	21.4%	19,070	64.7%	17.1%	178	0.6%	1,575	5.3%
AVG PER MO	14,815	5,191			9,535			89		788	

OALIII C	IVILIAN				TRANSFERR	ED TO DROP					
OAHU C	IVILIAN		Wireline			Wireless		Adr	min	Aban	doned
2012	Total	# of Calls	# of Calls		# of Calls	%to Total Wireline & Wireless	% of Total Wireless	# of Calls	% to Total Calls	# of Calls	% Abandoned to Total
December											
November											
October											
September											
August											
July											
June											
May											
April											
March											
February (*)	7,681	2,567	33.4%	10.9%	5,109	66.6%	9.6%	5	0.1%	6,237	81.2%
January	9,496	3,168	33.4%	12.7%	6,325	66.6%	10.8%	3	0.0%	7,861	82.8%
TOTAL YTD	17,177	5,735	33.4%	11.8%	11,434	66.6%	10.2%	8	0.0%	14,098	82.1%
AVG PER MO	8,589	2,868			5,717			4		7,049	
Note:	Total Calls incl	clude Administrative calls that are not direct 911 calls.									

^(*) No statistics were captured from February 27 - 29, 2012 while Dispatch was at the alternate site in Kapolei.

• PSAP Operations (continued)

9-1-1 Call Volume – February 2012 (continued)

OALILLO	IVILIAN			TF	RANSFERRED	TO FIRE (HF	 D)				
UARU (IVILIAN		Wireline			Wireless		Adr	nin	Aban	doned
2012	Total	# of Calls %to Total Wireline & Wireline Wireless #		# of Calls	%to Total Wireline & Wireless	% of Total Wireless	# of Calls	%to Total Calls	# of Calls	% Abandoned to Total	
December											
November											
October											
September											
August											
July											
June											
May											
April											
March											
February	5,070	2,059	43.5%	8.8%	2,675	56.5%	5.0%	336	6.6%	1,310	25.8%
January	5,183	2,096	43.2%	8.4%	2,752	56.8%	4.7%	335	6.5%	1,267	24.4%
TOTAL YTD	10,253	4,155	43.4%	8.6%	5,427	56.6%	4.9%	671	6.5%	2,577	25.1%
AVG PER MO	5,127	2,078			2,714			336		1,289	
Note:	Total Calls inclu	lude Administrative calls that are not direct 911 calls.									

Note: Includes Ocean Safety

041111	NR/II IANI				TRANSFERR	ED TO EMS					
UAHU (CIVILIAN		Wireline			Wireless		Adr	nin	Aban	doned
2012	Total	# of Calls	# of Calls Wireline & Wireless Wireless			%to Total Wireline & Wireless	% of Total Wireless	# of Calls	% to Total Calls	# of Calls	% Abandoned to Total
December											
November											
October											
September											
August											
July											
June											
May											
April											
March											
February	6,878	2,950	43.8%	12.6%	3,778	56.2%	7.1%	150	2.2%	116	1.7%
January	6,910	2,951	43.9%	11.8%	3,778	56.1%	6.5%	181	2.6%	105	1.5%
TOTAL YTD	13,788	5,901	43.9%	12.2%	7,556	56.1%	12.9%	331	2.4%	221	1.6%
AVG PER MO	6,894	2,951			3,778			166		111	
Note:	Total Calls incl	ude Administra	Administrative calls that are not direct 911 calls.								

PSAP Operations (continued)

9-1-1 Call Volume - February 2012 (continued)

OAHU C		MISCELLANEOUS CALLS (Total includes, but not limited to, calls transferred to Poison Control, Crisis Center, RDC, or Neighbor Islands, and non-transferred calls such as wrong number or test calls)									
	TOTAL YTD	January	February (*)	March	April	May	June				
2012	16,645	6,099	10,546								
2012	AVG PER MO	July	August	September	October	November	December				
	8,323										


(*) Miscellaneous Call Volumes may be higher since no call volume statistics were captured for HPDCT and Drop queues from February 27 - 29, 2012 while Dispatch was at the alternate site in Kapolei. The other call queues are complete since Kapolei has the ability to transfer calls via CML to these queues.

Notes:

- "Abandoned" calls represent the number of incoming 9-1-1 calls for which the caller had hung up before a call-taker answered.
- "Abandoned" calls are included in the "Wireline" and "Wireless" counts respectively. The standard CML reports do not provide a break-out of "Abandoned" calls between "Wireline" and "Wireless" calls.
- (3) Total call volumes include Administrative calls. (Administrative calls = Calls made between 911 positions but are not 911 calls.)

Wireless Test – February 2012

Date	WSP	Sites Tested	Sectors Tested	Tested By	Test Pass/Fail
NONE					



PSAP Operations (continued)

Current Month PSAP Operations Activities – February 2012

02/04/12	Akimeka	personnel	attended	Solacom	training	in	order	to	support	the	PSAP
	during the	Solacom	conversion	١.							

The PSAPs, excluding Kauai County, and Akimeka participated in a conference call hosted by Hawaiian Telcom, Inc. (HTI) to review the Solacom conversion in the State of Hawaii. There was much discussion regarding the trouble that the Hawaii County PSAP was experiencing and the difficulty to identify and resolve the trouble by HTI. The PSAPs were assured by HTI and Solacom that they were working hard to rectify the trouble.

O2/24/12 Akimeka personnel attended a joint meeting with the Oahu Civilian PSAPs (Police, Fire and EMS) and City & County of Honolulu representatives who support E9-1-1 operations and the Military PSAP representative to continue discussion regarding the MSAG Communities and Wireless Addressing Schema.

Major Thompson requested that all of the PSAPs review what is being recommended by Akimeka and provide their inputs and any recommended changes, along with the details as to the MSAG Community name, boundaries, and police beats. Jurisdictional responsibilities between the Oahu Civilian and Military for PPV identified areas also need to be confirmed and shared with Akimeka.

Wireless Tower Naming Project

A tower renaming standard has been recommended for the HPD PSAP for consideration and cannot be implemented until concurrence is reached on the MSAG Communities.

Akimeka's recommendations were presented to the Oahu Civilian and Military PSAPs on February 24, 2012. Following the meeting, Akimeka provided a pdf copy of the Basic Wireless 9-1-1 presentation for the PSAP's reference. The presentation highlighted the regulations with regards to Wireless 9-1-1.

Akimeka proposed that a standardized Wireless Tower naming schema needs be defined and agreed upon. There can be various standards depending on the tower type/location. Two naming schemes were recommended and included in the presentation. Specifications as to which naming scheme needs to be used, based on the criteria established, needs to be outlined.

HPD can also create its own naming schema provided that it is in accordance with the regulations for sector and compass orientation data, without the use of the LOCATION FIELD, keeping in mind that the STREET NAME FIELD has a 22-character limitation and special characters are allowed.

It was agreed that HPD/PSAPs would provide Akimeka with a standardized naming schema by Friday, March 9, 2012.

MSAG

Current Month – February 2012

2012				9-1-	1NET REQU	JESTS			Customer Address	In Suspended Status as of Report Month End (b)	
2012									Change Requests		
PSAP	TOTAL	Total	Change	Combined	Delete	Insert	Split	Addresses Affected	Submitted (a)	# of Transactions	TNs Affected
OAHU CIVILIAN	241	241	2	237	0	2	0	0	0	0	0

During the month of February 2012, 241 requests were processed in order to clean up the MSAG database which included 237 combines. Combine transaction opportunities were identified by Akimeka and highlighted in the Honolulu Police Department Public Safety Answering Points (PSAPs) Initial Data Assessment Report dated December 1, 2011. It was reported that valid MSAG records could be combined or merged together to match with the GIS records. Combining of the MSAG records will result in more efficient database query, searching capabilities, and routing capabilities. This process will improve the E9-1-1 call delivery efficiency.

No customers were affected by the 237 combines processed in the month of February 2012. No ALI Discrepancy report was submitted to 911Net.

There are no suspended requests in the system at this time as of February 29, 2012.

Year-to-Date (YTD) Summary - 2012

ОДНИО	IVILIAN			9-1-1	Customer	In Suspended Status as of Report Month End					
0,410	71712D UT							Customer	Address Change	(b	
2012	TOTAL	Total	Change	Combined	Delete	Insert	Split	Addresses Affected (*)	Requests Submitted (a)	# of Transactions	TNs Affected
December											
November											
October											
September											
August											
July											
June											
May											
April											
March											
February	241	241	2	237	0	2	0	0	0	0	0
January	69	69	0	69	0	0	0	0	0	0	0
TOTAL YTD	310	310	2	306	0	2	0	0	0		
AVG PER MO	310	310	2	306	0	2	0	0	0		

Note: Revised categories and report format changes effective April 2009.

Definitions:		Represents customer address change requests submitted to Intrado to correct customer ANI/ALI records, including those identified by Akimeka.
	(h)	Represents what is in suspension status at the end of the report month awaiting further action by County, Telco, or Akimeka.

MSAG (continued)

MSAG Communities Project

Based on Akimeka's Initial Data Assessment Report dated December 1, 2011, it was agreed that MSAG Communities need to be defined and agreed upon as a starting point for maintenance and database synchronization efforts.

Further assistance from HPD and the Oahu Civilian PSAPs, along with the Military PSAP, is needed to address the PPV issue. A meeting was held on February 24, 2012 to review the proposed MSAG Communities and PPV issue raised by Ms. Joann Natividad.

At the meeting, it was agreed that each of the PSAPs will need to review the most current Akimeka proposed MSAG Communities and come up with their concurrence and/or recommendations to modify, combine, add, or delete MSAG Communities. Specific details as the boundary and police beats associated with the PSAP recommended MSAG Communities need to be provided as well. It was also agreed that the PPV spreadsheet provided by Akimeka be reviewed and the 9-1-1 response jurisdiction be identified.

To assist the PSAPs with the review and finalization of the MSAG Communities, Akimeka provided the most current Akimeka proposed MSAG Communities in shapefile format.

A target date of Friday, March 9, 2012 was established. This should be the "Best, Last, and Final". Once approved, the information needs to be provided to Hawaiian Telcom, Inc. (HTI) to conduct their assessment of the level of effort and timeline.

Geographic Information System (GIS)

Current Month GIS Activities – February 2012

02/13/12 02/16/12	Akimeka began working on a Points of Interest layer and Common Places layer. A Class/Subclass category system was created.
	The initial compare and analysis resulted in 875 POI records that were successfully joined after all undercases and special characters were removed.
02/22/12 02/27/12	Akimeka updated 3,534 records to include a proper Class and Subclass designation.
02/28/12	Akimeka identified 3,681 Condos/Apartments and updated the Class and Subclass designation.
02/29/12	Akimeka began work on updating Class and Subclass designations for Schools, Churches, Beaches and Parks. This is an ongoing project currently 28% complete.

Geographic Information System (GIS)

Oahu Street Centerline Project Update - February 2012

Akimeka began its work effort on the recommended Oahu Street Centerline Project Plan as follows:

- A new field (Join_Master) was added to the schema for each of the four existing Street Centerlines to allow for the joining of the Street Centerlines even with the existing non-UniqueIDs.
- 2. A new field (CAD_ID) was also added to the schema for each of the four existing Street Centerlines to allow for the calculation of a UniqueID which would allow all Street Centerlines to be joined and maintained.

This field was initially populated with only the original UniqueIDs for streets that matched the County Street Centerline. Additional research will be needed due to discrepancies with the County UniqueID. A correct UniqueID or a new UniqueID will be assigned as research is completed.

Results of this initial work effort are as follows:

Street Centerlines	Police	Fire	EMS
IDs Calculated Into CAD_ID Field	21,528	21,660	21,624
Military Streets Requiring Further Review and Verification	3,344	3,377	3,347
PPV Streets Requiring Further Review and Verification	1,451	1,451	1,279
Non-Military/PPV Streets Requiring Correction	299	256	384

A new E9-1-1 Master Street Centerline was created by Akimeka using the standard schema and loading the Police Street Centerline data. Editing of the new Master Street Centerline with the assigned CAD IDs will proceed as each CAD ID is reviewed and verified.

The CAD_ID research and correction process for assigning the correct CAD_ID raised a series of questions about the current processes for maintaining of the existing data. As such, Akimeka consolidated and submitted these questions to HPD for their assistance to obtain responses. The key areas requiring input and information from HPD and City & County of Honolulu representatives supporting E9-1-1 are as follows:

- 1. Governance Process
- 2. Point of Contact List
- 3. GIS Mapping Activities
- 4. Business Processes/Maintenance

HPD and Akimeka will continue to work closely together to move the project along and synchronize the data.



• PSAP Operations

9-1-1 Call Volume - February 2012

PSAP	Total	Wireline	%	Wireless	%
MAUI (*)	7,767	2,551	32.8%	5,216	67.2%
MOLOKAI	285	191	67.0%	94	33.0%

^(*) Totals are based on calls to Primary PSAP.

9-1-1 Call Volume - Calendar Year 2012

MAUI	DCAD		тот	AL PSAP 9-1	-1 CALL VOLU	JME				
IVIAUI	FJAF	Wire	Wireline		Wireless		Admin		Abandoned	
2012	Total	# of Calls	%to Total Wireline & Wireless	# of Calls	%to Total Wireline & Wireless	# of Calls	%to Total Calls	# of Calls	% Abandoned of Total	
December										
November										
October										
September										
August										
July										
June										
May										
April										
March										
February	7,767	2,551	32.8%	5,216	67.2%	0	0.0%	1,243	16.0%	
January	8,465	2,716	32.1%	5,749	67.9%	0	0.0%	1,404	16.6%	
TOTAL YTD	16,232	5,267	32.4%	10,965	67.6%	0	0.0%	2,647	16.3%	
AVG PER MO	8,116	2,634		5,483		0		1,324		

Note: Total Calls include Administrative calls that are not direct 9-1-1 calls.



PSAP Operations (continued)

9-1-1 Call Volume - Calendar Year 2012 (continued)

MOLOKA	AL DC AD		тот	AL PSAP 9-1	1 CALL VOL	JME	•		
WIOLOKA	AIFSAF	Wireline		Wireless		Admin		Abandoned	
2012	Total	# of Calls	%to Total Wireline & Wireless	# of Calls	%to Total Wireline & Wireless	# of Calls	%to Total Calls	# of Calls	% Abandoned of Total
December									
November									
October									
September									
August									
July									
June									
May									
April									
March									
February	285	191	67.0%	94	33.0%	0	0.0%	38	13.3%
January	390	211	54.1%	179	45.9%	0	0.0%	59	15.1%
TOTAL YTD	675	402	59.6%	273	40.4%	0	0.0%	97	14.4%
AVG PER MO	338	201		137		0		49	

<u>Note:</u> Total Calls include Administrative calls that are not direct 9-1-1 calls.

Notes:

- (1) Total call volumes include Administrative calls. (Administrative calls = Calls made between 911 positions but are not 911 calls.)
- (2) "Abandoned" calls represent the number of incoming 9-1-1 calls for which the caller had hung up before a call-taker answered.
- (3) "Abandoned" calls are included in the "Wireline" and "Wireless" counts respectively. The standard CML reports do not provide a break-out of "Abandoned" calls between "Wireline" and "Wireless" calls.

Wireless Test – February 2012

Date	WSP	Island	Sites Tested	Sectors Tested	Tested By	Test Pass/Fail
NONE						



PSAP Operations (continued)

Current Month PSAP Operations Activities – February 2012

02/07/12	Akimeka validated and removed 9-1-1 location addressing for Callbox 19 on Molokai
02/27/12	which is no longer in service.

02/16/12 The PSAPs, excluding Kauai County, and Akimeka participated in a conference call to review Hawaii County's Solacom conversion. Updates were provided by Hawaiian Telcom, Inc. (HTI) with changes requested by both the PSAP and Akimeka personnel.

O2/23/12 The PSAPs, excluding Kauai County, and Akimeka participated in a conference call hosted by Hawaiian Telcom, Inc. (HTI) to review the Solacom conversion in the State of Hawaii. There was much discussion regarding the trouble that the Hawaii County PSAP was experiencing and the difficulty to identify and resolve the trouble by HTI. The PSAPs were assured by HTI and Solacom that they were working hard to rectify the trouble.

Open Issues (To be Monitored and Tracked by Akimeka)

Updates as of February 29, 2012 are noted below:


Akimeka will continue to monitor and track AT&T Mobility's open trouble ticket (11/21/09) for missing house number (HN), street and community information when transferring a WPH2 call or rebidding a WPH2 call. This issue was escalated to the State of Hawaii Wireless Enhanced 9-1-1 Board for action (August 2010). There have

been no updates received to date. Unfortunately, the trouble is still occurring.

Akimeka will provide status updates via the Monthly Status Report (MSR) when there are significant changes or updates as provided by the State of Hawaii Wireless Enhanced 9-1-1 Board and/or AT&T Mobility.

<u>Update (4/30/11)</u> -- Hawaiian Telcom notified the Neighbor Island PSAPs that Intrado will be upgrading the ALI software to Version 5.0. A feature in this upgrade may potentially address the AT&T issue. This feature can be activated with the permission of all of the PSAPs across the State of Hawaii. This will be reviewed and discussed at the next Enhanced 9-1-1 Wireless Board Technical Committee meeting on May 10, 2011.

<u>Update (5/31/11)</u> -- All PSAPs sent in a written confirmation to Hawaiian Telcom, Inc. (HTI) to proceed with the software 5.0 upgrade. Testing has been scheduled for Monday, June 6, 2011.



PSAP Operations (continued)

Open Issues (To be Monitored and Tracked by Akimeka) (continued)

Updates as of February 29, 2012 are noted below: (continued)

11/21/09 (continued) <u>Update (6/30/11)</u> -- The ALI cache wireless option was installed by Hawaiian Telcom, Inc. (HTI) on June 5, 2011. Testing was conducted as scheduled on the Neighbor Islands on June 6, 2011. Testing began at 7:44 a.m. however, there was no improvement. House number (HN) and street and community information was still missing when transferring a WPH2 call or rebidding a WPH2 call. Akimeka contacted HTI to report the condition. HTI and Intrado addressed the issue and testing continued. Results of the re-bidding of a WPH1 to WPH2 (GSM) call displayed the tower information and city. However, when testing UMT to UMT calls, the tower information and city were missing. In addition, the COF fields remained constant at 271 meters for every Phase II test call received. Akimeka reported this to Intrado for review.

On June 8, 2011, HTI notified the PSAPs that they believe the ALI caching trouble was resolved and all information sent on re-bids is in compliance with what is being sent by AT&T Mobility. As such, any additional discrepancy of calculated accuracy pertaining to the confidence factor (COF) should be reported to AT&T Mobility.

Update (7/1/11 – 2/29/12) – No further updates.

04/16/10

Akimeka personnel worked on a flowchart for the Neighbor Island PSAPs to document the flow of a Call Routing Spreadsheet (CRS) and Testing Validation Worksheet (TVW). It was discovered that different processes exist among the carriers.

Akimeka created and submitted for review a DRAFT Call Routing Sheet (CRS) and Testing Validation Worksheet (TVW) process flowchart to the Neighbor Island PSAPs on December 20, 2010.

<u>Update (4/30/11)</u> – Akimeka continued to work on the flowchart and incorporate the feedback received. An updated process flowchart is currently under review within Akimeka. Once approved, it will be shared with the Neighbor Island PSAPs.

Update (5/1/11 - 7/31/11) - In progress.

Update (8/31/11) – In progress. Personnel updates need to be incorporated.

Update (9/1/11 - 11/30/11) - No further updates.

Update (12/31/11) – In progress. NENA standards updates are being incorporated.

Update (1/31/12 - 2/29/12) - No further updates.



MSAG

Current Month – February 2012

2012			9-1-1NET REQUESTS							In Suspended Status as of Report Month End	
PSAP	TOTAL	Total	Change	Combined	Delete	Insert	Split	Customer Addresses Affected	Change (b)		
MAUI COUNTY	160	160	137	3	4	6	10	2,834	0	10	10

During the month of February 2012, 160 9-1-1Net requests were completed relating to the Maui County MSAG database, with 2,834 customer ANI/ALI records updated as a direct result. No ALI discrepancy report was submitted to 9-1-1Net for updates and corrections. See attached spreadsheet for a detailed description of changes and additions.

There are ten (10) records in Suspended status as of February 29, 2012, affecting ten (10) telephone numbers (TNs). An invalid MSAG address will result in a No Record Found (NRF) condition during a 9-1-1 call.

Ten (10) suspended records are due to the TNs not having a valid address in the ALI record. Address validation requests for each customer TN were sent to the respective service provider. The respective service provider provided a TMK number for the ALI record. Akimeka researched multiple databases, however, a valid address was not attached to the TMK assignment.

Year-to-Date (YTD) - 2012

MAUIC	OUNTY			9-1-1	NET REQUE	STS	,		Customer	In Suspend as of Report	
III/OI O	001111							Customer	Address Change	(b)	
2012	TOTAL	Total	Change	Combined	Delete	Insert	Split	Addresses Affected (*)		# of Transactions	TNs Affected
December											
November											
October											
September											
August											
July											
June											
May											
April											
March											
February	160	160	137	3	4	6	10	2,834	0	10	10
January	131	131	108	1	3	19	0	4,007	0	10	10
TOTAL YTD	291	291	245	4	7	25	10	6,841	0		
AVG PER MO	146	146	123	2	4	13	5	3,421	0		

Note: Revised categories and report format changes effective April 2009.

Definitions:	Represents customer address change requests submitted to Intrado to correct customer ANI/ALI records, including those identified by Akimeka.
	Represents what is in suspension status at the end of the report month awaiting further action by County, Telco, or Akimeka.

MSAG (continued)

Emergency Service Number (ESN) Project Status – February 2012 Year-to-Date (YTD)

Island	Total # of Street Segments	# of Street Segments Assigned New ESNs	% Complete
Maui	5,000	905	18.1%
Lanai	112	82	73.2%
Molokai	500	440	88.0%

An additional 105 street segments were assigned new ESNs in the month of February 2012 for the island of Maui, bringing the percent to complete to **18.1%**.

The ESN project is done on a per street segment basis. Street segments require research in both 9-1-1Net and Maui County GIS before a new ESN can be assigned. Verifying a street segment's address range and community prevents ESN overlapping and mislabeling. Once the street segment is verified in both MSAG and GIS – to ensure database synchronization – a request to update the ESN field in 9-1-1Net is sent.

This is an ongoing project that will cover all communities.



Mapping Layers Updated/Loaded Into GIS – February 2012

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems.

			MAUI COUNTY								
		Akimeka GIS	1								
Type of Layer	Island	Server	Date Loaded Into	Other/Remarks							
Type of Layer	isianu	Date Created/ Edits Performed	PSAP GIS Server	Other/Nemarks							
			I-1 PUBLIC SAFET	Y LAYERS							
	(Listed Alphabetically)										
	Malakai		02/20/42								
	Molokai Maui	02/28/12	02/28/12								
		02/20/12	02/22/42								
	Maui Maui	02/21/12	02/22/12	Added (2) addresses and corrected (1) address per DSA							
		02/17/12									
	Molokai			Added new address per DSA Added (5) addresses per DSA							
Address Points	Maui Molokai	02/17/12	02/08/12	Added (5) addresses per DSA							
		02/00/12	02/00/12	Added (2) addresses per DSA							
	Maui	02/09/12	02/09/42	Added (2) addresses per DSA							
	Maui Maui	02/06/12	02/08/12								
		02/06/12		Added (1) address per DCA							
	Maui	02/02/12		Added (1) address per DSA							
	Molokai			Corrected street name per County Surveyor							
_	Maui	02/01/12									
Emergency Callboxes											
Fire Beats											
Fire Beats Fire Districts											
Fire Response Areas											
Fire Stations											
Major Roads											
MSAG Address	Malala:		00/40/40								
Points	Molokai		02/10/12								
(aka Pseudo Address Points)	Maui	21/27/12	02/08/12								
	Maui	01/25/12									
MSAG											
Communities											
(aka Towns)											
Medic Beats											
Medic Districts			-								
Medic Response											
Areas											
Medic Stations											
Milepost Markers											
	Molokai	02/28/12	02/28/12								
	Maui	02/28/12		Added Government Buildings							
Points of Interest	Maui		02/22/12								
	Maui	02/10/12		Added Harbors, Wharfs, Piers, Landings, and Boat Ramps							
	Molokai	01/25/12									
	Maui/Molokai		01/11/12								
	Molokai	01/09/12		Added, changed, and deleted per Molokai Dispatch							

^(*) Every time the GIS Update tool is used, Indexes and Cache have to be built. The Positron system configurator is adjusted every time a layer is loaded in the PowerMap database. Each PSAP position is updated accordingly.

Mapping Layers Updated/Loaded Into GIS – February 2012 (continued)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems.

		M	IAUI COUNTY	
Type of Layer	Island	Akimeka GIS Server Date Created/ Edits Performed	Date Loaded Into PSAP GIS Server	Other/Remarks
			-1 PUBLIC SAFET ted Alphabetically	
Police Beats			 	
Police Districts				
Police Response Areas				
Police Stations				
Schools				
	Molokai		02/22/12	
	Maui		02/22/12	
<u> </u>	Maui	02/21/12		Extended ranges according to address points
_	Molokai		02/10/12	
	Maui	02/09/12		Extended ranges according to address points
Street Centerlines	Maui		02/08/12	
	Maui	02/07/12		Corrected ranges according to address points
	Madi	32/31/12		Corrected the communities in the Street Centerlines attributes for Kilohana Dr in Kihei/Wailea
	Maui	02/06/12		
	Molokai	02/01/12		Corrected street name per County Surveyor
Trails				
	Maui	02/29/12		Mobi PCS Annual Audit
	Molokai		02/28/12	
	Maui	02/23/12 02/24/12		Nextel Annual Audit
WSP Cell Towers	Maui		02/22/12	
	Maui	02/13/12		
	Maui	02/15/12		Sprint Annual Audit
_	Maui	02/14/12		T-Mobile Annual Audit
	Maui	02/13/12		VZW Annual Audit
		OTHER SUPPORTIN	NG 9-1-1 PUBLIC S ted Alphabetically	
Churches				
Gas Stations				
Food & Beverage	Maui	02/28/12		
Hospitals				
Lodging				
Medical Facilities				
Parcels				
			-0	8

^(*) Every time the GIS Update tool is used, Indexes and Cache have to be built. The Positron system configurator is adjusted every time a layer is loaded in the PowerMap database. Each PSAP position is updated accordingly.

Mapping Layers Updated/Loaded Into GIS – February 2012 (continued)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems.

			MAUI COUNTY	
Type of Layer	Island	Akimeka GIS Server Date Created/ Edits Performed	Date Loaded Into PSAP GIS Server	Other/Remarks
		OTHER SUPPORTI (Lis	NG 9-1-1 PUBLIC S sted Alphabetically	
Parks (Includes National Parks)	Molokai		02/10/12	
	Maui		02/08/12	
Park Polygon	Molokai Maui Maui	02/01/12	02/10/12 02/08/12	
Post Offices	ividui	02/01/12		
	Maui	02/28/12		Corrected subdivision name per Dispatch request
Subdivisions	Maui/Molokai Maui	01/23/12	01/25/12	
	Maui	01/17/12		Added subdivision per Dispatch request
			DMELAND SECURIT ted Alphabetically	
Airports				
Bridges				
Coastline				
Coastal Names	Molokai Maui		02/10/12 02/08/12	
Emergency Operation Centers (EOC)	Molokai Maui		02/10/12 02/08/12	
Emergency Shelters				
Government Buildings	Maui	02/28/12		Created new layer
	Maui	02/10/12		Updated attributes and removed special characters and undercases
Harbors	Maui	02/08/12		Completed edits and updated metadata
	Maui	02/07/12		Created Harbors point layer from the State of Hawaii website State GIS Office of Planning and reprojected
Helipads				
Hydrology Layers				
- Dams				
- Ponds	Molokai Maui		02/28/12 02/22/12	
- Streams (Includes Rivers)				
- Waterfalls				

^(*) Every time the GIS Update tool is used, Indexes and Cache have to be built. The Positron system configurator is adjusted every time a layer is loaded in the PowerMap database. Each PSAP position is updated accordingly.

Mapping Layers Updated/Loaded Into GIS – February 2012 (continued)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems.

		M	AUI COUNTY				
Type of Layer	Island	Akimeka GIS Server Date Created/ Edits Performed	Date Loaded Into PSAP GIS Server	Other/Remarks			
DISASTER/HOMELAND SECURITY LAYERS (Listed Alphabetically)							
Ocean Rescue Boundaries							
Tsunami Evacuation Zones							
Tsunami Heights							
United States National Grid (50K)							
United States National Grid (500K)							
Waste Water Plants	Maui	02/06/12		Created new layer			
SPECIAL REQUESTS							
Gate Codes							
HCS Monsanto Fields							
Tow Jurisdictions							

^(*) Every time the GIS Update tool is used, Indexes and Cache have to be built. The Positron system configurator is adjusted every time a layer is loaded in the PowerMap database. Each PSAP position is updated accordingly.

<u>Note:</u> The Parcels layer is provided by Maui County. Akimeka performs edits on the spatial information of the layer for 9-1-1 purposes. Changes to the attribute table are made when needed. The Parcels layer uploaded to the PSAP GIS server is intended for 9-1-1 purposes only and should not be disseminated to other county agencies.

Current Month GIS Activities – February 2012

02/01/12	Akimeka created four (4) tactical maps for the Kihei Police Station. These maps will familiarize police officers of the area. Pictometry and GIS were used to create these maps.
02/28/12	Akimeka prepared data for an Intergraph CAD map push which included: Address Points, Street Centerlines, and WSP Cell Towers.
02/29/12	Akimeka started the Intergraph CAD map push process.



• Service Requests Transactions

Open Service Requests - February 2012 (January 28, 2012 - February 27, 2012)

	MAUI PS	AP				
#	Date	Ticket #	Description	Category	Urgency	Comments
1	02/12/12	434	EFS search on right click works intermittently	911 Map - Pictometry		Current version needs to be replaced with previous version. This is a common occurrence elsewhere.
2	02/15/12	443	TN = 808/214-6476	MSAG - ANI/ALI Discrepancy	Normal	

Note: Open Service Requests reflect what is in pending status at the end of the report month.

M	OLOKAI F	PSAP				
#	Date	Ticket #	Description	Category	Urgency	Comments
			NONE			

Note: Open Service Requests reflect what is in pending status at the end of the report month.

Year-to-Date (YTD) Summary - 2012

	MAUI PS	SAP		SERVICE REQUEST CATEGORIES							
2042		TOTAL		911	Мар	MSAG		Request	Training	Sugge	stions
2012	Created	Closed	Open	Created	Closed	Created	Closed	Created	Closed	Created	Closed
December											
November											
October											
September											
August											
July											
June											
May											
April											
March											
February	2	0	2	1	0	1	0	0	0	0	0
January	1	1	0	0	0	0	0	0	0	1	1
2011 Carryover	0	0	0	0	0	0	0	0	0	0	0
TOTAL	3	1	2	1	0	1	0	0	0	1	1

Note: Open Service Requests reflect what is in pending status at the end of the report month.

• Service Requests Transactions (continued)

Year-to-Date (YTD) Summary – 2012 (continued)

	MOLOKAI	PSAP		SERVICE REQUEST CATEGORIES							
2012		TOTAL		911	Мар	MSAG		Request Training		Suggestions	
2012	Created	Closed	Open	Created	Closed	Created	Closed	Created	Closed	Created	Closed
December											
November											
October											
September											
August											
July											
June											
May											
April											
March											
February	0	0	0	0	0	0	0	0	0	0	C
January	0	0	0	0	0	0	0	0	0	0	C
2011 Carryover	0	0	0	0	0	0	0	0	0	0	C
TOTAL	0	0	0	0	0	0	0	0	0	0	C

Note: Open Service Requests reflect what is in pending status at the end of the report month

	Category	Description
	911 Map	Mapping computer not functioning or displaying properly
<u>Definitions:</u>	MSAG	Discrepancies with 9-1-1 MSAG addresses
	Request Training	E-911 Operations training needs
	Suggestions	Vehicle to share suggestions

Maui County Page **12** of **12** February 2012

PSAP Operations

9-1-1 Call Volume - February 2012

PSAP	Total	Wireline	%	Wireless	%
HAWAII (*)	N/A	N/A		N/A	

^(*) Totals are based on calls to Primary PSAP.

Due to the Solacom conversion, PSAP call volume statistics via the Next Generation 9-1-1 (NG9-1-1) enabled Solacom ESInet system were not provided by Hawaiiian Telcom, Inc. (HTI) and are not available for the full calendar month of February 2012. A problem with the statistics module which involves associating ANI/ALI data with all legs was identified by HTI.

Hawaiian Telcom, Inc. (HTI) provided a manual spreadsheet with call volume information for the month of February 2012 as follows:

Total Calls	7,863	
Wireline/VoIP Calls	2,688	34.2%
Wireless Calls	5,143	65.4%
Unknown Calls	32	0.4%

However, Admin and Abandoned Call statistics were not identified and provided. Also, the transfer destination reports are not available. HTI reported that 1,818 calls were transferred to Fire covering the period February 8 – 29, 2012.

Hawaiian Telcom, Inc. (HTI) reported that they have performed preliminary tests and should be capturing the data going forward, effective March, 5, 2012.



PSAP Operations (continued)

9-1-1 Call Volume - Calendar Year 2012

ПУ	WAII		тот	AL PSAP 9-1-	1 CALL VOLU	JME			
ПА	WAII	Wire	eline	Wire	less	Adr	nin	Aband	doned
2012	Total	# of Calls	%to Total Wireline & Wireless	# of Calls	%to Total Wireline & Wireless	# of Calls	%to Total Calls	# of Calls	% Abandoned to Total
December									
November									
October									
September									
August									
July									
June									
May									
April									
March									
February				N	lot Available				
January	10,875	3,690	33.9%	7,185	66.1%	0	0.0%	1,105	10.2%
TOTAL YTD	10,875	3,690	33.9%	7,185	66.1%	0	0.0%	1,105	10.2%
AVG PER MO	10,875	3,690		7,185		0		1,105	
Note:	Total Calls incl	ude Administra	ative calls that	are not direct s	911 calls.				

TRANSFERRED TO FIRE **HAWAII** Wireline Wireless Admin Abandoned %to Total %to Total % of Total % of Total %to Total 2012 Total # of Calls # of Calls # of Calls # of Calls Wireline & Wireline & Wireline Wireless to Total Wireless Wireless December September August July June May April March February Not Available 16.8% 2.157 948 43 9% 25.7% 1 209 56.1% 0.0% 2 4% January AVG PER MO Total Calls include Administrative calls that are not direct 911 calls.

Notes:

- "Abandoned" calls represent the number of incoming 9-1-1 calls for which the caller had hung up before a (1) call-taker answered.
- "Abandoned" calls are included in the "Wireline" and "Wireless" counts respectively. The standard CML (2) reports do not provide a break-out of "Abandoned" calls between "Wireline" and "Wireless" calls.
- Total call volumes include Administrative calls. (Administrative calls = Calls made between 911 positions (3) but are not 911 calls.)

PSAP Operations (continued)

Wireless Test - February 2012

Date	WSP	Sites Tested	Sectors Tested	Tested By	Test Pass/Fail
NONE					


County of Hawai'i Conversion to NG9-1-1 Solacom Platform

The County of Hawai`i Public Safety Answering Points (PSAPs) – Police and Fire – contracted with Hawaiian Telcom, Inc. (HTI), the current E9-1-1 Service Provider in the State of Hawai`i and Local Exchange Carrier (LEC), to migrate from the current 9-1-1 Emergency Telephone Service (ETS) system to a Next Generation Emergency Services IP Network (ESInet) system.

This turnkey solution would provide the County of Hawai`i PSAPs with a foundation for Next Generation E9-1-1 Services and Features. HTI, along with the Next Generation solutions provider, Solacom, would:

- 1. Update the existing E9-1-1 service to be Next Generation 9-1-1 enabled.
- 2. Design and install a ESI network.
- Upgrade the 9-1-1 core switch.
- 4. Configure the selective routing of E9-1-1 traffic to emulate the existing setup.
- 5. Upgrade the existing workstations with NG9-1-1 software client and user interface.
- 6. Integrate Motorola's radio interface on all workstations equipped with this capability.
- 7. Implement instant recall recorder on all workstations equipped with this capability.
- 8. Provide for a headset manager and headset/radio integration.
- 9. Train users on the new NG9-1-1 system and software.
- 10. Conduct Customer Acceptance Testing.
- 11. Provide post implementation support until the project is accepted.
- 12. Provide proactive monitoring and resolution.
- 13. Provide ongoing maintenance of the NG9-1-1 Solacom platform.

The conversion was scheduled for **February 7 – 8, 2012** to flash cut from the current Emergency Telephone Service (ETS) 9-1-1 system, working off of the Plant/CML platform, to a Next Generation 9-1-1 (NG9-1-1) enabled ESInet system, working off of the Solacom platform.



PSAP Operations (continued)

County of Hawai'i Conversion to NG9-1-1 Solacom Platform (continued)

In preparation for the conversion, training was provided by Ms. Donna Burnside of Solacom from February 1-5, 2012. Akimeka personnel and Ms. Davlynn Racadio of the Maui PSAP participated in the training along with the PSAP users and supervisors. It was helpful to have the Maui PSAP participate to share their operational insight as well allow them to better prepare for Maui County's NG9-1-1 network enabled conversion.

On February 7, 2012, beginning at 2300 hours, the conversion of seven (7) Plant/CML positions at the Hawai`i Police Department and four (4) Plant/CML positions at the Hawai`i Fire Department began to cutover to the NG9-1-1 enabled Solacom platform. The first step was to re-route 9-1-1 traffic to the Hawai`i County PSAP's backup lines then HTI and Solacom could begin the conversion of each position to the new NG9-1-1 enabled Solacom platform. All positions were migrated to the NG9-1-1 enabled Solacom platform at approximately 0430 hours on February 8, 2012. Subsequently, testing was performed to ensure the system was operational in accordance with HTI's Test Plan and continued throughout the day.

At 0630 hours on February 8, 2012, the County of Hawai'i primary PSAP agreed to keep the 9-1-1 traffic on the NG9-1-1 enabled Solacom platform.

Support personnel from Akimeka, County of Hawai'i, Pacific Wireless Communications (PWC) and Solacom were on-site to support the PSAP with CAD, Radio and Positron mapping issues. Issues regarding the headset manager, CAD, Radio, Positron mapping and Wireless data transfers (WPH1 and WPH2) were addressed during the conversion by the support personnel on site.

Following the February 8, 2012 cutover, the County of Hawai'i PSAPs continued to experience network, data and operational issues. As a result, a trouble conditions log was initiated by the County of Hawai'i primary PSAP, to document the issues being experienced by the PSAPs. As of February 29, 2012, a total of 141 trouble reports have been documented as follows:

Trouble Category	# of Trouble Reports
Audio Issues	107
No ANI/ALI information transferring to the CAD	10
Features not working and screen problems	8
Inability to callback Wireless Callers. Ring No Answer/Voicemail. Needed to use PBX as a backup.	4
Inability to transfer calls to the secondary PSAP (Fire)	4
Call History not complete	2
Other (printer not working, miscellaneous reports, TDD not working properly, testing document not provided)	6

The County of Hawai'i PSAPs continues to submit daily trouble reports via email to Hawaiian Telcom, Inc. (HTI) as issues arise.



PSAP Operations (continued)

County of Hawai'i Conversion to NG9-1-1 Solacom Platform (continued)

To facilitate the post conversion implementation, HTI initiated a bi-monthly conference call (every other Thursday) with the State of Hawai`i PSAPs to discuss the outstanding issues/trouble and the progress being made following the County of Hawai`i's NG9-1-1 enabled Solacom conversion.

- 1. On the February 16, 2012 conference call, updates were provided by HTI with changes requested by both the PSAP and Akimeka personnel.
- 2. On the February 23, 2012 conference call, there was much discussion regarding the trouble that the PSAPs were experiencing and the difficulty to identify and resolve the trouble by HTI. HTI reported that a representative of Solacom would be on the island of Hawai`i on February 27' 2012 to troubleshoot the audio problems. The PSAPs were also assured by HTI and Solacom that they are working hard to rectify the outstanding trouble issues.

On February 27, 2012, a representative from Solacom and Stephen Douglass from HTI were onsite to trouble shoot the audio trouble. It was reported by Solacom that there was a polarity issue causing the erratic audio trouble. Intermittent audio trouble continues, but the good news is that the trouble count level of audio trouble has diminished.

Open Issues (To be Monitored and Tracked by Akimeka)

Updates as of February 29, 2012 are noted below:

11/21/09

Akimeka will continue to monitor and track AT&T Mobility's open trouble ticket (11/21/09) for missing house number (HN), street and community information when transferring a WPH2 call or rebidding a WPH2 call. This issue was escalated to the State of Hawaii Wireless Enhanced 9-1-1 Board for action (August 2010). There have been no updates received to date. Unfortunately, the trouble is still occurring.

Akimeka will provide status updates via the Monthly Status Report (MSR) when there are significant changes or updates as provided by the State of Hawaii Wireless Enhanced 9-1-1 Board and/or AT&T Mobility.

<u>Update (4/30/11)</u> -- Hawaiian Telcom notified the Neighbor Island PSAPs that Intrado will be upgrading the ALI software to Version 5.0. A feature in this upgrade may potentially address the AT&T issue. This feature can be activated with the permission of all of the PSAPs across the State of Hawaii. This will be reviewed and discussed at the next Enhanced 9-1-1 Wireless Board Technical Committee meeting on May 10, 2011.

<u>Update (5/31/11)</u> -- All PSAPs sent in a written confirmation to Hawaiian Telcom, Inc. (HTI) to proceed with the software 5.0 upgrade. Testing has been scheduled for Monday, June 6, 2011.



PSAP Operations (continued)

Open Issues (To be Monitored and Tracked by Akimeka) (continued)

Updates as of February 29, 2012 are noted below:

11/21/09 (continued) <u>Update (6/30/11)</u> -- The ALI cache wireless option was installed by Hawaiian Telcom, Inc. (HTI) on June 5, 2011. Testing was conducted as scheduled on the Neighbor Islands on June 6, 2011. Testing began at 7:44 a.m. however, there was no improvement. House number (HN) and street and community information was still missing when transferring a WPH2 call or rebidding a WPH2 call. Akimeka contacted HTI to report the condition. HTI and Intrado addressed the issue and testing continued. Results of the re-bidding of a WPH1 to WPH2 (GSM) call displayed the tower information and city. However, when testing UMT to UMT calls, the tower information and city were missing. In addition, the COF fields remained constant at 271 meters for every Phase II test call received. Akimeka reported this to Intrado for review.

In June 8, 2011, HTI notified the PSAPs that they believe the ALI caching trouble was resolved and all information sent on re-bids is in compliance with what is being sent by AT&T Mobility. As such, any additional discrepancy of calculated accuracy pertaining to the confidence factor (COF) should be reported to AT&T Mobility.

Update (7/1/11 – 2/29/12) – No further updates.

04/16/10

Akimeka personnel worked on a flowchart for the Neighbor Island PSAPs to document the flow of a Call Routing Spreadsheet (CRS) and Testing Validation Worksheet (TVW). It was discovered that different processes exist among the carriers.

Akimeka created and submitted for review a DRAFT Call Routing Sheet (CRS) and Testing Validation Worksheet (TVW) process flowchart to the Neighbor Island PSAPs on December 20, 2010.

<u>Update (4/30/11)</u> – Akimeka continued to work on the flowchart and incorporate the feedback received. An updated process flowchart is currently under review within Akimeka. Once approved, it will be shared with the Neighbor Island PSAPs.


<u>Update (5/1/11 – 7/31/11)</u> – In progress.

Update (8/31/11) – In progress. Personnel updates need to be incorporated.

Update (9/1/11 - 11/30/11) - No further updates.

<u>Update (12/31/11)</u> – In progress. NENA standards updates are being incorporated.

Update (1/31/12 - 2/29/12) - No further updates.



MSAG

Current Month - February 2012

2012		9-1-1NET REQUESTS Customer Address										
PSAP	TOTAL	Total	Change	Combined	Delete	Insert	Split	Customer Addresses Affected	Change Requests Submitted	•	(b) # of TNs	
HAWAII	337	226	142	7	17	49	11	8,574	111	21	37	

During the month of February 2012, 226 9-1-1Net requests were completed relating to the MSAG database, with 8,574 customer ANI/ALI records updated as a direct result. 111 ALI discrepancy reports were submitted to 9-1-1Net for updates and corrections, as needed, and monitored for completion. See attached spreadsheet for a detailed description of changes and additions.

There are 21 records in Suspended status as of February 29, 2012 affecting 37 telephone numbers (TNs). An invalid MSAG address will result in a No Record Found (NRF) condition during a 9-1-1 call.

- Twelve (12) suspended records are due to the TNs not having a valid address in the ALI record. Address validation requests for each customer TN were sent to the respective service provider. The respective service provided a TMK number for the ALI record. Akimeka researched multiple databases, however, a valid MSAG address was not attached to the TMK assignment. Currently, these records are pending update from Hawaiian Telcom, Inc. (HTI).
- Nine (9) suspended records are due to discrepancies between information provided by the Hawai'i County website and information provided by Hawaiian Telcom, Inc. (HTI). HTI will not authorize a change to the database if their information does not agree with the County website. Akimeka met with HTI on January 24, 2012, to discuss new corrective processes to address suspended records and ongoing ALI discrepancies.



• MSAG (continued)

Year-to-Date (YTD) Summary - 2012

HAV	WAII			9-1-1	NET REQUE	STS			Customer	In Suspend as of Report	
IIA	YAII			Combined				Customer	Address Change	(b)	
2012	TOTAL	Total	Change		Delete	Insert	Split	Addresses Affected (*)	Requests Submitted (a)	# of Transactions	TNs Affected
December											
November											
October											
September											
August											
July											
June											
May											
April											
March											
February	337	226	142	7	17	49	11	8,574	111	21	37
January	203	60	32	0	3	23	2	298	143	40	75
TOTAL YTD	540	286	174	7	20	72	13	8,872	254		
AVG PER MO	270	143	87	4	10	36	7	4,436	127		
		(*) Applies to	o Change, De	elete and Inse	ert categories						

Note: Revised categories and report format changes effective April 2009.

Definitions:	(2)	Represents customer address change requests submitted to Intrado to correct customer ANI/ALI records, including those identified by Akimeka.
	(b)	Represents what is in suspension status at the end of the report month awaiting further action by County, Telco, or Akimeka.

Mapping Layers Updated/Loaded Into GIS – February 2012

HAWAII							
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	Date Loaded Into PSAP GIS Server	Other/Remarks				
	CRI	TICAL 9-1-1 PUBL (Listed Alph	IC SAFETY LAYERS abetically)				
	02/29/12		Moved address points to center of building in Pekeekeo Community (75% complete) Moved address points to center of building in Honomu Community (100% complete)				
Address Points	02/28/12		Moved address points to center of building in Papaikou Community (100% complete)				
	02/22/12		Added Common Names for critical infrastructure points				
	02/06/1202/27/12		Moved address points to center of building in Hilo Community (100% complete)				
	02/02/12 02/06/12		Moved address points to center of building in Mountain View Community (100% complete)				
Emergency Callboxes							
Fire Beats (Includes Medic Beats)							
Fire Districts (Includes Medic Districts)							
Fire Response Areas							
Fire Stations							
Major Roads							
MSAG Address Points (aka Pseudo Address Points)	02/23/12 02/24/12						
MSAG Communities (aka Towns)							
Medic Response Areas		N	A for Hawaii County				
Medic Stations			_				
Milepost Markers							
	02/28/12		Added Government Buildings				
Points of Interest	02/21/12		Added Critical Infrastructure				
	02/09/12		Added Harbors, Wharfs, Landings, and Boat Ramps				

^(*) Every time the GIS Update tool is used, Indexes and Cache have to be built. The Positron system configurator is adjusted every time a layer is loaded in the PowerMap database. Each PSAP position is updated accordingly.

Mapping Layers Updated/Loaded Into GIS – February 2012 (continued)

1		HAV	VAII							
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	Date Loaded Into PSAP GIS Server	Other/Remarks							
	CRITICAL 9-1-1 PUBLIC SAFETY LAYERS (Listed Alphabetically)									
Police Beats										
Police Districts										
Police Response Areas										
Police Stations										
Schools										
Street Centerlines -	02/21/12 02/03/12		Edited street ranges Changed "KULA KAI ST" TO "KULA KAI PL"							
Trails										
	02/28/12		Per AT&T Mobility CRS Per VZW CRS							
WSP Cell Towers	02/22/12 02/13/12 02/01/12		Per VZW CRS Per VZW CRS Per AT&T Mobility Annual Audit							
	OTHER S	SUPPORTING 9-1-1 (Listed Alph	PUBLIC SAFETY LAYERS nabetically)							
Churches										
Gas Stations										
Food & Beverage										
Hospitals										
Lodging										
Medical Facilities										
Parcels										
Parks (Includes National Parks)										
Parks Polygon										
Post Offices										
Subdivisions -										
	DISASTER/HOMELAND SECURITY LAYERS (Listed Alphabetically)									
Airports										
Bridges										
Coastline										

^(*) Every time the GIS Update tool is used, Indexes and Cache have to be built. The Positron system configurator is adjusted every time a layer is loaded in the PowerMap database. Each PSAP position is updated accordingly.

Mapping Layers Updated/Loaded Into GIS – February 2012 (continued)

	HAWAII									
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	Date Loaded Into PSAP GIS Server	Other/Remarks							
	DISASTER/HOMELAND SECURITY LAYERS (Listed Alphabetically)									
Coastal Names										
Critical Infrastructure	02/21/12		Edited and verified locations							
Emergency Operation Centers (EOC)										
Emergency Shelters										
Government Buildings	02/28/12		Added Government Buildings and updated some names							
Harbors	02/09/12 02/08/12		Made corrections to Harbor layer attributes Completed edits and updated metadata							
	02/07/12		Created Harbors point layer from the State of Hawaii website - State GIS Office of Planning and reprojected							
Helipads										
Hydrants										
Hydrology Layers										
- Dams - Ponds										
- Streams (Includes Rivers)										
- Waterfalls										
Ocean Rescue Boundaries										
Ocean Safety (Includes Lifeguard Stands)										
Tsunami Evacuation Zones										
Tsunami Heights										
Tsunami Roadblocks										

^(*) Every time the GIS Update tool is used, Indexes and Cache have to be built. The Positron system configurator is adjusted every time a layer is loaded in the PowerMap database. Each PSAP position is updated accordingly.

Mapping Layers Updated/Loaded Into GIS – February 2012 (continued)

		HAW	/All					
Type of Layer	Akimeka GIS Server Date Created/	Date Loaded Into PSAP GIS Server	Other/Remarks					
	Edits Performed							
DISASTER/HOMELAND SECURITY LAYERS (Listed Alphabetically)								
United States								
National Grid (50K)								
United States								
National Grid								
Volcano Hazard								
Zones								
Waste Water Plants	02/06/12		New layer created to replace current layer loaded in PowerMap since the source is unknown					
Wharfs								
SPECIAL REQUESTS								
Correctional Facilities								

Street Centerline, Address Points, and Parcels layers are provided by Hawaii County.
Akimeka has been instructed to not perform any edits on the Parcels layers as provided. Akimeka uploads the layer into the Akimeka GIS Server and PSAP GIS Server accordingly.
 For the Street Centerline and Address Points layers, effective November 25, 2009, Akimeka will compare and incorporate the County's changes into Akimeka's Street Centerline and Address Points layer.

^(*) Every time the GIS Update tool is used, Indexes and Cache have to be built. The Positron system configurator is adjusted every time a layer is loaded in the PowerMap database. Each PSAP position is updated accordingly.

Mapping Layers Updated/Loaded Into GIS – February 2012 (continued)

Current Month GIS Activities – February 2012

-	2/01/12 2/29/12	Due the Solacom conversion, PowerMap updates were suspended for the month of February 2012.
0	2/08/12	Akimeka received final approval of the Kona Beat maps from Sergeant Souther.
0	2/17/12	Akimeka worked on the Intergraph CAD map push.
0	2/22/12	Akimeka created a lookup table for Common Place Names.
0	2/22/12	Akimeka began work on creating an Emergency Service Zone (ESZ) polygon layer. Assignment of borders, numbers and ELTs need to be determined. This is an ongoing project.

Address Points and Street Centerlines Update Comparison

On a routine basis, upon receipt of Hawai'i County Planning Department's Address Points and Street Centerlines layer updates, Akimeka compares and incorporates any of the County's additions, changes and deletions into the Akimeka Address Points and Street Centerlines layers.

The Address Points and Street Centerlines layer comparative analysis was completed on the updates received from the Hawai'i County Planning Department on February 24, 2012. Results are as follows:

HAWAII COUNTY	Address Points Layer	Street Centerlines Layer		
# of New Street Segments Added		22		
# of New Addresses Added	132			
# of Street Segment Range Changes		7		
# of Street Name Changes	66			
# of Street Number Changes	18			

<u>Note:</u> Some Address Points have its street name and street number changed at the same time. These are counted as separate actions since these changes are needed to make the layers "9-1-1 capable" for dispatch and response.

• Service Requests Transactions

Open Service Requests - February 2012 (January 28, 2012 - February 27, 2012)

#	Date	Ticket #	Description	Category	Urgency	Comments
1	06/03/10	225	Verify addresses on Puako Beach Road	MSAG - ANI/ALI Discrepancy	Normal	Customer records were researched and update requests were sent to Sprint via Intrado and Hawaiian Telcom, Inc. (HTI).
						Pending visual verification of 157 customer addresses on Puako Beach Rd.
2	06/02/11	324	Incorrect Address	MSAG - ANI/ALI Discrepancy	Normal	Correct address was confirmed; however Akimeka is unable to input the address in the MSAG without a telephone number.
3	05/12/11	327	Incorrect Address: TN = 808/982-3265	MSAG - ANI/ALI Discrepancy	Normal	Customer confirmed address and advised that she will contact her service provider. Waiting for updated information to be processed.
						House number has been updated, however the community is pending per a meeting with Hawai'i County Police/Fire personnel.
4	09/01/11	359	<u>Incorrect Address:</u> TN = 808/962-6601	MSAG - ANI/ALI Discrepancy	Low	Request for caller information submitted; pending approval from HTI and update in 9-1-1Net.
5	09/01/11	368	Incorrect Address: TN = 808/969-1024	MSAG - ANI/ALI Discrepancy	Normal	Request for caller information submitted; pending approval from HTI and update in 9-1-1Net.
6	10/25/11	401	Incorrect TN and Address: Barbera Ferraro	911 Map Call Plotted Incorrectly	Normal	Request for caller information submitted; pending approval from HTI and update in 9-1-1Net.
7	10/25/11	402	TN = 808/965-9864	911 Map Call Plotted Incorrectly	Low	Request for caller information submitted; pending change in 9-1-1Net. TN is still in "Referred" status.
8	10/25/11	403	TN = 808/934-0297; No Record Found	911 Map Call Plotted Incorrectly	Normal	Request for caller information submitted; pending change in 9-1-1Net. TN is still in "Referred" status.
9	11/15/11	410	Incorrect Address: TN = 808/962-0414	MSAG - ANI/ALI Discrepancy	Low	Request for caller information submitted; pending approval from HTI and update in 9-1-1Net.
10	01/30/12	426	Incorrect Address: TN = 808/962-6601	MSAG - ANI/ALI Discrepancy	Low	Request for caller information submitted; pending approval from HTI and update in 9-1-1Net.
			Service	e Requests On Hold Stat	us	
11	05/25/10	220	MSAG Community Layer	911 Map Other	Low	Hawai'i County Police reviewed Akimeka's 2008 MSAG Community layer data and would like to redefine them. New boundaries for West Hawai'i was received on May 16, 2010.
						Akimeka contacted the Hawai'i County PSAP to set up a meeting to discuss, define and agree upon the MSAG Communities to be used.
						Akimeka E9-1-1 Support met with the Hawai'i County PSAP on March 17, 2011 to discuss and adjust the MSAG Communities layer. Research is being done to ensure that the layer is properly updated.
						Hawai'i County Police advised Akimeka in July 2011 that this project will be placed "On Hold" pending a meeting with other community sources.
12	02/11/11	312	Incorrect Information Displayed	MSAG - ANI/ALI Discrepancy	Normal	Sent inquiry to Intrado regarding street name change and potential community name change.
						New boundary plan will affect this telephone number; approvals are still pending.

Note: Open Service Requests reflect what is in pending status at the end of the report month.

• Service Requests Transactions (continued)

Year-to-Date (YTD) Summary – 2012

HAWAII				SERVICE REQUEST CATEGORIES							
2042	TOTAL			911 Map		MSAG		Request Training		Suggestions	
2012	Created	Closed	Open	Created	Closed	Created	Closed	Created	Closed	Created	Closed
December											
November											
October											
September											
August											
July											
June											
May											
April											
March											
February	8	11	12	0	1	8	10	0	0	0	(
January	1	2	15	0	2	1	0	0	0	0	(
2011 Carryover	16	0	16	7	0	9	0	0	0	0	(
TOTAL	25	13	12	7	3	18	10	0	0	0	(

Note: Open Service Requests reflect what is in pending status at the end of the report month.

	Category	Description
	Mapping computer not functioning or displaying properly	
<u>Definitions:</u>	MSAG	Discrepancies with 9-1-1 MSAG addresses
	Request Training	E-911 Operations training needs
	Suggestions	Vehicle to share suggestions

E9-1-1 Database Synchronization

(<u>Reference:</u> NENA 71-501, Version 1.1 – NENA Information Document for Synchronizing Geographic Information System databases with MSAG & ALI)

As part of Akimeka's value added services, Akimeka conducted the next quarterly database synchronization audit for Hawai'i County in February 2012.

The database synchronization effort included comparing Hawai'i County's 9-1-1 MSAG against its GIS Street Centerline data. A total number of **4,560** 9-1-1 MSAG records were reviewed in the audit and analyzed. Results of the database synchronization audit completed on February 21, 2012 for Hawai'i County are reported below.

Database synchronization should be part of an ongoing and continuous process to ensure that the databases remain current and synchronized. Since neither database is static in nature, the synchronization process will never yield a 100 percent match rate. As such, NENA's recommended minimum match rate is 98%.

The database synchronization process is essential to monitor and ensure the level of accuracy of the E9-1-1 databases and prepare for Next Generation 9-1-1 (NG9-1-1). As such, Akimeka will perform database synchronization audits on a quarterly basis as part of its ongoing maintenance process. Results of the database synchronization audit will be included and reported in the Monthly Status Report (MSR) accordingly.

Audit Summary Results - 2012

		As of Februa	ary 21, 2012	
9-1-1 MSAG TO GIS STREET CENTERLINE AUDIT COMPARISON RESULTS	Notes	9-1-1 MSAG Dated 02-01-12		
		# of Records	%	
Total 9-1-1 MSAG Records Reviewed		4,560		
Less: 9-1-1 MSAG Exception Records	(1)	6	0.1%	
Net 9-1-1 MSAG Records Eligible for Comparison		4,554		
Total 9-1-1 MSAG Records Match (9-1-1 MSAG GIS Match No Corrections Required)		3,635	79.8%	
9-1-1 MSAG GIS No Match Minor Correction Required	(2)	394	8.7%	
9-1-1 MSAG Record With No GIS Record	(3)	525	11.5%	
Total 9-1-1 MSAG Records No Match		919	20.2%	

<u>Objective:</u> NENA Recommended Match Rate = 98%


 E9-1-1 Database Synchronization (continued)
 (<u>Reference:</u> NENA 71-501, Version 1.1 – NENA Information Document for Synchronizing Geographic Information System databases with MSAG & ALI)


Audit Summary Results - 2012 (continued)

Notes:

- (1) An MSAG Record that will not have a corresponding GIS Street Centerline Record but is required for the routing of E9-1-1 calls (i.e., Emergency Call Box, Foreign Exchange Records, Wireless Shell Records, etc.). No further action is required.
- (2) An MSAG Record that requires minor MSAG attention in 9-1-1Net to correct MSAG Records (i.e., Reassignment of an MSAG Community, modification of the Site Address Range, assignment of an ESN, performing a combine or insert of an existing MSAG Record, etc.).
- (3) An MSAG Record that does not have a corresponding GIS Record and will require additional research and validation. The GIS Section will assist with this effort.


Audit Summary Results - February 1, 2012 vs. November 1, 2011 MSAG





Hawai`i County's level of accuracy or 9-1-1 Match percentage improved from 75.3% as of November 1, 2011 to 79.8% as of February 1, 2012

- There continues to be a tremendous work effort to synchronize the MSAG and GIS data. Akimeka continues to work closely with Hawai'i County Planning to address problem areas. Hawai'i County has worked very hard to assign addresses and name and range street centerlines which has helped facilitate Akimeka's synchronization efforts.
- * "MSAG GIS Minor Corrections" were reduced by 31.7% (577 to 394) from November 2011 to February 2012 respectively. Low and high address ranges were adjusted in the MSAG to correspond with the GIS record. Although this is a minor correction, customer telephone numbers (TNs) need to be validated by the service providers prior to adjusting an address range.



 E9-1-1 Database Synchronization (continued)
 (<u>Reference:</u> NENA 71-501, Version 1.1 – NENA Information Document for Synchronizing Geographic Information System databases with MSAG & ALI)


Audit Summary Results – February 1, 2012 vs. November 1, 2011 MSAG (continued)

- * "MSAG Record With No GIS Record" was reduced by 4.7% (551 to 525) from November 2011 to February 2012 respectively. The decrease in records were due primarily to the verification of the MSAG records against multiple GIS databases to determine if the roads are existing within Hawai'i County records.
- "GIS Record With No MSAG Record" was reduced by 2.5% (242 to 236) from November 2011 to February 2012 respectively. MSAG records were either added or adjusted according to Hawai'i County GIS databases, thereby reducing the number of No GIS to MSAG match.
- * "GIS Record With Minor Corrections" were reduced by 32.6% (556 to 375) from November 2011 to February 2012 respectively. Low and high address ranges, street suffix, and MSAG Community were adjusted in the GIS to correspond with the MSAG record.
- Ongoing maintenance is critical to ensure the database synchronized level of address accuracy is maintained each time an MSAG or GIS record is "touched".

 E9-1-1 Database Synchronization (continued)
 (<u>Reference:</u> NENA 71-501, Version 1.1 – NENA Information Document for Synchronizing Geographic Information System databases with MSAG & ALI)

Automatic Location Identification (ALI) Discrepancy Reports

As part of Akimeka's ongoing database synchronization efforts, Akimeka reviewed and summarized the ALI discrepancy reports by community for Hawai'i County. As of February 23, 2012, **5,503** ESN 299 records, representing **5.9%** of Hawai'i County's total ALI records, require research and corrective action, if needed.



These ALI discrepancy reports will result in a No Record Found (NRF) condition during a 9-1-1 call.

The ALI discrepancy reports are primarily due to telephone numbers (TNs) with missing digit(s) in the address point, assigned to blank-to-blank ranges without an assigned customer or address, and attached to the wrong address point, street, customer or combination thereof.

The goal, which requires the cooperation among all service providers, is to clean-up all ESN 299 MSAG records to a valid Hawai'i County ESN and valid MSAG address.



PSAP Operations

9-1-1 Call Volume - February 2012

PSAP	Total	Wireline	%	Wireless	%
KAUAI	2,934	1,032	35.2%	1,899	64.8%

9-1-1 Call Volume - Calendar Year 2012

ΚΛI	IIAI	·	тот	AL PSAP 9-1	-1 CALL VOLU	JME			
KAUAI		Wireline		Wireless		Admin		Abandoned	
2012	Total	# of Calls	%to Total Wireline & Wireless	# of Calls	%to Total Wireline & Wireless	# of Calls	%to Total Calls	# of Calls	% Abandoned to Total
December									
November									
October									
September									
August									
July									
June									
May									
April									
March									
February	2,934	1,032	35.2%	1,899	64.8%	3	0.1%	655	22.3%
January	3,175	916	28.9%	2,259	71.1%	0	0.0%	669	21.1%
TOTAL YTD	6,109	1,948	31.9%	4,158	68.1%	3	0.0%	1,324	21.7%
AVG PER MO	3,055	974		2,079		2		662	

Note: Total Calls include Administrative calls that are not direct 9-1-1 calls.

Notes:

- (1) Total call volumes include Administrative calls. (Administrative calls = Calls made between 9-1-1 positions but are not 9-1-1 calls.)
- "Abandoned" calls represent the number of incoming 9-1-1 calls for which the caller had (2) hung up before a call-taker answered.
- "Abandoned" calls are included in the "Wireline" and "Wireless" counts respectively. The (3)standard CML reports do not provide a break-out of "Abandoned" calls between "Wireline" and "Wireless" calls.



PSAP Operations (continued)

Wireless Test – February 2012

Date	WSP	Sites Tested	Sectors Tested	Tested By	Test Pass/Fail
NONE					

Current Month PSAP Operations Activities – February 2012

02/01/12 – The County of Kauai has an ongoing project to install and implement a Virtual Private Network (VPN) circuit and the necessary software licenses required for the updating of the CAD mapping layers.

Unfortunately, to date, the implementation of the VPN connection has been unsuccessful after several attempts by the County of Kauai and Akimeka personnel. Akimeka proposed an alternate method which is under consideration by the County of Kauai IT personnel.

Akimeka has also requested the "right to use" the GeoLynx Data Management System (DMS) and CAD GeoFile extensions in order to properly process GIS data. This will provide for a more efficient means to process the data to ensure Kauai County's GIS data is error free and acceptable for delivery into the mapping and CAD systems.

To date, the necessary "right to use" licenses have not been provided to Akimeka.

Akimeka personnel are willing and available to discuss possible solutions with the County of Kauai and VisionAIR personnel inorder to complete this project.

O2/02/12 At the request of the Kauai County PSAP, Akimeka provided Job Description material to assist with establishing a Trainer/Supervisor position documentation for the Communications Division.



PSAP Operations (continued)

Open Issues (To be Monitored and Tracked by Akimeka)

Updates as of February 29, 2012 are noted below:

11/21/09

Akimeka will continue to monitor and track AT&T Mobility's open trouble ticket (11/21/09) for missing house number (HN), street and community information when transferring a WPH2 call or rebidding a WPH2 call. This issue was escalated to the State of Hawaii Wireless Enhanced 9-1-1 Board for action (August 2010). There have been no updates received to date. Unfortunately, the trouble is still occurring.

Akimeka will provide status updates via the Monthly Status Report (MSR) when there are significant changes or updates as provided by the State of Hawaii Wireless Enhanced 9-1-1 Board and/or AT&T Mobility.

<u>Update (4/30/11)</u> -- Hawaiian Telcom notified the Neighbor Island PSAPs that Intrado will be upgrading the ALI software to Version 5.0. A feature in this upgrade may potentially address the AT&T issue. This feature can be activated with the permission of all of the PSAPs across the State of Hawaii. This will be reviewed and discussed at the next Enhanced 9-1-1 Wireless Board Technical Committee meeting on May 10, 2011.

<u>Update (5/31/11)</u> -- All PSAPs sent in a written confirmation to Hawaiian Telcom, Inc. (HTI) to proceed with the software 5.0 upgrade. Testing has been scheduled for Monday, June 6, 2011.

<u>Update (6/30/11)</u> -- The ALI cache wireless option was installed by Hawaiian Telcom, Inc. (HTI) on June 5, 2011. Testing was conducted as scheduled on the Neighbor Islands on June 6, 2011. Testing began at 7:44 a.m. however, there was no improvement. House number (HN) and street and community information was still missing when transferring a WPH2 call or rebidding a WPH2 call. Akimeka contacted HTI to report the condition. HTI and Intrado addressed the issue and testing continued. Results of the re-bidding of a WPH1 to WPH2 (GSM) call displayed the tower information and city. However, when testing UMT to UMT calls, the tower information and city were missing. In addition, the COF fields remained constant at 271 meters for every Phase II test call received. Akimeka reported this to Intrado for review.

In June 8, 2011, HTI notified the PSAPs that they believe the ALI caching trouble was resolved and all information sent on re-bids is in compliance with what is being sent by AT&T Mobility. As such, any additional discrepancy of calculated accuracy pertaining to the confidence factor (COF) should be reported to AT&T Mobility.

Update (7/1/11 - 2/29/12) - No further updates.



PSAP Operations (continued)

Open Issues (To be Monitored and Tracked by Akimeka) (continued)

Updates as of February 29, 2012 are noted below:

04/16/10

Akimeka personnel worked on a flowchart for the Neighbor Island PSAPs to document the flow of a Call Routing Spreadsheet (CRS) and Testing Validation Worksheet (TVW). It was discovered that different processes exist among the carriers.

Akimeka created and submitted for review a DRAFT Call Routing Sheet (CRS) and Testing Validation Worksheet (TVW) process flowchart to the Neighbor Island PSAPs on December 20, 2010.

<u>Update (4/30/11)</u> – Akimeka continued to work on the flowchart and incorporate the feedback received. An updated process flowchart is currently under review within Akimeka. Once approved, it will be shared with the Neighbor Island PSAPs.

<u>Update (5/1/11 – 7/31/11)</u> – In progress.

Update (8/31/11) – In progress. Personnel updates need to be incorporated.

Update (9/1/11 – 11/30/11) – No further updates.

<u>Update (12/31/11)</u> – In progress. NENA standards updates are being incorporated.

Update (1/31/12 - 2/29/12) - No further updates.

MSAG

Current Month – February 2012

2012				9-1-	1NET REQU	JESTS			Customer Address	In Suspende as of Report	
PSAP	TOTAL	Total	Change	Combined	Delete	Insert	Split	Customer Addresses Affected	Submitted	# of Transactions	TNs Affected
KAUAI	17	14	10	0	0	3	1	214	3	33	36

During the month of February 2012, 14 9-1-1Net requests were completed relating to the MSAG database, with 214 customer ANI/ALI records updated as a direct result. Three (3) ALI discrepancy reports were submitted to 9-1-1Net for updates and corrections. See attached spreadsheet for a detailed description of changes and additions.

There are thirty-three (33) records in Suspended status as of February 29, 2012 affecting 36 telephone numbers (TNs). An invalid MSAG address will result in a No Record Found (NRF) condition during a 9-1-1 call.

- Twenty-five (25) suspended records are due to the TNs not having a valid address in the ALI record. Address validation requests for each customer TN were sent to the respective service provider. The respective service provider provided a TMK number for the ALI record. Akimeka researched multiple databases, however, a valid address was not attached to the TMK assignment.
- Five (5) suspended records are due to the TNs being on Federal property and not having a valid address record. Address validation requests for each customer TN were sent to the respective service provider. The respective service provided a TMK number for the ALI record. Akimeka researched multiple databases, however, a valid address was not attached to the TMK assignment.
- Three (3) suspended records are due to the TNs being on State property and not having a valid address record. Address validation requests for each customer TN were sent to the respective service provider. The respective service provided a TMK number for the ALI record. Akimeka researched multiple databases, however, a valid address was not attached to the TMK assignment.



• MSAG (continued)

Year-to-Date (YTD) Summary - 2012

KA	UAI			9-1-1	NET REQUE	STS			Customer Address		ded Status t Month End
	-							Customer	Change Requests	(b)	
2012	TOTAL	Total	Change	Combined	Delete	Insert	Split	Addresses Affected (*)	Submitted (a)	# of Transactions	TNs Affected
December											
November											
October											
September											
August											
July											
June											
May											
April											
March											
February	17	14	10	0	0	3	1	214	3	33	36
January	23	18	5	5	3	5	0	53	5	33	36
TOTAL YTD	40	32	15	5	3	8	1	267	8		
AVG PER MO	20	16	8	3	2	4	1	134	4		

Note: Revised categories and report format changes effective April 2009.

Defi	nitions:	(2)	Represents customer address change requests submitted to Intrado to correct customer ANI/ALI records, including those identified by Akimeka.
<u> </u>	<u> </u>	(h)	Represents what is in suspension status at the end of the report month awaiting further action by County, Telco, or Akimeka.

Mapping Layers Updated/Loaded Into GIS – February 2012

	•	KA	UAI .
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	Date Loaded Into PSAP GIS Server	Other/Remarks
	CR	ITICAL 9-1-1 PUBI	IC SAFETY LAYERS
		(Listed Alph	nabetically)
		02/24/12	
	02/10/12	02/10/12	Added Common Name for Aston Aloha Beach Hotel
	01/31/12		Added TMK information to address points that were missing the TMK information Added address points for Pi`ilani Mai Ke Kai Subdivision in
Address Points	01/31/12		Anahola Added four (4) new addresses
Addition	01/27/12		Tadou four (4) flow additioned
	01/21/12	01/25/12	
		01/12/12	
	01/12/12	0,,,,,,,,,	Added ESN to new address points to meet GeoComm requirements
	01/04/12 01/12/12		Added address points that the Fire Department uses for camps and low income housing.
Emergency Callboxes			
Fire Beats			
Fire Districts			
Fire Response Areas			
Fire Stations			_
In all to set			
Incident Response Area	01/18/12		Corrected Medic name as reported by Dispatch. Sent corrected layer for GeoComm update.
Major Roads		02/10/12	
MSAG Communities (aka Towns)	00/01/10		
(ana iowiis)	02/24/12		Boundary for Koloa/Poipu were adjusted per PSAP guidance
Medic Beats			
Medic Districts			

^(*) Every time the GIS Update tool is used, Indexes and Cache have to be built. The Positron system configurator is adjusted every time a layer is loaded in the PowerMap database. Each PSAP position is updated accordingly.

• Mapping Layers Updated/Loaded Into GIS – February 2012

	•	KA	UAI						
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	Date Loaded Into PSAP GIS Server	Other/Remarks						
	CR	ITICAL 9-1-1 PUBI	LIC SAFETY LAYERS						
(Listed Alphabetically)									
Medic Response									
Areas									
Medic Stations									
Milepost Markers									
	02/28/12		Added Government Buildings						
		02/24/12							
Points of Interest	02/10/12	02/10/12	Updated to include Harbors, Boat Ramps, Wharfs, Piers, an Landings						
			Corrected name for Aston Aloha Beach Hotel						
	02/06/12		Created a point for the Kauai Emergency Operation Centers						
	01/27/12		Added ABC Stores Kapaa						
Police Beats									
Police Districts									
Police Response									
Areas									
Police Stations									
Schools									
		02/40/42							
		02/10/12	Edited geometry of two streets using data received from the						
	02/09/12		County						
	02/07/12 02/09/12		Updated ranges for Poipu Beach Estates						
Street Centerlines	02/02/12		Updated ranges for Mahua Street						
	01/31/12		Assigned ranges according to the address points						
	01/27/12								
		01/12/12							
	01/03/12		Updated PMRF speed limits						
Trails									

^(*) Every time the GIS Update tool is used, Indexes and Cache have to be built. The Positron system configurator is adjusted every time a layer is loaded in the PowerMap database. Each PSAP position is updated accordingly.

Mapping Layers Updated/Loaded Into GIS – February 2012 (continued)


		KA	UAI						
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	Date Loaded Into PSAP GIS Server	Other/Remarks						
	CRITICAL 9-1-1 PUBLIC SAFETY LAYERS (Listed Alphabetically)								
WSP Cell Sectors (Polygon)									
	02/27/12								
	02/08/12	02/10/12	AT&T Mobility Annual Audit Mobi PCS Annual Audit						
WSP Cell Towers (Points)	02/07/12		Nextel Annual Audit Sprint Annual Audit T-Mobile Annual Audit						
	02/06/12 02/03/12		VZW Annual Audit						
	01/12/12 01/03/12	01/12/12	Updated Beam Width for existing site Per VZW CRS						
	OTHER S		I PUBLIC SAFETY LAYERS habetically)						
Churches									
Gas Stations									
Food & Beverage									
Hospitals									
Lodging	02/10/12	02/24/12	Added point for Aston Aloha Beach Hotel						
Medical Facilities	<i>5-1, . 5,</i>								
Parcels									
Parks									
Parks Polygon									
Post Offices									
Subdivisions									

^(*) Every time the GIS Update tool is used, Indexes and Cache have to be built. The Positron system configurator is adjusted every time a layer is loaded in the PowerMap database. Each PSAP position is updated accordingly.

Mapping Layers Updated/Loaded Into GIS – February 2012 (continued)

		KAI	UAI						
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	Date Loaded Into PSAP GIS Server	Other/Remarks						
	DISASTER/HOMELAND SECURITY LAYERS (Listed Alphabetically)								
Airports									
Bridges									
Coastline									
Coastal Names									
Communications									
Emergency Shelters									
Emergency Operaion Centers (EOC)	02/06/12		Created new layer						
Government			,						
Buildings	02/28/12		Created new layer						
	02/10/12		Updated attributes and removed special characters and undercases						
Harbors	02/08/12		Completed edits and updated metadata						
	02/07/12		Created Harbors point layer from the State of Hawaii website State GIS Office of Planning and reprojected						
Hydrants									
Hydrology Layers									
- Dams									
	02/08/12		Made corrections and updates to layer						
- Ponds	02/07/12		Edited and updated metadata						
	02/06/12		Obtained layer from the State of Hawaii website. Added names and updated metadata.						
- Streams (Includes Rivers)									
- Waterfalls									

^(*) Every time the GIS Update tool is used, Indexes and Cache have to be built. The Positron system configurator is adjusted every time a layer is loaded in the PowerMap database. Each PSAP position is updated accordingly.



Mapping Layers Updated/Loaded Into GIS – February 2012 (continued)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems.

		-	
		KAI	JAI
Towns of Lawren	Akimeka GIS Server	Date Loaded Into	Other/Remarks
Type of Layer	Date Created/ Edits Performed	PSAP GIS Server	Other/Remarks
Ocean Rescue			
Boundaries			
Tsunami Evacuation Zones			
Tsunami Heights			
United States National Grid (50K)			
Waste Water Plants	02/06/12		Created new layer
		SPECIAL R	REQUESTS
KCC Building Outline			
KCC Callboxes			

^(*) Every time the GIS Update tool is used, Indexes and Cache have to be built. The Positron system configurator is adjusted every time a layer is loaded in the PowerMap database. Each PSAP position is updated accordingly.

Note:

The Parcels layer is provided by Kauai County. Akimeka performs edits on the spatial information of the layer for 9-1-1 purposes. Changes to the attribute table are made when needed. The Parcels layer uploaded to the PSAP GIS Server is intended for 9-1-1 purposes only and should not be disseminated to other county agencies.

Current Month GIS Activities – February 2012

02/13/12 -- Along with the PSAP, Akimeka personnel attended training for the MDT GeoLynx 02/15/12 Mobile.

• Service Requests Transactions

Open Service Requests - February 2012 (January 28, 2012 - February 27, 2012)

#	Date	Ticket #	Description	Category	Urgency	Comments	
1	08/25/11	358	Incorrect Community 7-Eleven Hanamaulu	MSAG - ANI/ALI Discrepancy	High	Pending change in 9-1-1Net	
2	09/14/11	379	Incorrect Address	MSAG - ANI/ALI Discrepancy	Normal	Pending change in 9-1-1Net	
3	11/17/11	412	Correct Fire Assignment E-5	911 Map		Request for caller information submitted; pending change in 9-1-1Net.	
6	01/24/12	-	Correct Police Beat for Haoa Street and Corresponding Streets	911 Map		Screenshot sent to K. Langtad for verification.	

Note: Open Service Requests reflect what is in pending status at the end of the report month.

Year-to-Date (YTD) Summary – 2012

KAUAI				SERVICE REQUEST CATEGORIES							
2012	TOTAL			911 Map		MSAG		Request Training		Suggestions	
	Created	Closed	Open	Created	Closed	Created	Closed	Created	Closed	Created	Closed
December											
November											
October											
September											
August											
July											
June											
May											
April											
March											
February	0	2	4	0	0	0	2	0	0	0	0
January	3	0	6	1	0	2	0	0	0	0	0
2011 Carryover	3	0	3	1	0	2	0	0	0	0	0
TOTAL	3	2	1	2	0	4	2	0	0	0	0

Note: Open Service Requests reflect what is in pending status at the end of the report month.

	Category	Description				
	911 Map	Mapping computer not functioning or displaying properly				
<u>Definitions:</u>	MSAG	Discrepancies with 9-1-1 MSAG addresses				
	Request Training	E-911 Operations training needs				
	Suggestions	Vehicle to share suggestions				