Tet 24 Trichea Homesteads Hawakaa Nawaii'

Copy furnished Land Office. Deft 10 1913.

Gr. 6747 J. Sanborn Jr.

tile in Contra 84

## Territory of Hawaii,

Office of the Covernment Survey.

Konolulu, T. K., September 8, 1913.

Lot 24.

Niupea Homesteads, Hamakua, Hawaii

Beginning at a marked rock above falls at road crossing at the Southeast corner of this lot, the co-ordinates of said point of beginning referred to Government Survey Trig. Station "Kaholo" being 11327.4 feet South and 6301.5 feet West, as shown on Government Survey Registered Map No. 2311, and running by true azimuths:-

- 1. 159° 40' 269.0 feet up West bank of gulch to post  $\triangle$  at angle of road;
- 2. 75° 40' 162.0 feet along road to post  $\triangle$ ;
- 3. 53° 36' 83.0 feet along road to post  $\triangle$ ;
- 4. 129° 13' 129.0 feet along road to post  $\Delta$  ;
- 5. 77° 31' 73.0 feet along road to post  $\triangle$ ;
- 6. 12° 14' 92.0 feet along road to post  $\Delta$ ;
- 7. 46° 54' 209.0 feet along road to post  $\triangle$  ;
- 8. 53° 37' 185.0 feet along road to post  $\triangle$ ;
- 9. 26° 45' 26.0 feet along road to post  $\triangle$ ;
- 10. 113° 10' 358.0 feet along Government land to a point on the Kaala-Kealakaha boundary;
- 11. 192° 33' 1526.0 feet along the land of Kaala;
- 12. 292° 40' 1330.0 feet along Grant 4575 to Geo. Osborne to a point in middle of Kealakaha Gulch;

13. 22° 45' 1070.0 feet along the middle of the gulch to the point of beginning.

Area 34 Acres, more or less.

Excepting and reserving therefrom the Kealakaha Stream and all riparian and other rights in or to this stream and the waters thereof.

Compiled from Government Survey Records, by

Assistant Government Surveyor.

W.