

Lot 29
Kaunamano Homesteads
Kau Hawaii

Copy furnished Land Office
Jan. 29 1910.

see CSF 5314

file in Carton 3.

Territory of Hawaii,

Office of the Government Survey.

Honolulu, T. H., January 25, 1910.

Lot 29
Kaunamano Homesteads
Kau, Hawaii.

Beginning at a + on solid rock at the North corner of Grant 2653:1 to Kalakumai and on the South boundary of this lot about 250 feet Southeast of the Hutchinson Road, the coordinates of said + referred to Government Survey Trig. Station "Kapuna" being 3330.5 feet South and 10875.5 feet East, as shown on Government Survey Registered Map No. 2340, and running by true azimuths:-

1. 53° 15' 881.2 feet along Grant 2653:1 to Kalakumai to "W" on set stone;
2. 103° 40' 100.7 feet along Lot 30 to + on solid rock;
3. 138° 18' 96.0 feet along L.C.A. 8787 to Kaawa to + on set stone on the Southeast side of Hutchinson road;
4. Thence along the Southeast side of the Hutchinson Road parallel to and 20 feet distant from the center line of said road to a "W" on ~~large~~ solid rock on the boundary of Kioloku, the direct azimuth and distance being:- 214° 15' 4633.0 feet;
5. 293° 15' 551.0 feet along the land of Kioloku to "W" on set stone in wall;
6. 296° 50' 162.0 feet along the land of Kioloku;
7. 32° 40' 763.0 feet along L.C.A. 9660 to Kaahui;
8. 312° 30' 264.0 feet along L.C.A. 9660 to Kaahui;
9. 42° 43' 2072.0 feet along Grant 2748 to Kaleikau and Grant 2118 to Keawemaka to "W" on set stone;

10. 32° 45' 641.0 feet along L.C.A. 8752:2 to Kauwale passing over a "W" on solid rock at 44.0 feet;
11. 26° 45' 458.0 feet along L.C.A. 8786 to Kuaana to "W" on solid rock;
12. 130° 35' 283.0 feet along Grant 2653:1 to Kalakumai to the point of beginning.

Area 55.7 Acres.

Excepting and Reserving therefrom a Right-of-Way for the flume over this lot.

Compiled from map and survey of Geo.F.Wright, by

H.E. Newton

Assistant Government Surveyor.

Completed