Rotes of Survey & Plan Kaiwiki that Services Lot Ho. 69 Original Copy funished Land Office Jan. 18, 1911

File in Carton 112.

KAIWIKI HOMESTEAD LOTS.

Lot No. 69.

Description and Plan: -

Beginning at the Southeast corner of this Lot, on North side of Kaiwiki Road, the coordinates of which point are 965.2 feet North and as shown on Government Survey Registered Map Np. 2207, 13186.7 feet West of Kauluau Ref. Point, and running by true bearings:-

1.	N	45 05 W	204	feet	along	Kaiwiki	Road	;				
2.	S	82 ° 4 5 W	225	н	n	**	tt	;				
3.	s	78 °46 ′W	180	**	***	71	#	;				
4.	s	56 36 W	230	Ħ	Ħ	##	#	;				
5.	S	75°28′W	109	Ħ	Ħ	11	• • • • • • • • • • • • • • • • • • •	;				
6•	N	83 ° 20′ W	230	**	Ħ	11	11	;				
7.	N	1 05 E	1806	97	Ħ	Lot No.	70	;				
8.	N	86 55 E	210	11	Ħ	edge of	Honoli	i Gulch	;			
9.	N	60°01'E	352	tf	` #	11	11	**	;			
10.	N	84 03 E	235	11	11	**	11	"	;			
11.	s	83 49 E	160	11	**	Ħ	11	11	;			
12.	s	75°01'E	180	11	* 19	er .	11	11	;			
13.	s	1° 25′ W	1905	***	* 91	Lot 68	; :: :		to	the	point	of

beginning.

Reserving for Road Quin along Road 0.60 "
Containing Ho. 20 agre,

Hilo, Hawaii.

March 14th. 1903.

Compiled from A.B.Loebenstein's

Calculations and Notes of Survey by

J. S. Janeway.

1,155 117 11 W.

n 🎏

Above Description closes as follows:

Coord. S.E.L Ref. to Kauluau Ref. Pt. 965.2 N 13186.7 W

from Bearings and Distances 967.6 N 13178.6 W

Error in closure 2.4 8.1

E. W. Baldwin Charge of Work.

Note on A.B. Loebenstein's Description Coord. S.E. Ref. to Kauluau Ref. Pt. 882.4N 13187.4W from Bearings and Distances. 976.6N 13180.9W Error in Closure 5.8 6.5

Area

"A.B.L. Description

(Ruserved for Quarrie)

A.B.L. Description

Difference

E. W. B.