

Map 7

Notes of Survey
of the Homestead Lots
in Pulehiki's Kamehameha
Kula Maui

Homestead Map No. 7.

Lots 25-44

Duplicated
as wanted

File in Carton 2

Grant 3890
C. W. ...

Nov 8
7 ~~95~~

Lot 25, in Kamehameiki.

Beginning at the S.W. corner, on the north edge of the road,
and running:-

N 33° 23' E (true) 505 feet along Lot 26 to a stone marked thus →
on the south edge of the gulch;

N 33° 23' E (") 112 feet along Lot 26, down to the center
of the gulch;

Thence up the center of the gulch along Lot 31, and Lot 32;
direct bearing and distance being S 36° 20' E (true) 961 feet.

S 33° 23' W (true) 119 feet along Lot 24 up to a rock marked
thus →, on the south edge of the gulch;

S 33° 23' W (") 328.5 feet along Lot 24 to the road;

N 46° 23' W (") 917 " " the road to the point
of beginning

10.11 Acres

Gr. 1243
S.K. Kaimakau

Lot 26, in Kamehameiki & Pulehuiki.

Beginning at the S.W. corner, on the north ^{side} edge of the
as shown on Comitted map 7 B on file in the Govt. Survey office,
road, and running:-

N 33° 23' E (true) 346.5 feet along Lot 27 to a rock marked
thus → on the south edge of the gulch;

N 33° 23' E (") 140 feet along Lot 27 down to the center
of the gulch;

N 52° 55' W (") 195 feet along Lot 27 down center of the gulch.

N 36° 34' E (") 460 " " Govt. ^{land} and Gr. 1217 Helehua to
Pulehuiki road, 20 feet from the S.W.

corner of Gr. 1216 Kapono;

S. 35° 57' E (true) 540 feet along road between this and Gr. 1216 Kapono;

N 54° 3' E (") 20 feet across road;

S 62° 5' E (") 199.5 " along Gr 1216, to a stone marked +, on line of S.C.A. 10708 Ap. 2 Kupaiulu;

S 31° 50' W (") 172.5 feet along S.C.A. 1 " " to a stone marked +; (?)

S 45° 38' E (") 311 feet along S.C.A. 10708 Ap. 2 Kupaiulu;

S 33° 23' W (") 226 " " Gov't. Lot 25 to a stone marked

thus → on the south edge of the gulch;

S 33° 23' W (") 178 feet along Lot 25 to a point opposite east corner of S.C.A. 9027 Ap. 2. Kuapuu;

N 56° 37' W (") 9 feet to East corner of " " "

N 28° 15' W (") 455.5 feet along S.C.A. 9027 Ap. 2 ;

S 82° 10' W (") 247.5 " " " " ;

S 35° 00' W (") 91 " " " " ;

S 45° 19' E (") 495 " " " " ;

N 71° 18' E (") 168.5 " " " " ;

S 56° 37' E (") 9 " back onto former line;

S 33° 23' W (") ~~327~~³²⁷ " along Lot 25 to the road;

N 46° 23' W (") 665 " " the road;

N 45° 43' W (") 198 " " " " to the point of beginning;

15.03 Acres

Gr.	S	E	W	Area
1216	1966.2	1792.5	1792.4	or k.

Maple (1906)

Gr. 524
S. Kila

Lot 27, in Kamehameiki.

Beginning at a point on the north side of the road at ^{let as shown on Homestead Map D7B or file in the Govt. Office} W. corner of this; and running: -

N 33° 23' E (true) 302 feet along Lot 28 to a rock marked thus →
on the south edge of the gulch.

N 33° 23' E (") 130 feet along Lot 28, down to the center
of the gulch;

Thence up the center of the gulch along Lot 31, Govt, and Lot 26,
direct bearings and distances being: -

1. S 46° 56' E (true) 404 feet;

2. S 52° 55' E (") 400 " .

S 33° 23' W (true) 140 feet along Lot 26, up to a rock marked
thus →, on the south edge of the gulch;

S 33° 23' W (") 346.5 feet along Lot 26 to the road;

N 45° 43' W (") 238 " " the road;

N 27° 12' W (") 301 " " " " ;

N 65° 41' W (") 310 " " " " , to the point
of beginning.

7.77 Acres.

N	S	E	W	Area
932.4	923.3	551.9	555.2	0.77

Grant 4083

Robert Kamae

Lot 28, in Kamehameiki.

Beginning at a point on the north side of the road;

and running: -

N 33° 23' E (true) 164 feet along Lot 12 to a stone marked
thus → on the south edge of the gulch;

N 33° 23' E (") 251 feet along Lot 12, down to the center
of the gulch;

Copy Furnished for Grant
Grant No. 4083

Thence up the center of the gulch along Lot 31; direct bearing and distances being:- 1. S 70° 00' E (true) 422 feet, and;

2. S 42° 3' E (") 414.5 "

S 33° 23' W (true) 130 feet along Lot 27, up to a ledge of rocks marked thus →, on the south edge of the gulch;

S 33° 23' W (") 302 feet along Lot 27 to the road;

N 65° 41' W (") 346 " " the road;

S 68° 37' W (") 107 " " " " ;

N 60° 45' W (") 322.5 " " " " ;

N 11° 31' E (") 203 " " " " , to the point of beginning.

10.67 Acres.

^{Nov. 8 '95}
F - Nov. 8 '95

Lot 29, in Pulehuiki.

Beginning at the N.E. corner of Lot 10, at a stone marked Δ, on line of S.C.A. 9673 Ap. 2 Lonoaea; And running:-

S 33° 23' W (true) 529 feet along Lot 10, to the center of the gulch, (crossing road on edge of the gulch.);

Thence up the center of the gulch along Gov't.; direct bearing and distance being:- - - S 46° 10' E (true) 492 feet;

N 33° 23' E (true) 192 feet up pali along Lot 3 to a stone marked +, at the S.W. corner of S.C.A. 9671 Ap. 3 Kekahuna;

N 25° 37' E (") 280 feet along S.C.A. 9671 Ap. 3, and across road to north side of road;

S 60° 55' E (") 510 feet along road;

N 33° 23' E (") 385 " " " , and Lot 30 to a stone

marked +, on the south edge of the gulch;

N 33° 23' E (true) 31 feet down pali to the center of the gulch;
Thence down the center of the gulch along Pulehunui, to the
N.W. corner of S.C.A. 9673 Apr. 2 Lonoaea;

S 58° 12' E (true) 488.5 feet along S.C.A. 9673 Apr. 2 Lonoaea;

S 60° 38' W (") 255.5 " " " " " " ;

N 55° 21' W (") 162 " " " " " " to

the point of beginning.

14.42 Acres.

Area of road .32 "
Leaving 14.10 "

Copy furnished
Land Office
June 9, 1910
(see new copy)

Lot 30, in Pulehunui

as shown on Map No. 70
on file in the office of the Govt. Survey

Beginning at the S.W. corner, ~~on edge of road~~ ^{at this lot and on the north side of the} road; and running:-

S 57° 13' E (true) 614 feet along road;

S 36° 12' E (") 130 " " " ;

S ~~32° 31'~~ ^{72° 31'} E (") 339 " " " , to stake on ^{boundary} line of

Gr. 1217 Helehua;

N 46° 53' E (") 86 feet along " " " to a stone marked +;

N 89° 20' E (") ⁶¹³ " " " " " " " " " " , on

^N on the south edge of the gulch, at the

East corner of Gr. 1217 Helehua;

N 33° 23' E (") 59 feet down pali to the center of the gulch;

Thence down the center of the gulch, along Pulehunui to
the N.E. corner of Lot 29; direct bearings and distances

being: -
1. N 74° 38' W (true) 791 feet;

2. N 57° 2' W (") 890 "

S 33° 23' W (true) 31 feet up pali along Lot 29, to a stone marked +, on the south edge of the gulch;
 S 33° 23' W (") 278 feet along Lot 29 to the point of beginning:
 10.91 Acres.

Copy furnished
 Land Office (see map copy)
 June 9, 1910.

Lot 31, in Pulehuiki.

the N.W. corner of this lot and
 Beginning at the S.W. corner of S.C.A. 9671 Ap. 3 Kekahuna,
 at a stone marked thus +, on the north edge of the gulch;
 as shown on Homestead map no. 7 B on file in the office of the Gov't Survey,
 and running:-

S 70° 35' E (true) 487.5 feet along S.C.A. 9671 Ap. 3 Kekahuna,
 to a stone marked +;
 N 33° 39' E (") 278 feet along S.C.A. 9671 Ap. 3, to the road;
 S 60° 55' E (") 20 " " the road;
 N 33° 23' E (") 115 " " " ;
 S 57° 13' E (") ~~488~~ ⁵⁸⁸ " " " ;
 S 36° 12' E (") 136 " " " ;
 S ~~72° 31'~~ ^{72° 31'} E (") 332 " " " to a stake on ^{the boundary} line of

of Gr. 1217 Helehuia;
 S 46° 53' W (") 287 feet along Gr. 1217 Helehuia, to a stone marked +, at west corner of Helehuia;

S 33° 23' W (") 237 feet along Gov't ^{land} down pali to the center of the gulch;

Thence down the center of the gulch along lots 27, 28, 12, and Gov't ^{land}, direct bearings and distances being:-

1. N 42° 3' W (true) 434.5 feet along lots 27 & 28;

- 2. ~~N~~ ^N 70° 00' W (true) 422 feet along Lot 28;
- 3. ~~N~~ ^N 71° 30' W (") 502.5 " " Lot 12;
- 4. N 58° 33' W (") 153 " " Gov't land

N 33° 23' E (true) 192 feet along Gov't land to the point
of beginning.

N 5 2 IV area
1090.1 1090 1144.4 1195

11.95
~~18.91~~ Acres.

Newton (Nov. 1906)

Rewritten copy of this (See C.S.F. 676), furnished Apr. 7, 1896.
Lot 32, in Pulehuiki.

Beginning at the N.E. corner at a stone marked thus +, at
the ^N W. corner of S.C.A. 10708 Ap. 1, on the south edge of
the road; And running:-

S 36° 54' W (true) 740 feet along S.C.A. 10708 Ap. 1. and Lot 33
to the center of the gulch;

Thence down the center of the gulch along Lots 24 and 25;
direct bearings and distances being:- 1. N 54° 40' W (true) 871 feet;
2. N 36° 20' W (") 558 "

N 33° 23' E (true) 84 feet up pali to the south corner of
S.C.A. 10708 Ap. 2;

N 65° 21' E (") 290.5 feet along S.C.A. 10708 Ap. 2;

N 8° 34' E (") 250. " " " " " " " " to a stone
marked thus +, on south edge of the road;

S 63° 47' E (") . 224 feet along road; (from this point the
road runs ~~into~~ ^{across this} Lot 32)

N 26° 13' E (") 20 feet across road to line of Kapono Grant;

S 63° 47' E (") 592 " along Gr. 1216 Kapono;

S 42° 50' E (") 296 " " " " " to north edge

(over)

of the road;
 S 47° 10' W (true) 20 feet across road to south edge of same;
 S 42° 50' E (") 302 " along road to the ~~N.W. corner of~~
 point of beginning.
 25.48 Acres

Area of road .51 "
 Leaving 24.97 "

Grant 3888
 B.M. Manoa

F. Nov. 14, 1895; Lot 33, in Pulehuiki.

Beginning at the N.W. corner, the same being N.E. corner
 of L.C.D. 10708 Apr. 1. Kupaiaulu, at a stone marked thus Δ ,
 on the south edge of the road; And running:—

S 49° 45' E (true) 454 feet along road (20 feet wide) between the
 lot and Gr. 1216 Kapaono; (from this
 point road crosses this lot.)

N 40° 15' E (") 20 feet across road to line of Kapaono Grant;

S 49° 45' E (") 609 " along Gr. 1216 Kapaono to road;

S 33° 23' W (") 449 " " road, crossing road running
 mauka on the edge of the gulch, and
 down pali to the center of the gulch;

Thence down the center of the gulch along Lots 22, 23,
 and 24; direct bearings and distances being:—

1. N 56° 37' W (true) ^{736*} 778 feet;

2. N 63° 37' W (") 808 " ;

3. N 54° 40' W (") 130 " .

N 36° 54' E (true) 298 feet up pali and along Lot 32 to the

S. W. corner of S. C. A. 10708 Ap. 1. Kupaiulu;

S 47° 00' E (true) 588 feet along

N 35° 2' E (") 462 " " "

to

the point of beginning.

14.04 Acres

Area of road

0.34 "

leaving

13.70 "

7. Nov. 8. 95

Lot 34, in Pulehuiki

Grant 3887
Moses Naieono

Beginning at the S. W. corner, in the center of the gulch,
and running:-

N 33° 23' E (true) 58 feet up pali to a stone marked

thus → on south edge of road, (20 feet wide) running mauka along edge of the gulch;

N 33° 23' E (") 361 feet across road running mauka, and
along road between this & Lot 33;

N 60° 17' E (") 418 feet along road, (20 feet wide) between this
lot and Gr. 1216 Kapano;

N 44° 55' E (") 65 feet along road to a stone marked thus;

S 56° ~~23'~~ ^{57'} E (") 780 " " ^{Lot 35} to a stone marked +;

S 33° 23' W (") 757 " " ^{Lot 35 & road} to a large rock marked thus Δ,
in the center of the gulch;

Thence down the center of the gulch to the point of beginning;
direct bearings and distances being:-

1. S 80° 5' W (true) 456 feet to pt. on makai
edge of the road;

2. N 38° 30' W (") 689 feet to the

point of beginning.
20.64 Acres

Area of road running onauka
Leaving

.64 "
20.00 "

Gov't. Survey
Feb. 26th 1889

E. H. Baldwin
Surveyor.

Gr. 3886 D. Kahopuuku

Nov. 8 '95 Lot 35, in Pulehuiki.

Beginning at the west corner of this, and N.W. corner of Lot 34, at a stone marked + on edge of road, and running:-

N 44° 55' E (true) 552 feet along road, (20 feet wide) between this lot and Gr. 1216 Kapono;

N 20° 7' W (") 299 feet along road to a stone marked thus Δ on line of L.C.A. 8816 Ap. 2 Kalaulea;

S 47° 42' E (") 550 feet along L.C.A. 8816 Kalaulea to a stone marked thus +;

S 37° 30' E (") 734 feet along L.C.A. 9027 Ap. 1 Kuapuu, to a stone marked +;

N 18° 42' E (") 260 feet along L.C.A. 9027 Ap. 1, to a stone marked +;

N 24° 55' E (") 383 feet along L.C.A. 9690 Ap. 2 Kaala to a stone marked +;

S 33° 23' W (") 245 feet along Lot 37, to a stone marked +, on the north edge of the road;

S 82° 52' W (") 241 feet along the road;

N 89° 47' W (") 481 " " " " to line of Lot 34;

N 33° 23' E (") 319 " " Lot 34, to a stone marked +;

N 56° 37' W (") 780 " " -"- to the point of beginning

$14\frac{2}{100}$ acres

Gr. 3885 to Kala

Nov. 8 '95 Lot 36, in Pulehuiki.

Beginning at the N.W. corner, in the center of the gulch at a stone marked thus Δ ; and running:-

S 20° 00' E (true) 615.5 feet along Gr 1216 Kapono to a stone

marked thus Δ ;

S 77° 42' E (true) 372 feet along Gr 1216 Kapono to a stone marked +, at the S.W. of L.C.A. 9019 Ap. 1 Helehuwa

N 28° 28' E (") 441.5 feet along L.C.A. 9019 Ap. 1. to a stone marked +;

S 35° 50' E (") 144 feet along L.C.A. 9019 Ap. 1 to a stone marked +;

S 21° 55' W (") 332.5 " " " " " " Δ ;

S 20° 7' E (") 686 " " Gr. 1216 Kapono to line of L.C.A. 8816 Ap. 2. Kalaulaula;

N 27° 55' E (") 354 feet along L.C.A. 8816 Ap. 2 to a stone marked +;

N 53° 15' W (") 238 " " L.C.A. 9671 Ap. 1, Kekahuna to a stone marked thus Δ ;

N 46° 50' W (") 97.5 feet along L.C.A. 3829 Ap. 1, Paale to a stone marked +;

N 19° 55' E (") 290.5 " " " " " " Δ ;

S 46° 30' E (") 144 " " " " " " +;

S 60° 20' E (") 237.5 " " " L.C.A. 9671 Ap. 1, Kekahuna to a stone marked thus Δ ;

N 16° 17' E (") 303 feet along Govt. to the center of the gulch;
Thence down the center of the gulch along Pulehuni to the point of beginning.

16.40 Acres.

Ex. 4018 to S. Kamae

Lot 37, in Pulehuni.

Copy furnished
for Gr. Mar 1897

Beginning at the S. W. corner, at a stone marked +, on the north edge of the road; And running:—

N 33° 23' E (true) 245 feet along Lot 35 to a stone marked

thus +, at the S.E. ∟ of L.C.A. 9670 Apr. 2 Kaala;

N 20° 38' E (true) 396 feet along L.C.A. 9670 Apr. 2 Kaala to a stone marked +;

S 50° 44' E (") 228 feet along L.C.A. 9672 Apr. 1. Napoko, to a stone marked +;

N 50° 20' E (") 422.5 feet along L.C.A. 9672 Apr. 1 to a stone marked thus Δ;

N 54° 45' W (") 58 feet along L.C.A. 9672 Apr. 1 to a pile of stones;

N 15° 30' E (") ~~278~~ " " Gr. 1219 Helehuia & Kapono ^{and Gov't.} to;

S 53° 22' E (") ~~591~~ " " Pulehuni; ~~to a stone marked Δ;~~

S 33° 23' W (") ~~799~~ " " Lot 41 to a stone marked thus Δ, on the north edge of the road;

N 56° 37' W (") 198 feet along the road;

S 82° 52' W (") 680 " " " " to the point of beginning

~~13.84~~
~~12.67~~ Acres.

Furnished L. office. July 21st 1896 Lot 38, in Pulehuni.

Beginning at the S.W. corner, 20 feet mauka of a large rock marked thus Δ, in the center of the gulch; and running: -

N 33° 23' E (true) 427 feet along road;

S 89° 47' E (") 472 " " " ;

N 82° 52' E (") 913 " " " ;

S 56° 37' E (") 186 " " " to a stone marked Δ;

S 33° 23' W (") 874 " " Lots 42 & 43 to a stone marked thus Δ, in the center of the gulch;

Thence down the center of the gulch along Lot 39 to the point of beginning; direct bearing and distance being
 $N 73^{\circ} 50' W$ (true) 1362 feet to point
 of beginning.
 20.41 Acres.

Grant 3966 Jose Bolallo

Furnished
 May 19 1896 Lot 39, in Pulehuiki.

Beginning at the N. W. corner, at a large stone marked
 thus Δ , in the center of the gulch; and running:—
 $S 33^{\circ} 23' W$ (true) 448 feet along Lot 21 to the center of
 the gulch;

Thence up the center of the gulch along Lot 40; direct
 bearing and distance being:— $S 61^{\circ} 05' E$ (true) 1305 feet;
 $N 33^{\circ} 23' E$ (true) 749 feet along Lot 43 to a rock marked
 thus Δ , in the center of the gulch;

Thence down the center of the gulch along Lot 38 to the
 point of beginning; direct bearing and distance
 being:— $N. 73^{\circ} 50' W$ (true) 1362 feet to the
 point of beginning.
 19.83 Acres.

Grant 3874 to Chi Lung

F. No. 895 Lot 40, in Kamehamani

Beginning at the S.W. corner at Monsarrats →, on Kamehamani's boundary; and running: -

N 33° 25' E (true) 630 feet along Lot 20 to a stone marked + on south edge of the road;

N 33° 23' E (") 270 feet across road 20 feet wide, and along Lot 21, down to the center of the gulch;

Thence up the center of the gulch along Lot 39; direct bearing and distance being S 61° 05' E (true) 1305 feet.

S 33° 23' ~~E~~ (true) 106 feet along Lot 44 up pali to a stone marked thus → on the south edge of the gulch, and on the north edge of the road, 20 feet wide, running mauka along the edge of the gulch;

S 33° 23' W (true) 564 feet across road, and along Lot 44, to a stone marked +;

N 70° 47' W (") 1343 feet along Kamehamani to the point of beginning.

22.74 Acres

Area of road	1.54	"
Leaving	22.20	"

Grant 3884 to John Morera

F. No. 895 Lot 41, in Pulehuwai

Beginning at the S.W. corner at a stone marked thus S, on the north edge of the road; and running: -

N 33° 23' E (true) ~~799~~⁷⁹⁹ feet along Lot 37 to ~~line of Pulehuwai~~ ^{line of Pulehuwai};

S 53° 22' E (") 1305 " " Pulehuwai; ~~to a stone marked~~;

S 33° 23' W (true) ~~607~~ feet along Gov't. to a stone marked thus
 + on the north edge of the road;
 N 67° 30' W (") 663 feet along road;
 N 56° 37' W (") 652 " " " to the point
 of beginning
~~19.77~~ 22.01 Acres.

Grant 3883 to Manoel Savash

7 Nov. 8 97 Lot #2, in Pulehuiki

Beginning at the S. W. corner at a stone marked thus Δ ;
 and running: -

N 33° 23' E (true) 660 feet along Lot 38 to a stone marked
 thus Δ , on the south edge of the road;
 S 56° 37' E (") 655 feet along the road;
 S 67° 30' E (") 661 " " " " to a stone
 marked thus + on the south edge of the road;
 S 33° 23' W (") 788 feet along Gov't. to a stone marked +,
 on south side near bottom of gulch;
 N 56° 37' W (") 1300 feet along Lot #3 to the point
 of beginning
 21.19 Acres.

Grant 4329 to Manuel d' Auda

Lot #3, in Pulehuiki.

Beginning at the N. W. corner, at a stone marked thus Δ ;
 and running: -

S 56° 37' E (true) 1300 feet along Lot #2 to a stone marked +,
 on south side near bottom of gulch;

S 33° 23' W (true) 570 feet along Gov't. to the bottom of the gulch, opposite an → marked on ledge of rocks on the south edge of the gulch;

Thence down the center of the gulch along Lot 44; direct bearing and distance being: - N 73° 12' W (true) 1358 feet to a point opposite stone marked thus → on the south edge of the gulch.

N 33° 23' E (true) 960 feet along Lots 39 & 38 to the point of beginning.

22.12 Acres.

7. Nov. 8, 95 Grant 3873 to Ah. Fu

Lot 44, in Kamehameiki.

Beginning at the S.W. corner, at a stone marked +; and running

N 33° 23' E (true) 564 feet along Lot 40, (across road 20 feet wide) to a stone marked thus → on the south edge of the gulch;

N 33° 23' E (") 106 feet along Lot 40 down pali to the center of the gulch;

Thence up the center of the gulch along Lot 43 to a point opposite an → marked on soled ledge of rocks, on south edge of gulch; direct bearing & distance being S 73° 12' E (true) 1358 ft.

S 33° 23' W (true). 72.3 feet along Gov't. to a stone marked Δ;

N 70° 47' W (") 1343 " " Kamehameiki to the point of beginning.

21.27 Acres.

Gov't. Survey.

E. H. Baldwin,
Surveyor.

Loa, Kula, March, 1889