

Lot 4  
Kanoehuliwī Homesteads  
Kaneohe, Koolaupts, Oahu.

Copy furnished Land Office  
June 14, 1909.

Gr. 8928 Henry H. Pahia

File in Carton 33.

# Territory of Hawaii,

Office of the Government Survey,

Honolulu, T. H., June 4th, 1909.

Lot 4

Kanohuluiwi Homesteads,  
Kaneohe, Koolaupoko, Oahu.

Beginning at a pipe at the West corner of this lot and the North corner of Lot 3 and on the South line of 40 foot road reserve, the coordinates of which referred to Government Survey Trig. Station "Puu Pahu" being 634.7 feet South and 1872.1 feet West and from said pipe the true azimuth to the Kaneohe Church Spire is  $316^{\circ} 39'$ , as shown on Government Survey Registered Map No. 2334, and running by true azimuths:-

1.  $224^{\circ} 50'$  313.0 feet along 40 foot road reserve to a pipe at the West corner of Lot 5;
2.  $338^{\circ} 57'$  1095.0 feet along Lot 5 to an iron pin;
3.  $136^{\circ} 52'$  20.7 feet along L.C.A. 1963:2 to Kanehoalani to an iron pin;
4.  $37^{\circ} 30'$  181.5 feet along same to an iron pin;
5.  $310^{\circ} 30'$  155.1 feet along same to an iron pin;
6.  $216^{\circ} 45'$  101.0 feet along same to an iron pin;
7.  $298^{\circ} 30'$  60.7 feet along same to an iron pin;
8.  $7^{\circ} 04'$  94.4 feet along same to an iron pipe;
9.  $296^{\circ} 30'$  180.8 feet along same to an iron pin on the North bank of the Keaahala Stream;
10. Thence along the bank of the Keaahala Stream to an iron pipe on the North bank of same, the direct azimuth ~~and~~ and distance being:  $68^{\circ} 20'$  114.7 feet;

11. Thence still along the bank of the Kealahala Stream to an iron pipe on the North bank of same and at the East corner of Lot 3, the direct azimuth and distance being: 75° 42' 287.5 feet;

12. 159° 00' 1355.2 feet along Lot 3 to the point of beginning.

Area of kula land	4.03 acres
Area of wet land	5.10 acres
TOTAL AREA	<u>9.13 ACRES.</u>

Assistant Government Surveyor.

*Handwritten notes:*  
9  
583.4  
1088.1  
1007.7  
1007.2  
Area Dist.  
of [unclear] - June 09