

(REVISED NOVEMBER 1949)

Lot 6, Block 23, Waiakea House
Lots, First Series
Waiakea, South Hilo, Hawaii

Grant 12795
Emil M. & Eliza K. Osorio

Furnished Land Office
Nove. 15, 1949

Folder 328

Filed in Carton 151



TERRITORY OF HAWAII

SURVEY DEPARTMENT

HONOLULU

November 8, 1949

C.S.F.No. Carton 151

(Revised November 1949)
Lot 6, Block 23
Waiakea House Lots, 1st Series
Waiakea, South Hilo, Hawaii

Beginning at the southeast corner of this lot, the north-east corner of Lot 8, Block 23 of the Waiakea House Lots, 1st Series, and the new west side of Kanoelehua Avenue, the coordinates of said point of beginning referred to Government Survey Triangulation Station "HALAI" being 1263.00 feet South and 11062.50 feet East, as shown on Government Survey Registered Map 2566 and running by azimuths measured clockwise from True South:-

1. 90° 00' 210.50 feet along Lot 8, Block 23 of the Waiakea House Lots, 1st Series;
2. 180° 00' 100.00 feet along Lot 5, Block 23 of the Waiakea House Lots, 1st Series (Grant 11039 to Kenso Otake;
3. 270° 00' 210.50 feet along Lot 4, Block 23 of the Waiakea House Lots, 1st Series (Grant 11571 to Kaoru Nagata);
4. 360° 00' 100.00 feet along the new west side of Kanoelehua Avenue to the point of beginning.

AREA 21050 SQUARE FEET

Compiled from map fur.by
Dept.of Pub.Wks.Div.of Surveys
and Rights-of-Way and Gov't.
Survey Records, by

H. E. Newton
H. E. Newton
Chief Cadastral Engineer
dl1

<i>Rectangular lot</i>	<i>Area</i>	<i>Coords.</i>	<i>Calc. Blk 3</i>	<i>H. London</i>
	<i>12050</i>	<i>1263.00 S</i> <i>11067.50 E</i>	<i>17.122</i>	<i>11-3-49</i>


LOT 6, BLOCK 23

Waiakea House Lots
Waiakea, South Hilo, Hawaii

Furnished Land Office
April 21, 1942

See FOLDER 328

File in CARTON 151'



TERRITORY OF HAWAII

SURVEY DEPARTMENT

HONOLULU

April 13, 1942

C.S.F.No. _____

Lot 6, Block 23
Waiakea House Lots
Waiakea, South Hilo, Hawaii

Beginning at the northeast corner of this lot, the southeast corner of Lot 4, Block 23 and on the west side of Kanoelehua Avenue, the coordinates of said point of beginning referred to Government Survey Triangulation Station "HALAI" being 1163.00 feet South and 11075.00 feet East, as shown on Government Survey Registered Map 2566, and running by azimuths measured clockwise from True South:-

1. 360° 00' 100.00 feet along the west side of Kanoelehua Avenue;
2. 90° 00' 223.00 feet along Lot 8, Block 23;
3. 180° 00' 100.00 feet along Lot 5, Block 23;
4. 270° 00' 223.00 feet along Lot 4, Block 23 to the point of beginning.

AREA 22,300 SQUARE FEET

Compiled from Govt.
Survey records, by

William H. Watt
William H. Watt
Senior Engineering Aide
bkp

Handwritten notes at the bottom of the page, including 'Area 22,300' and other illegible scribbles.