

Territory of Hawaii,

Office of the Government Survey.

Honolulu, T. H., April 29, 1919

Lot 913,
Waiakea Homesteads, 2nd. Series,
Waiakea, South Hilo, Hawaii.

Res. Exp. Sta

Beginning at an iron pipe at the Southwest corner of this lot, the Northwest corner of Lot 1000 and on the East side of "Road 4 West", the coordinates of said point of beginning referred to Government Survey Trig. Station "Halai" being 17788.3 feet South and 885.2 feet East, as shown on Government Survey Registered Map No. 2650, and running by true azimuths:-

1. 179° 47' 13.2 feet along the East side of "Road 4 West" to an iron pipe;
2. 167° 39' 127.4 feet along same to an iron pipe;
3. 163° 03' 416.5 feet along same to a + on rock;
4. 181° 14' 158.7 feet along same to an iron pipe;
5. 212° 02' 152.7 feet along the Southeast side of "Road A" to an iron pipe;
6. 209° 41' 484.9 feet along same to a stake;
7. 299° 41' 150.0 feet along camp site No. 5-B, to a stake;
8. 209° 41' 448.8 feet along same to a stake;
9. 119° 41' 153.8 feet along same to an iron pin;
10. 208° 58' 236.2 feet along the Southwest side of "Road A" to an iron pipe;
11. 265° 40' 274.4 feet along the South side of "Road 12" to an iron pipe;
12. 355° 40' 1800.0 feet along Lot 912-A to an iron pin;

Lot 913, Waiakea Hmstda.,
2nd. Series, Waiakea, S.Hilo.

April 29, 1919

13. $85^{\circ} 40'$ 921.2 feet along Lot 1000 to the point of beginning.

AREA 30-35/100 ACRES.

Compiled from Survey of
W.H. Chun & D. Kealalio, by

Campanelli

D. Kealalio
Assistant Government Surveyor.

W.H. Chun

W. 1000-2 E. 1200-6 AREA 30-35/100
S. 1770-7 W. 1200-6 921.2 feet along Lot 1000 to the point of beginning