Kam. Highway Naimanalo Rd. 2nd Unit. LANE OHE KANCH COUNER PARCEL 678

File in Carter 45.

Parcel 6, Kaneche Hanch (Owner)

Description of the center line of a 50 foot Right of Way

Waimanalo Road (Second Unit)

Stations 117+33.78 to 172+84.38

Being portions of the following titles:

Lands of Makalii, Keahupuaa and Pohakupu; Grant 2891, Aps.

1 and 3 to W. E. Pii, Grant 2876, Ap. 1 to Kalaiopuu, L. C.

A. 2544, Ap. 2 to Lalapa; and H. P. 4531 to Kuluainanaa,

Kaihee, Waipaakiki, Makalii, Kechupusa and Pohakupu,

Kailua, Koolaupoko, Cahu, T. H.

Beginning at a point on the center line of the 50 foot Right of Way, at the West end of this piece, on the boundary between Grant 2891 Ap. 3 to W. E. Fii and L. C. A. 6813, Ap. 1 to Keliikanakaole, being also Station 117+33.78 of the New Waimanalo Road, the coordinates of said point referred to Covernment Survey Triangulation Station "Kailua" being 2513.54 feet South and 4361.57 feet East, and running by true azimuths:

- 1. Firstly on a curve to the right having a radius of 500 feet; the direct azimuth and distance being 284° 52' 30" 130.96 feet;
- 2. 292° 24' 00" 325.52 feet
- 3. Thence on a curve to the left having a radius of 140 feet, the direct azimuth and distance being 242° 59° 45% 212.61 feet;
- 4. 193° 35' 30" 374.79 feet;
- 5. Thence on a curve to the right having a radius of 200 feet, the direct azimuth and distance being 215° 33' 15" 149.6 feet;
- 6. 237° 31' 00" 249.85 feet;
- 7. Thence on a curve to the left having a radius of 200 feet, the direct azimuth and distance being 216° 28° 15" 143.64 feet.

- 8. 195° 25° 30" 370.53 feet;
- 9. Thence on a curve to the left having a radius of 1500 feet, the direct azimuth and distance being 192° 10' 45" 169.86 feet;
- 10. 188° 56' 00" 403.85 feet;
- 11. Thence on a curve to the right having a radius of 150 feet, the direct azimuth and distance being 244° 35° 30° 247.71 feet;
- 12. 300° 15° 00° 2692.66 feet to Station 172+84.38 on the boundary between Pohakupu and Kawailoa and containing an area of 6.37 Acres.

Parcel 8, Kaneche Ranch (Owner)

Desdription of the center line of a 50 foot Right of Way Waimanalo Road, (Second Unit)

Stations 206+57.00 to 280+65.50

Being portions of the following titles:

Ahupuaas of Fuelulu, Kaluaikoa, Mamu, and Kaioa; Grant 312, Ap. 2 to Kapahi; Lele of Kuapuaa and Kualu, Ap. 4; Mahele Award 22, Apana 1 and 3 to Kainalu and Mahele Award 44,

Ap. 2 to Kalasu

Kuapuaa, Fuolulu, Kaluaikoa, Namu, Kaica, and Kanahau, Kailua, Koclaupoko, Oahu, T. H.

Beginning at a point on the center line of the 50 foot Right of Way, at the Northwest end of this piece, on the boundary between Grant 312, Ap. 2 to Kapahi and Kawailoa, being also Station206+57.00 of the New Waimanalo Road, the co-ordinates of said point referred to Government Survey Friengelation Station "Kailua" being 4561.87 feet South and 10239.92 feet East, and running by true azimuths:

- 1. 320° 08' 00" 338.94 feet:
- 2. Thence on a curve to the left, having a radius of 130 feet, the direct azimuth and distance being 284° 34' 151.23 feet;
- **3.** 249° 00' 00" 138.33 feat;
- 4. Thence on a curve to the right, having a radius of 200 feet, the direct azimuth and distance being 300° 30' 313.04 feet;
- 5. 352° 00' 00" 498.30 feet;
- 6. Thence on a curve to the right, having a radius of 400 feet, the direct azimuth and distance being 2° 30' 145.79 feet;
- 7. 13° 00' 00" 70.09 feet;
- 8. Thence on a curve to the left having a radius of 250 feet, the direct azimuth and distance being 353° 50' 164.16 feet;

- 9. 334° 40° 00" 84.44 feet;
- 10. Thence on a curve to the right, having a radius of 400 feet, the direct azimuth and distance being 351° 47' 235.46 feet;
- 11. 8° 54' 00" 382.15 feet;
- 12. Thence on a curve to the left, having a radius of 170 feet, the direct aximum and distance being 319° 05' 259.75 feet;
- 13. 269° 16' 00" 74.36 feet;
- 14. Thence on a curve to the right, having a radius of 120 feet, the direct azimuth and distance being 319° 27' 184.34 feet;
- 15. 9° 38' 00" 60.83 feet;
- 16. Thence on a curve to the left, having a radius of 180 feet, the direct azimuth and distance being 549° 04' 30° 126.42 feet;
- 17. 328° 31' 00" 45.57 feet;
- 13. Thence on a curve to the right, having a radius of 170 feet, the direct azimuth and distance being 352° 21' 30" 137.43 feet;
- 19. 16° 12' 00" 307.01 feet;
- 20. Thence on a curve to the left, having a radius of 200 feet, the direct azimuth and distance being 351° 36' 166.51 feet;
- 21. 327° 00' 00" 211.07 feet;
- 22. Thence on a curve to the right, having a radius of 250 feet, the direct asimuth and distance being 350° 30° 199.38 feet;
- 23. 14° 00' 00" 90.98 feet;
- 24. Thence on a curve to the left having a radius of 140 feet, the direct azimuth and distance being 325° 40° 209.17 feet;
- 25. 277° 20' 00" 636.19 fees;
- 26. Thence on a curve to the right, having a radius of 350 feet, the direct azimuth and distance being 297° 10' 237.50 feet;
- 27. 317° 00' 00" 682.54 feet;

- 28. Thence on a curve to the left, having a radius of 160 feet, the direct azimuth and distance being 278° 09' 30" 200.69 feet;
- 29. 239° 19' 00" 72.42 feet;
- 30. Thence on a curve to the right, having a radius of 800 feet, the direct azimuth and distance being 243° 48° 30° 125.30 feet;
- 31. 248° 16' 00" 422.17 feet;
- 32. Thence on a curve to the right, having a radius of 225 feet, the direct azimuth and distance being 279° 30' 233.12 feet to Station 280.5.50 on fence line on the boundary between Malele Award 44, Ap. 2 to Kalasu and Waimanalo and containing an area of 8.5 Acres.