

PARCEL 14, 16 and 18

File in Carton 42

Realignment of

MOKAPU ROAD

PARCEL 18

Territory of Hawaii

Owner

Being a portion of 30.0 foot road,
In the Government Land of Waikalua
Situated at Kaneohe, Koolaupoko, Oahu, T. H.

Beginning at the southwest corner of this piece of land,
being also the northwest corner of lot 43-~~2~~ of the Kaluapuhi-
Waikalua Homesteads, Section C, the coordinates of said point
of beginning referred to Government Survey Triangulation Sta-
tion "Coolidge" being ^{15.05}~~15.75~~ feet south and ^{6309.54}~~6309.94~~ feet east, and
running by true azimuths:

- | | | | |
|----|----------|-------|--|
| 1. | 200° 12' | 26.45 | feet along the east side of 30.0 foot road; |
| 2. | 249° 19' | 81.68 | feet along the remainder of 30.0 foot road along the proposed north side of Mokapu Road; |
| 3. | 28° 54' | 30.85 | feet along Lot 43- 2 of the Kaluapuhi-Waikalua Homesteads, Section C; |
| 4. | 69° 19' | 75.5 | feet along same to the point of beginning and containing an area of 1572 square feet. |

Office of the City and County Engineer

By T. Y. Awana Surveyor

Honolulu, T. H.,
August 9, 1926.

53.67 53.68 87.55 87.54 1107.08 Coords. Cont. 15.05 } 12/23/26 H. Coff