NEIL ABERCROMBIE GOVERNOR



DEAN H. SEKI

MARIA E. ZIELINSKI

STATE OF HAWAI'I

DEPARTMENT OF ACCOUNTING AND GENERAL SERVICES

Enhanced 911 Board Meeting Thursday, March 13, 2014 Kalanimoku Bldg., Room 322B 1151 Punchbowl St., Honolulu 10 am to 12 noon

Agenda

- I. Call to Order, Public Notice, Quorum
- II. Public testimony on all agenda items
- III. Introductions
- IV. Review and Approval of Last Months' Meeting Minutes
- V. Committee Updates by Committee Chairs
 - a. Communications Committee Steven Schutte
 - i. 2014 Legislative Investigative Committee update
 - ii. Others
 - b. Technical Committee Victor Ramos
 - i. Investigative Regulatory Committee update
 - ii. Investigative Committee on NG911 Planning update
 - iii. Hawaiian Telcom Format 6 (International Calls)
 - iv. FCC updates
 - v. Others
 - c. Finance Committee Kiman Wong
 - i. Review of FY 2014 Cash Flow & Budget Financial report
 - ii. Others

VI. PSAP Status Updates

- a. Kauai Mark Begley
- b. Oahu Dave Kajihiro
- C. Molokai Victor Ramos
- d. Maui Clayton Tom
- e. Hawaii Marshall Kanehailua

VII. Items for Discussion, Consideration and Action

- a. 911 Timeline update
- b. 2014 Confirmation Hearings
 - i. Roy Irei
 - ii. Kiman Wong
 - iii. Steven Schutte
 - iv. Jeff Riewer
- C. Request for funding approval:
 - i. EMS Navigator Conference, April 30, 2014 (1) \$2,500.
 - ii. 911 Goes to WashDC Conference (2) OIMT \$4,200
 - iii. APCO/NENA Pac Chap-Exec Board member (1) \$3,500.
 - iv. HPD NENA Conference June 2014 (2) \$7,400.
 - v. APCO/NENA Pacific Chapter Forum. April 14 & 15 \$47,300
- d. Others.

VIII. Announcements

- a. Next meeting date: Thursday, May 8, 2014,(*April Meeting Cancelled*)
 Kalanimoku Bldg., Room 322B, 10am 12noon.
 - i. Future meeting dates (10am 12noon).
 - 1. <u>Tuesday</u>, June 10, 2014, (**Joint Meeting with** Committees)
 - 2. Thursday, July 10, 2014
 - 3. Thursday, August 14, 2014
 - 4. Thursday, September 11, 2014
 - 5. Thursday, October 9, 2014

- 6. Thursday, November 13, 2014 (*Joint meeting with Committees*)
- 7. Thursday, December 11, 2014
- b. Others
- IX. Open Forum: Public comment on issues not on the agenda for consideration for Board agenda at the next meeting
- X. Adjournment

NEIL ABERCROMBIE
GOVERNOR



DEAN H. SEKI

MARIA E. ZIELINSKI DEPUTY COMPTROLLER

STATE OF HAWAI'I

DEPARTMENT OF ACCOUNTING AND GENERAL SERVICES

Enhanced 911 Board Meeting Thursday, March 13, 2014 Kalanimoku Bldg., Room 322B 1151 Punchbowl St., Honolulu 10 am to 12 noon

Meeting Minutes

Board members present: Clayton Tom (Chair), Roy Irei (Vice Chair), Sonny Bhagowalia, Mark Begley, Ryan Freitas,

Lisa Hiraoka, Marshall Kanehailua, Victor Ramos, Steven Schutte, Kiman Wong, and Mark Wong.

Board members absent: Dave Kajihiro

Board staff members: Thera Bradshaw, Courtney Tagupa and Kerry Yoneshige.

Observers: Thalia Burns (HPD), Randal Macadangdang (HPD), Allan Nagata (HPD), Davlynn Racadio (MPD), Dean Rickard (MPD), Tony Ramirez (Akimeka), Kenison Tejada (APCO/NENA Joint Pacific Chapter),

- I. Call to Order, Public Notice, Quorum
 - a. The meeting was called to order at 10:00 am.
- II. Public testimony on all agenda items
 - a. The Board Chair requested if anyone in attendance who wished to provide testimony on any agenda item to please come forward. There was no one who came forward.
- III. Introductions
 - a. Introductions were made of all in attendance.
- IV. Review and Approval of Last Meeting's Minutes

a. Kiman Wong motioned to accept the minutes of February 2014. The motion was seconded by Ryan Freitas and approved unanimously by voice vote.

V. Committee Updates by Committee Chairs

- a. Communications Committee Steven Schutte
 - i. Legislative Investigative Committee update
 - Testimony on SB3103 being heard today in Room 309.
 Everyone is encouraged to join Deputy Dave Kajihiro and the Executive Director at the hearing.
- b. Technical Committee Victor Ramos
 - i. Investigative Regulatory Committee update
 - 1. Nothing to report at this time.
 - ii. Investigative Committee on NG911 Planning update
 - 1. Nothing to report at this time.
 - iii. HTEL Format 6 Investigative Committee update
 - 1. Aaron Correia is still assembling the committee.
 - iv. FCC updates
 - 1. Handout to be sent to all members.
 - v. Others None.
- C. Finance Committee Kiman Wong
 - i. Review of FY2014 Cash Flow & Budget Financial report
 - 1. Receipts \$999,194
 - 2. Disbursements \$356,474
 - 3. Balance \$11,402,521
 - 4. Unencumbered Balance \$10,160,779
 - ii. Others None.

VI. PSAP Status Updates

- a. Kauai Mark Begley
 - 1. Nothing to report at this time.
- **b.** Oahu Thalia Burns

- CAD project progressing with a go live date in August.
 Critical fixes should be completed by April 10th.
- c. Molokai Victor Ramos
 - 1. Nothing to report at this time.
- d. Maui Clayton Tom
 - 1. Nothing to report at this time.
- e. Hawaii Marshall Kanehailua
 - RFP sent to purchasing and was returned for clarification.
 Questions answered and the RFP moved forward.
 - 2. New Class three new dispatchers starting next week.

VII. Items for Discussion, Consideration, and Action

- a. Wireless E911 Timeline update
 - The Chair reminded everyone to continue to submit the timeline updates.
- b. 2014 Confirmation Hearings
 - The hearing date for Roy Irei, Jeff Riewer, Steven Schutte and Kiman Wong's is still pending; just assigned to Government Relations.
- **c.** Request for funding approval:
 - i. EMS Navigator Conference April 30, 2014 (1) \$2500.
 - Victor Ramos motioned to approve the funding. The motion was seconded by Roy Irei and approved unanimously by voice vote.
 - ii. 911 Goes to Washington DC Conference OMIT (2) \$4200.
 - Victor Ramos motioned to approve the funding. The motion was seconded by Ryan Freitas and approved unanimously by voice vote.
 - iii. APCO/NENA Pacific Chapter Executive Board member; NENA Conference – (1) \$3500.
 - iv. HPD NENA Conference June 2014 (3) \$7,400

- Items iii and iv combined. Victor Ramos motioned to approve the funding. The motion was seconded by Randal Macadangdang and approved unanimously by voice vote.
- v. APCO/NENA Pacific Chapter forum April 14 & 15 \$47,300
 - Roy Irei motioned to approve the funding. The motion was seconded by Ryan Freitas and approved unanimously by voice vote.

c. Others

- The Chair thanked Sonny Bhagowalia for this contributions and presented him with a Certificate of Appreciation.
- ii. Sonny Bhagowalia thanked the Board for the opportunity to serve and commended the Board for the good work done.

VIII. Announcements

- a. Next meeting date: Thursday, May 8, 2014, Kalanimoku Bldg., Room322B, 10am 12noon.
 - i. Future meeting dates (10am 12noon).
 - 1. June 10, 2014 (combined with Committee meeting)
 - 3. July 10, 2014
 - 4. August 14, 2014
 - 5. September 11, 2014
 - 6. October 9, 2014
 - 7. November 13, 2014 (combined with Committee meeting)
 - 8. December 11, 2014
- b. Others None.
- IX. Open Forum: Public comment on issues not on the agenda for consideration for Committee agenda at the next meeting.
 - a. There was no one who came forward to testify.

X. Adjournment

a. The meeting was adjourned at 10:10 am.

Enh	nanced 91	1 Fund				
Ві	udget An	alysis				
FY 2013-14		uals	Annual	% of Budget	Forecast	Better/(Worse)
20.0	FEBRUARY	Fiscal YTD	Budget	Expended		than Budget
Receipts:						
Enhanced 911 Surcharge Collection	999,115	5,848,987	9,050,000	64.6%	9,050,000	
Interest Income	79	1,659	2,000	82.9%	3,500	1,500
Receipts	999,194	5,850,646	9,052,000	64.6%	9,053,500	1,500
Disbursements:						
Conference Travel	(1,016)	(13,178)	(157,332)	8.4%	(150,904)	6,428
Non-Recurring Expenses		(84,129)	(2,066,254)	4.1%	(2,066,254)	
Recurring Expenses:						
Administration	(32,788)	(542,424)	(1,240,904)	43.7%	(1,197,407)	43,497
Maintenance	(199,969)	(1,320,314)	(3,278,600)	40.3%	(3,149,979)	128,621
Telecommunications	(122,702)	(1,009,874)	(1,928,666)	52.4%	(1,914,350)	14,316
Other			(7,600)	0.0%	(7,600)	-
Disbursements	(356,474)	(2,969,919)	(8,679,356)	34.2%	(8,486,494)	192,862
Net Receipts/(Disbursements)	642,719	2,880,728	372,644		567,006	194,362
Cas	sh Flow A	nalysis				
Net Receipts/(Disbursements)	\$ 642,719	\$ 2,880,728				
Encumbrance Paydowns:				Encumb. Bal.		
FY 2011 (Kauai)		(133,218)		490,307		
FY 2012 (HFD/EDS/HPD)	(90,365)			751,435		
FY 2013	(50,500)	(405,266)		-		
Net Encumbrance Adds/(Paydown)	(90,365)	(825,955)				
Net Cash Inflow/(Outflow)	552,354	2,054,773				
	-					
Bank Balance Analysis:						
ADD: July 1, 2013 Beginning Balance		9,347,748				
Net Bank Balance		11,402,521				
Outstanding Ecumb/Accruals		(1,241,742)				
Unencumbered Cash Balance		\$ 10,160,779				

MONTH OF FEBRUARY 2014	Hawaii PSAP	Kauai PSAP	Maui PSAP	Oahu PSAP	ADMIN	TOTAL
Total Receipts:	-	-	-	-	999,194	999,194
DISBURSEM ENTS:						
6200 CONFERENCES						
6225 VIPER CUTOver	572	-	444	-	-	1,016
Total 6200 CONFERENCES	572	-	444	•	-	1,016
6400 RECURRING EXPENSES						
6401 ADMINISTRATION						
6401.01 Exec Dir. Services	-	-	-	-	28,438	28,438
6401.08 Board Member Travel	-	-	-	-	4,350	4,350
Total 6401 ADMINISTRATION	-	-	-	-	32,788	32,788
6402 MAINTENANCE						
6402.07 0011 9-1-1MSAG Maint.	25,637	55,070	28,971	90,290	-	199,969
Total 6402 MAINTENANCE	25,637	55,070	28,971	90,290	-	199,969
6403 Other RECURRING 6403.01 Telcom Charges						
6403.0102 Long Distance	28	28	48	-		104
6403.0109 Telcom Trunk	25,529	18,566	23,208	-	-	67,303
6403.0112 HPD CML Viper	-	-	-	55,295	-	55,295
Total 6403.01 Telcom Charges	25,557	18,594	23,256	55,295	-	122,702
Total 6403 Other RECURRING	25,557	18,594	23,256	55,295	-	122,702
Total 6400 RECURRING EXPENSES	51,194	73,665	52,227	145,586	32,788	355,458
Total DISBURSEMENTS	51,766	73,665	52,671	145,586	32,788	356,474

Fiscal Year-to-date 2014 Disbursements Detail by Account, PSAP & Administration

	Haw aii PSAP	Kauai PSAP	Maui PSAP	Oahu PSAP	ADMIN		TOTAL	
FY 2014 YTD FEBRUARY	8 MOS	8 MOS	8 MOS	8 MOS	8 MOS	8 MOS	ANNUAL Budget	\$ Over/(Under) Budget
Total RECEIPTS	-	-	-	-	5,850,646	5,850,646	9,052,000	(3,201,354)
DISBURSEMENTS:								
6200 CONFERENCES								
6201 911 Goes to WashDC	-	-	-	-	-	-	49,200	(49,200)
6204 APCO Conference	-	5,223	-	6,544	2,507	14,273	24,698	(10,425)
6212 NASNA Conference	-	-	-	-	2,810	2,810	2,810	-
6214 Nena Conference	3,134	-	2,329	(10,605)	(3,500)	(8,643)	-	(8,643)
6225 VIPER CUTOver	2,197	458	1,893	189	-	4,737	5,400	(663)
6200 CONFERENCES - Other	-	-	-	-	-	-	75,224	(75,224)
Total 6200 CONFERENCES	5,331	5,680	4,222	(3,872)	1,817	13,178	157,332	(144,154)
6300 Non-RECURRING								
6301 CAD Replac/Upgrade								
6301.01 EMS	-	_	-	-	-	-	99,000	(99,000)
6301.02 Haw ai'i Police Dept	-	-	-	-	-	-	1,500,000	(1,500,000)
6301.03 Honolulu Fire Dept.								
6301.031 Licensing	-	-	-	-	-	-	6,105	(6,105)
6301.032 Consulting	-	-	-	1,625	-	1,625	2,500	(875)
6301.03 Honolulu Fire Dept Other	-	-	-	-	-	-	72,000	(72,000)
Total 6301.03 Honolulu Fire Dept.	-	-	-	1,625	-	1,625	80,605	(78,980)
Total 6301 CAD Replac/Upgrade	-	-	-	1,625	-	1,625	1,679,605	(1,677,980)
6303 Computers								
6303.06 GeoComm	-	_	-	26,324	-	26,324	150,000	(123,676)
6303.15 NG911 Record Syst.	-	-	-	-	-	-	110,000	(110,000)
6303.16 ViperInstall	-	-	-	30,220	-	30,220	30,320	(100)
6303.17 Intrado Phone	-	_	-	1,037	-	1,037	5,000	(3,963)
6303.18 PWC Tech Cutover Supp	3,229	-	-	-	-	3,229	3,229	-
6303.19 Repositioning Expense	-	-	-	-	-	-	5,100	(5,100)
Total 6303 Computers	3,229	-	-	57,580	-	60,809	303,649	(242,840)
6306 Training								
6306.11 Training (CAD) HPD	-	-	-	-	-	-	8,000	(8,000)
6306.12 TriTechCADSystAdm								
6306.121 CAD Tritech HFD	-	-	-	-	-	-	20,000	(20,000)
6306.122 CAD TriTech EMS	-	-	-	-	-	-	7,000	(7,000)
Total 6306.12 TriTechCADSystAdm	_	-	-	-	-	-	27,000	(27,000)
6306.13 OT Viper Training	-	-	-	21,694	-	21,694	48,000	(26,306)
Total 6306 Training	_	-	-	21,694	_	21,694	83,000	(61,306)
Total 6300 Non-RECURRING	3,229		_	80,899	_	84,129	2,066,254	(1,982,126)

HAWAII ENHANCED 911 BOARD STATEMENT OF CASH FLOWS

	Haw aii PSAP	Kauai PSAP	Maui PSAP	Oahu PSAP	ADMIN		TOTAL	
							ANNUAL	\$ Over/(Under
FY 2014 YTD FEBRUARY	8 MOS	8 MOS	8 MOS	8 MOS	8 MOS	8 MOS	Budget	Budget
BURSEMENTS:							-	
0 RECURRING EXPENSES								
6401 ADMINISTRATION								
6401.01 Exec Dir. Services	-	-	-	-	227,706	227,706	341,250	(113,54
6401.02 ElectronSignatur	-	-	-	-	-	-	189	(18
6401.05 Audit Expense	-	-	-	-	10,000	10,000	11,500	(1,50
6401.06 Bank Charge	-	-	-	-	-	-	108	(10
6401.08 Board Member Travel	-	-	-	-	18,500	18,500	28,988	(10,48
6401.09 DB&F Assessments								
6401.0101 DB&F Admin. Assess	-	-	-	-	35,826	35,826	238,000	(202,17
6401.0102 DB&F Rev Assessment	-	-	-		189,184	189,184	454,444	(265,26
6401.0104 FY2013 Assess			-		24,914	24,914		24,91
Total 6401.09 DB&F Assessments	-	-	-	-	249,924	249,924	692,444	(442,52
6401.11 Miscellaneous Expense	(0)		-	-	(7)	(7)	500	(50
6401.12 NASNA Dues	-	-	-	-	-	-	215	(21
6401.13 Parking Permits	-	-	_	-	-	-	210	(21
6401.15 WSP Cost Recovery	_							
6401.0101 Sprint/Nextel	-	-	-	-	36,301	36,301	-	36,30
6401.15 WSP Cost Recovery - Other	-				-	-	140,000	(140,00
Total 6401.15 WSP Cost Recovery	-	-	-	-	36,301	36,301	140,000	(103,69
6401.17 ADA Compliance	-	_	-	-	-	-	500	(50
6401.18 AG Legal Fees	-	-	-				25,000	(25,0
Total 6401 ADMINISTRATION	(0)	-			542,424	542,424	1,240,904	(698,48
6402 MAINTENANCE								
6402.02 Imagery Lic Agree	-	-	-	217,176	-	217,176	874,698	(657,52
6402.05 Logging RecordMaint	-	-	-	-	-	-	60,775	(60,77
6402.07 0011 9-1-1MSAG Maint.	180,582	192,746	201,673	361,161	-	936,163	1,654,959	(718,79
6402.08 CAD Maintenance	-	-	-	-	-	-	233,862	(233,86
6402.09 CAD System Maint								
6402.1003 Honolulu Police Dept	-	-	-	130,609	-	130,609	400,000	(269,3
Total 6402.09 CAD System Maint	-	-	-	130,609	-	130,609	400,000	(269,3
6402.11 GeoComm Maint	-	-	-	36,366	-	36,366	50,000	(13,6
6402.13 Software Maintenance								
6402.131 Integraph DB S/W Maint	-	-	-	-	-	-	4,306	(4,30
Total 6402.13 Software Maintenance	-	-	-	-	-	-	4,306	(4,3
Total 6402 MAINTENANCE	180,582	192,746	201,673	745,313	-	1,320,314	3,278,600	(1,958,2
6403 Other RECURRING								
6403.01 Telcom Charges								
6403.0101 Alt. PSAP 9-1-1 Del	-	-	-	-	-	-	100,950	(100,9
6403.0102 Long Distance	258	212	221	-	-	691	1,440	(74
6403.0103 Mileage	-	-	-	5,702	-	5,702	11,400	(5,69
6403.0109 Telcom Trunk	178,701	64,982	139,247	552,347	-	935,277	1,657,050	(721,7
6403.0110 Ocean Safety								
6403.0110.1 CML	-	-	-	9,976	-	9,976	20,000	(10,0
6403.0110.2 Centrex	-	-	-	2,460	-	2,460	4,730	(2,2
6403.0110.3 Mileage	-	-	-	473	-	473	811	(3:
Total 6403.0110 Ocean Safety	-	-	-	12,909	-	12,909	25,541	(12,6
				:				
6403.0112 HPD CML Viper	476.050	-	400 400	55,295	-	55,295	132,285	(76,9
Total 6403.01 Telcom Charges	178,959	65,194	139,468	626,253	-	1,009,874	1,928,666	(918,7
6403.02 EMS Tower Lease		-			-	-	7,600	(7,6
Total 6403 Other RECURRING	178,959	65,194	139,468	626,253		1,009,874	1,936,266	(926,3
al 6400 RECURRING EXPENSES	359,541	257,941	341,141	1,371,566	542,424	2,872,612	6,455,770	(3,583,1
al DISBURSEMENTS:	368,101	263,621	345,363	1,448,594	544,240	2,969,919	8,679,356	(5,709,43

Summary of Encumbrances/Accruals:								
							TOTAL	12/31/2013
FY 2011 Encumbrances:	Oahu	Maui	Kauai	Hawaii	Admin	Total	Paydowns	Balance
CAD Upgrade:			623,524.70			623,524.70	133,218.00	490,306.70
FY 2012 Encumbrances:						-		
CAD Upgrades:								
EMS/FIRE	253,156.46					253,156.46	197,106.19	56,050.27
HPD	785,750.00					785,750.00	90,365.00	695,385.00
Total FY 2012 Encumbrances	1,038,906.46	-	-	-	-	1,038,906.46	287,471.19	751,435.27
FY 2013 Accruals								
DB&F Rev. Assessment					38,407.23	38,407.23	38,407.23	-
DB&F Admin. Assessment					65,482.45	65,482.45	65,482.45	-
NENA Conference	24,500.00	7,000.00		3,500.00	3,500.00	38,500.00	38,500.00	-
WSP Recovery-Sprint					72,911.00	72,911.00	72,911.00	-
MSAG & GIS		38,758.07	27,158.91	37,636.89		103,553.87	103,553.87	-
Ocean Safety-Telecom	1,662.66					1,662.66	1,662.66	-
HawTelcom CML Positions		23,207.88	9,283.15	51,057.32		83,548.35	83,548.35	-
Board & Committee Travel					1,200.00	1,200.00	1,200.00	-
Total FY 2013 Accruals	26,162.66	68,965.95	36,442.06	92,194.21	181,500.68	405,265.56	405,265.56	-
			-				·	
Total Encumbrances/Accruals	1,065,069.12	68,965.95	659,966.76	92,194.21	181,500.68	2,067,696.72	825,954.75	1,241,741.97

								Board
FY 2014 STRATEGIC BUDGET PLAN CHANGES	HAWAII PSAP	OAHU PSAP	MAUI PSAP	KAUAI PSAP	ADMIN	CONFERENCE	TOTAL	Approval
								Date
BOARD APPROVED ORIGINAL FY2014 STP	2,410,833.00	2,879,497.00	1,207,745.00	730,061.00	1,253,469.00	157,332.00	8,638,937.00	6/6/2013
Viper Installation Cutover		600.00	600.00	600.00		(1,800.00)	-	6/6/2013
APCO Conference (Aug 2013)		4,830.00			2,415.00	(7,245.00)		5/14/2013
APCO Conference (Aug 2013)		1,250.00			425.00	(1,675.00)		6/6/2013
APCO Conference (Aug 2013)					1,000.00	(1,000.00)	-	6/6/2013
APCO Conference (Aug 2013)		5,300.00				(5,300.00)		6/6/2013
HFD/EDS CAD Upgrade-CAD Licensing		6,105.00					6,105.00	7/11/2013
HFD/EDS CAD Upgrade-CAD Consulting		2,500.00					2,500.00	7/11/2013
APCO Conference (Aug 2013)		2,500.00		6,978.00		(9,478.00)	-	7/11/2013
Intrado Viper System-HFD (TBD)		30,320.00					30,320.00	8/15/2013
Viper Installation Cutover							-	8/15/2013
Executive Director 2nd Opt Year					(8,531.00)		(8,531.00)	9/12/2013
NASNA Conference (Nov2013)					2,809.89	(2,809.89)	-	9/12/2013
Intrado Phone for Command Console		5,000.00					5,000.00	10/10/2013
Oahu PSAP Cutover Observance-Oct.22-23,2013	600.00		600.00	600.00		(1,800.00)	-	11/14/2013
Hawaii PSAP PWC technical support during Cutover	3,229.15						3,229.15	11/14/2013
Kauai PSAP Repositioning of Furniture				5,100.00			5,100.00	11/14/2013
E911 Logo Contest (Budget eliminated)					(4,034.00)		(4,034.00)	12/12/2013
911 Goes to Wash Conference	7,400.00	17,500.00	11,100.00	3,700.00	9,500.00	(49,200.00)	-	12/16/2013
Maui/Molokai Cutover	600.00	600.00		600.00		(1,800.00)	-	12/16/2013
Telecommunications Budget Adjust Jan2014		730.00					730.00	Adj.
_							-	
Totals	2,422,662.15	2,956,732.00	1,220,045.00	747,639.00	1,257,053.89	75,224.11	8,679,356.15	

Fiscal Year-to-date 2014 Disbursements Detail by PSAP & Administration

HAWAII ENHANCED 911 BOARD STATEMENT OF CASH FLOWS

			1 or month thang	1021441 / 20, 20		
					Haw aii PS	AP
FY	20	014	YTD FEBRUAR	8 MOS	ANNUAL Budget	\$ Over/(Under) Budget
DISB	UR	SEME	NTS:			
6200	· c	ONFE	RENCES			
•	620	1 91	1 Goes to WashDC	_	7,400	(7,400)
•	620	4 AF	PCO Conference	_		
•	621:	2 NA	SNA Conference	_		
•	621	4 Ne	na Conference	3,134		3,134
•	622	5 VIF	PER CUTOver	2,197	1,200	997
€	620	0 CC	ONFERENCES - Other	-		
Tota	1 62	200 (CONFERENCES	5,331	8,600	(3,269)
6300	N	on-R	ECURRING			
•	630	1 C/	AD Replac/Upgrade			
		6301	.01 EMS	_		
		6301	.02 Hawai'i Police Dep	t -	1,500,000	(1,500,000)
		6301	.03 Honolulu Fire Dep	:_		
			3301.031 Licensing	_		
			3301.032 Consulting	_		
			301.03 Honolulu Fire			
			l 6301.03 Honolulu Fire			
	Tot	al 630	01 CAD Replac/Upgrad	е -	1,500,000	(1,500,000)
•	630		omputers			
		6303	.06 GeoComm	-		
			.15 NG911 Record Syst	-	55,000	(55,000)
		6303	.16 ViperInstall	_		
		6303	.17 Intrado Phone	_		
		6303	.18 PWC Tech Cutove	3,229	3,229	-
			.19 Repositioning Exp	∍n -		
٦	Tot	al 630	03 Computers	3,229	58,229	(55,000)
Tota	1 63	1 00	lon-RECURRING	3,229	1,558,229	(1,555,000)
6400	R	ECUR	RING EXPENSES			
•	640	2 M	AINTENANCE			
		6402	.02 Imagery Lic Agree	-		
		6402	.05 Logging RecordM	ail -		
		6402	.07 0011 9-1-1MSAG M	ai 180,582	480,444	(299,862)
		6402	.08 CAD Maintenance	_	64,255	(64,255)
		6402	.09 CAD System Main	t		
			6402.1003 Honolulu Po			
		Tota	l 6402.09 CAD System	N -		
		6402	.11 GeoComm Maint	-		
			.13 Software Mainten			
		€	6402.131 Integraph DB	-	4,306	(4,306)
			l 6402.13 Software Ma	in -	4,306	(4,306)
	Tot	al 640	2 MAINTENANCE	180,582	549,005	(368,423)
		· <u> </u>				
•	640	3 Ot	her RECURRING			
		6403	.01 Telcom Charges			
		€	6403.0101 Alt. PSAP 9-	1-		
		€	6403.0102 Long Distan	ce 258	480	(222)
		€	6403.0103 Mileage	-		
		€	6403.0109 Telcom Tru	nk 178,701	306,348	(127,647)
		€	6403.0110 Ocean Safe	ty		
			6403.0110.1 CML	-		
			6403.0110.2 Centre	-		
			6403.0110.3 Mileag	e -		
			Total 6403.0110 Ocea	n -		
		E	6403.0112 HPD CML Vip	er -		
		Tota	l 6403.01 Telcom Char	je 178,959	306,828	(127,869)
		6403	.02 EMS Tower Lease	-		
	Tot	al 640	3 Other RECURRING	178,959	306,828	(127,869)
Tota	1 64	100 F	RECURRING EXPENSES	359,541	855,833	(496,292)
Tota	ı Di	SBUR	SEMENTS:	368,101	2,422,662	(2,054,561)
			_		. , <u>-</u>	

HAWAII ENHANCED 911 BOARD STATEMENT OF CASH FLOWS

Tor month chang r		Oahu PSA	P
`		ANNUAL	\$ Over/(Under)
FY 2014 YTD FEBRUARY	8 MOS	Budget	Budget
DISBURSEMENTS:			
6200 CONFERENCES			
6201 911 Goes to WashDC	_	17,500	(17,500)
6204 APCO Conference	6,544	13,880	(7,336)
6212 NASNA Conference 6214 Nena Conference	- (10,605)		(10,605)
6225 VIPER CUTOver	189	1,200	(1,011)
6200 CONFERENCES - Other	-	.,200	(1,011)
Total 6200 CONFERENCES	(3,872)	32,580	(36,452)
6300 Non-RECURRING			
6301 CAD Replac/Upgrade			
6301.01 EMS	-	99,000	(99,000)
6301.02 Hawai'i Police Dept	_		
6301.03 Honolulu Fire Dept. 6301.031 Licensing	_	6,105	(6.405)
6301.031 Eldensing	1,625	2,500	(6,105) (875)
6301.03 Honolulu Fire De	-	72,000	(72,000)
Total 6301.03 Honolulu Fire I	1,625	80,605	(78,980)
Total 6301 CAD Replac/Upgrade	1,625	179,605	(177,980)
6303 Computers			
6303.06 GeoComm	26,324	150,000	(123,676)
6303.15 NG911 Record Syst.	_		
6303.16 ViperInstall	30,220	30,320	(100)
6303.17 Intrado Phone	1,037	5,000	(3,963)
6303.18 PWC Tech Cutover S 6303.19 Repositioning Expen	-		
Total 6303 Computers	57,580	185,320	(127,740)
6306 Training	37,300	100,020	(127,748)
6306.11 Training (CAD) HPD	_	8,000	(8,000)
6306.12 TriTechCADSystAdn			
6306.121 CAD Tritech HFD	-	20,000	(20,000)
6306.122 CAD TriTech EM	_	7,000	(7,000)
Total 6306.12 TriTechCADSy	-	27,000	(27,000)
6306.13 OT Viper Training	21,694	48,000	(26,306)
Total 6306 Training	21,694	83,000	(61,306)
Total 6300 Non-RECURRING 6400 RECURRING EXPENSES	80,899	447,925	(367,026)
6402 MAINTENANCE			
6402.02 Imagery Lic Agree	217,176	300,000	(82,824)
6402.05 Logging RecordMai	_	60,775	(60,775)
6402.07 0011 9-1-1MSAG Mai	361,161	541,742	(180,581)
6402.08 CAD Maintenance	_	-	-
6402.09 CAD System Maint			
6402.1003 Honolulu Polic	130,609	400,000	(269,391) (269,391)
Total 6402.09 CAD System N	130,609	400,000 50,000	` '
6402.11 GeoComm Maint 6402.13 Software Maintenan	36,366 ce	30,000	(13,634)
6402.131 Integraph DB S/\	_		
Total 6402.13 Software Main	_		
Total 6402 MAINTENANCE	745,313	1,352,517	(607,204)
6403 Other RECURRING			
6403.01 Telcom Charges			
6403.0101 Alt. PSAP 9-1-	_		
6403.0102 Long Distance 6403.0103 Mileage	5,702	11,400	(5,698)
6403.0103 Mileage		946,884	(394,537)
6403.0110 Ocean Safety			(== :,= 2:)
6403.0110.1 CML	9,976	20,000	(10,024)
6403.0110.2 Centrex	2,460	4,730	(2,270)
6403.0110.3 Mileage	473	811	(338)
0-33.0110.3 Willeage	12,909	25,541	(12,632)
Total 6403.0110 Ocean			(76,990)
Total 6403.0110 Ocean 6403.0112 HPD CML Viper	55,295	132,285	
Total 6403.0110 Ocean 6403.0112 HPD CML Viper Total 6403.01 Telcom Charge	55,295 626,253	1,116,110	(489,857)
Total 6403.0110 Ocean 6403.0112 HPD CML Viper Total 6403.01 Telcom Charge 6403.02 EMS Tower Lease	55,295 626,253 -	1,116,110 7,600	(489,857) (7,600)
Total 6403.0110 Ocean 6403.0112 HPD CML Viper Total 6403.01 Telcom Charge 6403.02 EMS Tower Lease Total 6403 Other RECURRING	55,295 626,253 - 626,253	1,116,110 7,600 1,123,710	(489,857) (7,600) (497,457)
Total 6403.0110 Ocean 6403.0112 HPD CML Viper Total 6403.01 Telcom Charge 6403.02 EMS Tower Lease	55,295 626,253 -	1,116,110 7,600	(489,857) (7,600)

HAWAII ENHANCED 911 BOARD STATEMENT OF CASH FLOWS

				ror month chang re	20,20	Maui PSA	\P
						ANNUAL	\$ Over/(Under)
FY	20)14	Y	D FEBRUARY	8 MOS	Budget	Budget
			ENT:				
6200	0 C 620			NCES Goes to WashDC	_	11,100	(11,100)
				Conference	_	11,100	(11,100)
	621	2 N	IASN	A Conference	_		
				Conference	2,329		2,329
				CUTOver	1,893	1,200	693
T - 4				ERENCES - Other	- 4 222	42.200	(0.070)
				JRRING	4,222	12,300	(8,078)
000	630			Replac/Upgrade			
		630	1.01	EMS	-		
				Hawai'i Police Dept	-		
		630		Honolulu Fire Dept.			
				1.031 Licensing 1.032 Consulting	_		
				1.03 Honolulu Fire De	_		
		Tot		01.03 Honolulu Fire l	_		
	Tot	al 63	301	CAD Replac/Upgrade	-		
	630	з С	omp	outers			
				Ge o C o m m	-		
				NG911 Record Syst.	-	55,000	(55,000)
				ViperInstall Intrado Phone	_		
				PWC Tech Cutover S	_		
		630	3.19	Repositioning Expen	_		
	Tot	al 63	303	Computers	-	55,000	(55,000)
Tota	al 63	300	Non	-RECURRING	-	55,000	(55,000)
6400	D R	ECU	RRIN	IG EXPENSES			
	640	~ B/		TENANCE			
	640			TENANCE Imagery Lic Agree	_	387,888	(387,888)
				Logging RecordMai	_		(11)
		640	2.07	0011 9-1-1MSAG Mai	201,673	302,350	(100,677)
				CAD Maintenance	-	169,607	(169,607)
		640		CAD System Maint			
		Tot		2.1003 Honolulu Polic 02.09 CAD System N			
				GeoComm Maint			
				Software Maintenan	ce		
			640	2.131 Integraph DB S/\	_		
		Tot	al 64	02.13 Software Main	-		
	Tot	al 64	102	MAINTENANCE	201,673	859,845	(658,172)
	640	· ·	* b ~ -	RECURRING			
	540			Telcom Charges			
		0.0		3.0101 Alt. PSAP 9-1-	_		
				3.0102 Long Distance	221	480	(259)
			640	3.0103 Mileage	-		
				3.0109 Telcom Trunk		292,420	(153,173)
			640	3.0110 Ocean Safety 6403.0110.1 CML			
				6403.0110.1 CML 6403.0110.2 Centrex	_		
				6403.0110.2 Centrex	_		
			Tota	al 6403.0110 Ocean	_		
				3.0112 HPD CML Viper	-		
				03.01 Telcom Charge	139,468	292,900	(153,432)
	— — -			EMS Tower Lease	-	202 222	(450.405)
Tota				Other RECURRING	139,468	292,900	(153,432)
				URRING EXPENSES VIENTS:	341,141 345,363	1,152,745 1,220,045	(811,604) (874,682)
· Ota	aı D	3 5 U	, NOE	VILIVI 3.	J45,303	1,220,045	(874,682)

HAWAII ENHANCED 911 BOARD STATEMENT OF CASH FLOWS

- For month chang rea	•	Kauai PS	AP
FY 2014 YTD FEBRUARY	8 MOS	ANNUAL	\$ Over/(Under)
		Budget	Budget
DISBURSEMENTS: 6200 CONFERENCES			
6201 911 Goes to WashDC	_	3,700	(3,700)
6204 APCO Conference	5,223	6,978	(1,755)
6212 NASNA Conference	_		
6214 Nena Conference 6225 VIPER CUTOver	- 458	1,800	(1,342)
6200 CONFERENCES - Other	-	1,800	(1,342)
Total 6200 CONFERENCES	5,680	12,478	(6,798)
6300 Non-RECURRING			
6301 CAD Replac/Upgrade			
6301.01 EMS 6301.02 Hawai'i Police Dept	_		
6301.02 Hawai i Folice Dept.	_		
6301.031 Licensing	_		
6301.032 Consulting	-		
6301.03 Honolulu Fire De	_		
Total 6301.03 Honolulu Fire I	-		
Total 6301 CAD Replac/Upgrade 6303 Computers	_		
6303.06 GeoComm	_		
6303.15 NG911 Record Syst.	_		
6303.16 ViperInstall	_		
6303.17 Intrado Phone	_		
6303.18 PWC Tech Cutover S	_	F 400	(F 100)
6303.19 Repositioning Expen Total 6303 Computers		5,100 5,100	(5,100) (5,100)
Total 6300 Non-RECURRING	_	5,100	(5,100)
6400 RECURRING EXPENSES		-	
6402 MAINTENANCE			
6402.02 Imagery Lic Agree 6402.05 Logging RecordMai	_	186,810	(186,810)
6402.07 0011 9-1-1MSAG Mai	192,746	330,423	(137,677)
6402.08 CAD Maintenance	_	-	
6402.09 CAD System Maint			
6402.1003 Honolulu Polic	_		
Total 6402.09 CAD System M	_		
6402.11 GeoComm Maint 6402.13 Software Maintenan	- ce		
6402.131 Integraph DB S/\	-		
Total 6402.13 Software Main	-		
Total 6402 MAINTENANCE	192,746	517,233	(324,487)
6403 Other RECURRING			
6403.01 Telcom Charges 6403.0101 Alt. PSAP 9-1-	_	100,950	(100,950)
6403.0102 Long Distance	212	480	(268)
6403.0103 Mileage	_		
6403.0109 Telcom Trunk		111,398	(46,416)
6403.0110 Ocean Safety 6403.0110.1 CML			
6403.0110.1 CML 6403.0110.2 Centrex	_		
6403.0110.3 Mileage	_		
Total 6403.0110 Ocean	-		
	_		
6403.0112 HPD CML Viper	-		
Total 6403.01 Telcom Charge	65,194	212,828	(147,634)
6403.02 EMS Tower Lease Total 6403 Other RECURRING	- 65 104	212 922	(4.47.62.4)
Total 6403 Other RECURRING Total 6400 RECURRING EXPENSES	65,194 257,941	212,828 730,061	(147,634) (472,120)
Total DISBURSEMENTS:	263,621	747,639	(472,120)

		ADMIN	
FY 2014 YTD FEBRUARY	8 MOS	ANNUAL Budget	\$ Over/(Under) Budget
DISBURSEMENTS:			
6200 CONFERENCES			
6201 911 Goes to WashDC	-	9,500	(9,500)
6204 APCO Conference	2,507	3,840	(1,333)
6212 NASNA Conference	2,810	2,810	-
6214 Nena Conference	(3,500)		(3,500)
6225 VIPER CUTOver	-		
6200 CONFERENCES - Other	-	75,224	(75,224)
Total 6200 CONFERENCES	1,817	91,374	(89,557)
6400 RECURRING EXPENSES			
6401 ADMINISTRATION			
6401.01 Exec Dir. Services	227,706	341,250	(113,544)
6401.02 ElectronSignatur	-	189	(189)
6401.05 Audit Expense	10,000	11,500	(1,500)
6401.06 Bank Charge	-	108	(108)
6401.08 Board Member Trav	18,500	28,988	(10,488)
6401.09 DB&F Assessments			
6401.0101 DB&F Admin.	35,826	238,000	(202,174)
6401.0102 DB&F Rev Ass	189,184	454,444	(265,260)
6401.0104 FY2013 Assess	24,914		24,914
Total 6401.09 DB&F Assessr	249,924	692,444	(442,520)
6401.11 Miscellaneous Expe	(7)	500	(507)
6401.12 NASNA Dues	-	215	(215)
6401.13 Parking Permits	-	210	(210)
6401.15 WSP Cost Recovery			
6401.0101 Sprint/Nextel	36,301		36,301
6401.15 WSP Cost Recov	-	140,000	(140,000)
Total 6401.15 WSP Cost Rec	36,301	140,000	(103,699)
6401.17 ADA Compliance	-	500	(500)
6401.18 AG Legal Fees	_	25,000	(25,000)
Total 6401 ADMINISTRATION	542,424	1,240,904	(698,480)
Total 6400 RECURRING EXPENSES	542,424	1,240,904	(698,480)
Total DISBURSEMENTS:	544,240	1,332,278	(788,037)

Oahu Civilian 9-1-1 Status Report

February 1, 2014 - February 28, 2014





February 1, 2014 - February 28, 2014

PSAP Operations

9-1-1 Call Volume - February 2014

(Source: Intrado Viper)

		9-1-1 Primary PSAP Call Volume																
	Honolulu City & County PSAPs		Wire	eline		Wir	reless		VO	IIP	Calls Wi	th No ALI	Admi	in Calls	Abandon	ed Calls	Other (Calls
	2014	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Wireless WPH2 Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Calls Abandoned by Caller		No. of Total Call Received	% of Total Calls
Fe	ebruary	75,497	18,557	24.58%	53,565	70.95%	50.60%	20.35%	174	0.23%	3,201	4.24%	1,830	2.42%	10,227	13.55%	436	0.58%

^(*) Totals are based on calls to Primary PSAP.

Note:

There were no call volume statistics between January 28, 2014, 2:11 p.m. HST, and January 28, 2014, 8:39 p.m. HST, while the PSAPs were on the 9-1-1 back-up system due to a Intrado Viper System outage.

9-1-1 Call Volume - Calendar Year 2014

		Primary PS	AP Call Vo	lume													
Honolulu	Honolulu City & County PSAPs Wireline Calls				Wireless Calls			VOIP	Calls	Calls wit	r <mark>ith No ALI</mark> Adm		in Calls	Abandoned Calls		Other Calls	
2014	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Wireless WPH2 Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Calls Abandoned by Caller	% of Total Calls	No. of Total Call Received	% of Total Calls
January	80,612	19,645	24.37%	57,025	70.74%	50.56%	20.18%	177	0.22%	3,765	4.67%	1,946	2.41%	12,235	15.18%	486	0.60%
February	75,497	18,557	24.58%	53,565	70.95%	50.60%	20.35%	174	0.23%	3,201	4.24%	1,830	2.42%	10,227	13.55%	436	0.58%
March																	
April																	
May																	
June																	
July																	
August																	
September October																	
November																	
December																	
YTD	156,109	38,202	24.47%	110,590	70.84%	50.58%	20.26%	351	0.23%	6,966	4.46%	3,776	2.42%	22,462	14.36%	922	0.59%
MON AVG	78,054.50	19,101		55,295				175.5		3,483		1,888		11,231		461	

Note: Total Calls include Administrative calls that are not direct 9-1-1 calls.

Note:

There were no call volume statistics between January 28, 2014, 2:11 p.m. HST, and January 28, 2014, 8:39 p.m. HST, while the PSAPs were on the 9-1-1 back-up system due to a Intrado Viper System outage.



PSAP Operations (continued)

9-1-1 Call Volume by Agency -- February 2014

		9-1-1 Call Volume by Agency											
			HPD	HFD									
2014	No. of Total Calls Received	% of Total Calls	No. of Emergency Calls	No. of Non Emergency Calls	No. of Admin Calls	No. of Dropped Calls	No. of Total Calls Received	% of Total Calls	No. of Admin Calls	No. of Dropped Calls			
February	65,130	86.27%	17,565	36,503	915	10,147	2,228	2.95%	233	0			

		9-1-1 Call Volume by Agency (Continued)												
		EI	MS	os										
2014	No. of Total Calls Received	% of Total Calls	No. of Admin Calls	No. of Dropped Calls	No. of Total Calls Received	% of Total Calls	No. of Admin Calls	No. of Dropped Calls						
February	7,662	10.15%	642	78	41	0.05%	40	2						

9-1-1 Call Volume by Agency – Calendar Year 2014 Note: Total Calls include Administrative calls that are not direct 9-1-1 calls.

							9-	1-1 Call Vol	ıme by Ag	ency								
			HPD					HFD				E	MS				OS	
2014	Number of Total Calls Received	% of Total Calls	No. of Emergency Calls	No. of Non Emergency Calls	No. of Admin Calls	No. of Dropped Calls	No. of Total Calls Received	% of Total Calls	No. of Admin Calls	No. of Dropped Calls	No. of Total Calls Received	% of Total Calls	No. of Admin Calls	No. of Dropped Calls	No. of Total Calls Received	% of Total Calls	No. of Admin Calls	No. of Dropped Calls
January	70,176	87.05%	18,601	38,600	921	12,054	2,270	2.82%	88	61	8,108	10.06%	888	111	58	0.07%	49	9
February	65,130	86.27%	17,565	36,503	915	10,147	2,228	2.95%	233	0	7,662	10.15%	642	78	41	0.05%	40	2
March																		
April																		
May																		
June																		
July																		
August																		
September																		
October																		
November																		
December																		
YTD	135,306	86.66%	36,166	75,103	1,836	22,201	4,498	2.88%	321	61	15,770	10.10%	1,530	189	99	0.06%	89	11
MON AVG	67,653		18,083	37,552	918	11,101	2,249		160.5	30.5	7,885		765	94.5	49.5		45	6

PSAP Operations (continued)

Notes:

- (1) Total call volumes include Administrative calls. (Administrative calls = Calls originating on Administrative lines that required 911 service.)
- (2) "Abandoned" calls represent the number of incoming 9-1-1 calls for which the caller had hung up before a call-taker answered. "Dropped Calls" are hang ups after transfers.
- (3) "Abandoned" calls are included in the "Wireline" and "Wireless" counts respectively. The standard Intrado Viper reports provide a break-out of "Abandoned" calls between "Wireline" and "Wireless" calls.

Wireless Test - February 2014

Date	WSP	Sites Tested	Sectors Tested	Tested By:	Test Pass/Fail
02/28/14	AT&T	1	12	Oahu PSAP	Pass

There was one scheduled Wireless Test for Honolulu in February 2014



MSAG

Current Month – February 2014

						9-1-1NI	ET REC	UESTS			In Re	ferred		
2014	2014 MSAG TRANSACTIONS								ALI TRANS	actions	Status as of Report Month End (C)		In Suspended Status as of Report Month End (d)	
PSAP	TOTAL	Total	Change	Combined	Delete	Insert	Split	Customer Addresses Affected	County Address Change Request (TN CR) Submitted (a)	ALI Discrepancy (ALI-DR) Submitted (b)	TN CR	ALI-DR	# of Transactions	TNs Affected
OAHU CIVILIAN	405	287	274	0	0	3	10	33,576	115	3	6	0	0	0

During the month of February 2014, four hundred and five (405) MSAG transactions were processed. Two hundred and eighty-seven (287) 9-1-1Net requests were processed relating to the MSAG database, with 33,576 customer ANI/ALI (telephone/address) records updated as a direct result of Akimeka's address research and GIS validation process. One hundred and fifteen (115) Telephone Number Change Requests (TN CR) were processed in 9-1-1Net for updates and corrections to the ALI database. Streets and address ranges were validated against the GIS to ensure synchronization and an MSAG address was provided to the Telco.

There is Six (6) TN CR records in Referred status as of February 28, 2014.

TN CRs must be validated against HT records and approved by the end user Hawaiian Telcom customer before updating the ALI record.

There are currently no records in suspended status as of February 28, 2014.



MSAG (continued)

Year-to-Date (YTD) Summary - 2014

	-				9-	1-1NET	REQUE	STS			In Ref	erred		
OAHU CI	IVILIAN			MSAG TI	RANSAC	CTIONS			ALI TRAN	ISACTIONS	Status as of Report Month End (c)		In Suspended Status as of Report Month End (d)	
2014	TOTAL	Total	Change	Combined	Delete	Insert	Split	Customer Addresses Affected (*)	County Address Change Request (TN CR) Processed (a)	ALI Discrepancy (ALI-DR) Processed (b)	TN CR	ALI- DR	# of Transactions	TNs Affected
December														
November														
October														
September														
August														
July														
June														
May April														
March														
February	405	287	274	0	0	3	10	33.576	115	3	6	0	0	0
January	470	434	363	14	1	3	53	23,748	29	7	1	0	0	0
TOTAL YTD	875	721	637	14	1	6	63	57,324	144	10				
AVG PER MO	438	361	319	7	1	3	32	28,662	72	5				

Note: Revised categories and report format changes effective May 2012 with new Intrado TN CR functionality.

	(2)	Represents address corrections on a specific TN or group of TNs. These "invalid" TNs usually have an associated ESN x99 attached to them which indicates the need for validation.
	(h)	Represents an address discrepancy discovered during a live 9-1-1 call. These record corrections are treated with a higher priority and should be processed within 48 hours as a general guideline.
<u>Definitions:</u>	(c)	Represents correction requests that have been referred by Intrado to the appropriate service provider and is awaiting approval to be updated in 9-1-1Net.
	(d)	Represents correction requests that have been "paused" due to TN fallouts, range overlaps, or not having a valid address point. Intrado requires additional information from Akimeka/PSAP before the Telco approves the change.



MSAG (continued)

MSAG Communities Project

MSAG Community and Street Segment Sweep - Phase II Status

Based on a verbal agreement between the Honolulu Police Department, as the Primary Civilian PSAP, and Akimeka, it was agreed that the Military MSAG should be updated to reflect the standardized and approved MSAG Community Names approved jointly by the Military and Oahu Civilian PSAPs to ensure interoperability. It was also agreed that this work effort will be completed by Akimeka on an "as we can get to it" basis.

Below is the latest status of the Phase II work effort as of February 28, 2014:

OMIL Existing Community Name	New Approved Community Name	MSAG Transactions Required	Status	Notes/Comments
Bellows Airforce Station	BELLOWS	65	COMPLETED 03/31/13	
Kaneohe MCAS	MCBH	356	COMPLETED 06/19/13	
Helemano Military Res	HELEMANO	33	COMPLETED 06/24/13	
Naval Comm Sat Wahiawa	NCTAMS PAC	3	COMPLETED 07/01/13	
NCTAMS	NCTAMS PAC	12	COMPLETED 07/09/13	
Naval Comm Stat Wahiawa	NCTAMS PAC	38	COMPLETED 07/16/13	
Camp Stover	SCHOFIELD	9	COMPLETED 07/16/13	
East Range	SCHOFIELD	3	COMPLETED 07/16/13	
Schofield Barracks	SCHOFIELD	2	COMPLETED 07/16/13	
Hicham AFB	HICKAM	2	COMPLETED 07/17/13	
Manana Naval Quarters	MANANA	37	COMPLETED 07/17/13	
TAMC	TRIPLER	9	COMPLETED 07/19/13	
Fort Kam	HICKAM	27	COMPLETED 07/31/13	
Fort Derussy	FT DERUSSY	6	COMPLETED 07/31/13	
Hospital Point	PEARL HBR	2	COMPLETED 08/12/13	



February 1, 2014 - February 28, 2014

MSAG (continued)

MSAG Communities Project (continued)

MSAG Community and Street Segment Sweep - Phase II Status (continued)

OMIL Existing Community Name	New Approved Community Name	MSAG Transactions Required	Status	Notes/Comments
Naval Magazine Lualualei	PEARL HBR	2	COMPLETED 08/12/13	
Hale Alii	PEARL HBR	3	COMPLETED 08/12/13	
Pearl Harbor	PEARL HBR	86	COMPLETED 08/12/13	Nine (9) records did not receive the new community name. Eight (8) records were due to overlapping with existing records (0 TNs) and one (1) record Akimeka does not have the authorization to change.
Ford Island	FORD ISL	147	COMPLETED 09/03/13	
Regional Dispatch Center	PEARL HBR	3	COMPLETED 10/03/13	
Schofield Bks	SCHOFIELD	661	COMPLETED 1/30/14	One record did not receive the new community name due to the overlapping with existing records (2 TNs).
Tripler AMC	TRIPLER	116	COMPLETED 2/18/14	
Wheeler AFB	SCHOFIELD	11	COMPLETED 2/20/14	
Hickam Air Force Base	HICKAM	3	COMPLETED 2/24/14	

In the month of February 2014, Tripler AMC, Wheeler AFB, Hickam Air Force Base were "Completed".

A total of 1636 MSAG transactions have been completed thus far - **66% Complete**. An estimated 831 MSAG transactions remain to be submitted and processed.

Status of the Phase II effort will continue to be tracked until all 9-1-1Net MSAG transactions required have been completed.

MSAG Community and Street Segment Sweep - Phase V

A meeting was held with the Oahu Civilian PSAPs and Akimeka on August 7, 2013, to review the Phase V project scope, schedule and timeline. Approval was received to proceed with Phase V and Phase VI after the completion of Phase V.

Below is the latest status of the Phase V work effort as of February 28, 2014:



MSAG (continued)

MSAG Communities Project (continued)

MSAG Community and Street Segment Sweep - Phase V

MSAG COMMUNITY	М	SAG COMMU	NITY AND STREE	ET SEGMENT SW	EEP PHASE V	GIS UP	DATES
(In Order of Effort)	TARGET START DATE	TARGET COMPLETION DATE	AKIMEKA COMPLETION DATE	ACTUAL COMPLETION DATE	NOTES/COMMENTS	DATE GIS DELIVERED TO HPD	DATE GIS LOADED TO CAD BY HPD
Pearl HBR	08/01/13	08/14/13	08/12/13	09/03/13	Data was not loaded due to discrepancies with the	08/23/13	
Ford ISL	08/15/13	09/03/13	08/19/13	09/03/13	Common Places	08/23/13	
Makalapa	09/04/13	09/06/13	09/06/13	09/06/13		09/06/13	09/11/13
Aliamanu	09/09/13	09/13/13	09/18/13	09/19/13		09/20/13	09/23/13
Salt Lake	09/16/13	09/23/13	09/23/13	09/23/13		09/20/13	09/23/13
Kalihi	09/24/13	10/21/13	11/08/13	12/02/13		10/18/13	10/29/13
Nuuanu	10/22/13	11/06/13	11/12/13	11/12/13	In 11/1/13 data, a discrepancy was identified with Beat recommendations within the CAD, therefore a new set of data was sent on 11/7/13 to resolve this	11/1/2013, 11/7/13	11/12/13
Downtown	11/07/13	11/18/13	11/21/13	11/21/13		11/15/13	11/25/13
Kakaako	11/19/13	11/26/13	11/27/13	11/27/13		11/29/13	12/06/13
Ala Moana	11/27/13	12/04/13	12/04/13	12/11/13		11/29/13	12/00/13
Honolulu	12/05/13	12/16/13	12/13/13	12/20/13		12/13/13	12/19/13
Punchbowl	12/17/13	12/26/13	12/20/13	12/27/13		12/27/13	01/03/14
Makiki	12/27/14	01/07/14	01/10/14	01/29/14		01/10/14	01/16/14
Manoa	01/08/14	01/23/14	01/23/14	01/29/14		01/24/14	01/28/14
McCully	01/24/14	02/04/14	01/21/14	01/29/14		01/24/14	01/26/14
Ft DeRussy	02/05/14	02/06/14	02/05/14	02/05/14		02/07/14	02/13/14
Waikiki	02/07/14	02/20/14	IN PROGRESS			02/21/14	
Kaimuki	02/21/14	03/10/14	IN PROGRESS				
Kapahulu Kahala In the month of Wajalae ACCORDING to the	03/11/14 03/19/14 February planned s				ty was completed.	Phase V	s tracking
Hawaii Kai	04/21/14	05/09/14	, , , , ,				

Geographic Information System (GIS)

Mapping Layers Updated - February 2014

		OAHU CIVILIAN	
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	Date Uploaded to ftp Site	Other/Remarks
		CRITICAL 9-1-1 PUBLIC SAFETY LA (Listed Alphabetically)	YERS
		(Added five (5) new address points; Spatially corrected twelve (12)
	02/26/14		address points in Kailua. Identified six (6) aliases.
			Added twenty-six (26) new address points in Kalaeloa. Completed
	02/25/14		Kalaeloa. Added fifty (50) new address points in Iroquois.
			Added one (1) new address point in Nanakuli.
			Added three (3) new address points in Waikiki.
			Added one (1) new address point; Spatially corrected two hundred
			ninety-two (292) address points Added fifteen (15) alias addresses,
			corrected one (1) TMK, and identified addresses that require site visits in Kaneohe.
	02/24/14		Deleted record ID 79667 46-149 Haiku Rd, record ID 79666 46-153
			Haiku Rd, record ID 79665 46-155 Haiku Rd, record ID 79664 46-157
			Haiku Rd, record ID 79663 46-159 Haiku Rd, record ID 79662 46-163
			Haiku Rd, and record ID 79853 46-226 Ohala St; duplicate addresses.
			Spatially corrected eight (8) address points in Waikiki and added ten
	02/21/04		(10) routing IDs.
			Spatially corrected one (1) address point in Ala Moana and added one (1) routing ID.
	02/20/04		Spatially corrected four (4) address points in Kailua.
Address Points			Spatially corrected 283 address points in Kaneohe.
	20110101		Deleted record ID 79708 46-269 Haiku Rd, record ID 79711 46-271
	02/19/04		Haiku Rd, and record ID 102914 46-301 Heeia St in Kaneohe; duplicate
			addresses. Added 120 new address points in Kalaeloa.
			Spatially corrected fifty-six (56) addresse points; Added seventy-seven
			(77) new address points; Added (9) alias addresses and identified (5)
	02/04/14 to 02/13/14		aliases Added two (2) apartment numbers and identified addresses that
			require site visits; Added one (1) apartment letter and identified addresses that require site visits in Kailua.
			Deleted record ID 313517 91-1651 FD Roosevelt Ave, record ID 313513
			91-1135 Independence St, and record ID 313511 91-1131 Independence
	02/04/14 to 02/11/14		St, incorrect addresses;I Created three (3) new address points with
			correct addresses; Spatially corrected three (3) address points; Added
			two hundred fourty-nine (249) new address points in Kalaeloa.
			Deleted record ID 79391 45-7A Ka Hanahou PI, record ID 309807 45-
			1025 Wailele Rd, record ID 309756 45-1025A Wailele Rd, and record ID 309709 45-1025B Wailele Rd, duplicate addresses; Deleted record ID
	02/03/14 - 02/10/2014		76011 45-239A Lilipuna Rd, duplicate address; Spatially corrected (510)
			address points; identified addresses that require site visits; Added
			three (3) alias addresses and identified addresses that require site visits; Added three (3) new address points in Kaneohe.
Common Place Name			points in relations.
Emergency Callboxes			
Fire Beats			
i iie Deats			
Fire Districts			
			-
Fire Response Areas	02/10/14		Corrected STA26/STA28 and STA28/STA35 boundary
rife Response Areas	UZ/ 1U/ 14		Confected STAZO/STAZO and STAZO/STA3S DOUNGARY
Fire Stations			
			-

Geographic Information System (GIS) (continued)

Mapping Layers Updated – February 2014 (continued)

	· ·	OAHU CIVILIAN	
Type of Layer	Akimeka GIS Server	Date Uploaded	Other/Remarks
	Date Created/ Edits Performed	to ftp Site	
Major Roads			
MSAG Address Points ka Pseudo Address Points)			
MSAG Communities (aka Towns)			
Medic Beats			
Medic Response Areas	02/10/14		Corrected MED7/MED21 boundary
Medic Stations			
Milepost Markers			
	02/25/14		Populated with the latest MSAG Community and Police Beat update
Net_Junctions	02/11/14		Populated with the latest MSAG Community and Police Beat update
			Deleted Goko Steak Kalihi, Goko Steak Pearlridge, Sizzler Mililani I Waimanalo Bch Pk CG
	02/19/14		Corrected name for Walgreens Ewa Beach, Goko Steak Waipahu to Bobs Big Bear Diner, 7Eleven Makiki to Flamingo Mart Makiki Added ASB Waipahu Twn Ctr
-	02/18/14		Populated new MSAG Community of Waikiki
	02/12/14		Spatially corrected Yacht Harbor Towers - 2 locations in Ala Moana
			Corrected address for Ala Wai Promenade Ka Spatially corrected 72 locations on UH Manoa campus: UH DANCE STUDIO BLDG, UH AIR FORCE ROTC BU, UH ARENA
Common Places	02/05/14 - 02/10/14		SPECIAL EVE, UH ALTHLETIC COMPLEX, UH BLDG 171, UH DUF KAHANAMOKU P, UH LOWER CAMPUS PORT, UH MILITARY SCIENCE, UH PARKING STRUCTURE, UH PHYSICAL ED, UH RO BLDG AIR FOR, UH SPECIAL EVENTS AR, UH SPORTS ARENA, SPEECH PATHOLOGY, UH MILLER HALL, UH MOTORPOOL, UH HALE ANUENUE DORM, HALE ANUENUE DORM, UH STAN SHERIFF CTR, STAN SHERIFF CTR, UH ARMY ROTC, UH RAINB STADIUM, UH JOHN A BURNS HALL, UH HOLMES HALL, JOHNSC HALL UH, UH JOHNSON HALL, UH GATEWAY HOUSE, UH FREA HALL, UH HALE LEHUA DORM, UH HALE ALOHA, UH HALE ILHUA DORM, UH HALE ALOHA, UH HALE ILHUA DORM, UH HALE MOKIHANA DOR, UI HALE NOELANI DORM, UH HALE WAINANI DORM, UH HAWAIIAI STUDIES, UH WAAHILA FACULTY H, UH KRAUSS HALL, UH LAW SCH, UH LAW SCH LIBRARY, UH SAKAMAKI HALL, UH BACHMM HALL, UNIVERSITY OF HAWAII, UH BACHMAN ANNEX, UH MUSI BLDGS, NATIONAL WEATHER SERVICE, UH HENEKE HALL, UH HALE LAULIMA, UH SHERMAN LAB, UH BIOMEDICAL SCIENC, U SCHOOL OF PUBLIC, UH CAMPUS SECURITY, UH AGRICULTUR ENGIN, UH FOOD SCIENCE TECH, UH GILMORE HALL, UH PLAN SCIENCE COM, UH FACILITIES MANAGE, UH PHYSICAL PLANT UH ENVIRONMENTAL HEA, UH CREDIT UNION, UH SPALDING HALL, UH BUSINESS ADMIN BL, ASB UH CAMPUS, UH ARCHITECTURE BLDG, UH CRAWFORD HALL, UH DEAN HALL, UH HEMENWAY HALL, UH STUDENT SERVICES, UH SINCLAIR
	02/07/14		LIBRARY. Updated records in Ft Derussy for Street Sweep project Spatially corrected WELLS FARGO ALA MOAN in Honolulu, WATERFRONT STATE PK in Kakaako

Geographic Information System (GIS) (continued)

Mapping Layers Updated – October 2013 (continued)

		OAHU CIVILIAN	
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	Date Uploaded to ftp Site	Other/Remarks
Police Beats	02/12/14		Corrected boundary for Beat 172, 179, 650, 653 at Ala Moana bridge
	02/10/14		Corrected Beat boundaries 858, 860, 861, and began 863 according to the HPD written policies and procedures
			the First Witten periode and proceedings
Police Districts			
Police Response Areas			
Police Stations			
Schools			
	02/26/14		Corrected gaps in Hawaii Kai on Hahaione St, Hanakapiai St, Hanamaulu St, Hanapepe Loop Corrected gaps in Waialae on Halakau St, Halekoa Dr Corrected gaps in Aiana Haina on Halemaunau St, Haleola St Corrected gaps in Kaimuki on Harding Ave
			Corrected gaps in Kaimuki on Kilauea Ave
	02/25/14		Corrected gaps in Waikiki on Lewers St
			Extended street ranges on Kahau St in Waianae
	02/20/14		Corrected gaps in Kaimuki on Kilauea Ave
	02/19/14		Corrected gaps in Kaimuki on Peter St, Hunakai St
			Populated new MSAG Community of Waikiki
	02/18/14		Split Diamond Head Rd at Waikiki/Kahala boundary
			Corrected gaps in Kaimuki on Ipulei PI, Kaimuki Ave, Kalaepohaku St, Koae St, Lamaku PI, Luakaha St, Jasmine St, Niele PI
Street Centerlines	02/05/14 - 02/13/14		Spatially corrected Kolo PI, Varsity Cir, Varsity PI, Lower Campus Rd, Kalele Rd, segments of Dole St, Bachman PI, Lower Campus Rd, East West Rd, Campus Rd, Edmondson Rd, Farrington Rd, Maile Way and Varney Cir, Woodlawn Dr and Kalehua St; Corrected ranges on Lower Campus Rd, Varsity PI, Varsity Cir, Bachman PI, Dole St, Correa Rd, East West Rd, Olopua St and Woodlawn Dr.; Corrected gaps on Pawaina St, Pinao St, Pinaoula St, Poelua St, Puaena PI, Woodlawn Dr, Vancouver Dr, University Ave in Manoa
	00/40/44		Corrected gaps in Waikiki on Hibiscus Dr, Kalakaua Ave, Kuhio Ave, Leahi Ave
	02/13/14		Added 11 new ingress street segments on Holomoana St in Waiki into Ala Wai Yacht Harbor for routing purposes
	02/12/14		Spatially corrected 8 segments of Ala Moana at the bridge between Ala Moana and Waikiki. Deleted 2 unnecessary segments, and corrected ranges to correspond with condo addresses and yacht harbors.
	02/11/14		Added street ranges to Kahanamoku St in Waikiki
	02/10/14		Spatially corrected Lualualei Naval Rd, Farrington Hwy at Police Beat 861/863 boundary in Nanakuli.
	02/07/14		Updated streets in Ft Derussy for Street Sweep project
	02/04/14		Corrected gaps in Manoa on Nakiu PI, Oahu Ave, Olapua St, Parker PI, Paty Dr, Woodlawn Terrace PI
	02/03/14		Corrected gaps in Manoa on Kaloaluiki St, Lawrey Ave

Geographic Information System (GIS) (continued)

Mapping Layers Updated – October 2013 (continued)

OAHU CIVILIAN			
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	Date Uploaded to ftp Site	Other/Remarks
Trails			
WSP Cell Sectors	02/25/14 02/21/14 02/14/14		Per AT&T CRS Per AT&T CRS Per VZW CRS
WSP Cell Towers	02/25/14 02/21/14 02/14/14		Per AT&T CRS Per AT&T CRS Per AT&T CRS Per VZW CRS
		OTHER SUPPORTING 9-1-1 PUBLIC SAFETY (Listed Alphabetically)	LAYERS
Churches			
Gas Stations			
Food & Beverage			
Hospitals			
Lodging			
Medical Facilities			
Ocean Rescue Boundaries	02/27/14		Converted one (1) KMZ file and added two (2) new OceanResponseAreas per Ocean Safety. Began populating metadata for OceanResponseAreas. Completed OceanResponseAreas metadata.
	02/27/14 02/26/14		Added sixteen (16) SurfBreaks locations per Ocean Safety. Began populating metadata for SurfBreaks. Completed SurfBreaks metadata.
Ocean Safety (Includes Lifeguard Stands)	02/05/14		Corrected eight (8) SurfBreak names per Ocean Safety.
- Dive Locations			
- Surf Breaks			
Parcels			
Parks (Includes National Parks)			

Geographic Information System (GIS) (continued)

Mapping Layers Updated – February 2014 (continued)

OAHU CIVILIAN			
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	Date Uploaded to ftp Site	Other/Remarks
Parks Polygon			
Post Offices			
Subdivisions			
		DISASTER/HOMELAND SECURITY LAYER	रड
		(Listed Alphabetically)	
Airports			
Deldana			
Bridges			
Coastline			
Coastal Names			
Critical Infrastructure			
Emergency Shelters			
Government Buildings			
Helipads			
Hydrology Layers			
- Dams			
- Ponds			
- Streams (Includes Rivers)			
- Waterfalls			
Tsunami Evacuation Zones			
Tsunami Roadblocks			
United States National Grid			
Volcano Hazard Zones			
Wharfs			
		SPECIAL REQUESTS	
Tow Boundaries			



Geographic Information System (GIS) (continued)

Police Beats Corrections

Background

The Police Beats was previously identified as a layer requiring corrective action in preparation for the ESZ/ESN project and ensuring spatial accuracy.

Subsequent to the Police Beat corrections that took place during the month of August 2013, upon loading the GIS data for Street Centerlines in the current Motorola Premier CAD, HPD PMT confirmed that there were no issues with regards to the CAD system recommendations. HPD PMT also reviewed the Police Beats corrections worksheet and confirmed that there were no issues with the document. As such, Akimeka proceeded to make corrections to the Police Beats layer utilizing HPD's written Policies and Procedures document for boundary descriptions.

Status To Date

Based on HPD PMT's confirmation, Akimeka continued to make corrections to the Police Beats during the month of February 2014. Akimeka completed an additional four (4) Police Beats (858, 860, 861, and 862) boundary corrections.


<u>Upload Process</u>

It was agreed that the Police Beats layer will not be uploaded to the current Motorola CAD system and will only be uploaded to the new Motorola PremierOne CAD system. Although the Police Beats layer (with the corrections) will not be uploaded to the current CAD system, the Street Centerlines are impacted by these boundary updates.

As such, Akimeka assisted with creating a new upload process which mirrors a step similar to the updates with the MSAG Communities. The new process was run successfully in November 2013, and has been successful throughout February 2014. In addition, the new upload process for the Premier CAD, also resolved other discrepancies with recommendations which were previously identified. It was agreed that this new process will be implemented and used going forward. Subsequent to this process improvement, there have been no issues and the Police Beat corrections project continues to move forward.

Ocean Safety Requirements

Subsequent to Akimeka's meetings with Ocean Safety, Akimeka continued to work on Ocean Safety's layers in order to assist with Ocean Safety's dispatch and response operations. In addition to all of Akimeka's priorities and deliverables, Akimeka completed all items identified during the initial kickoff meeting. Since September 2013, Akimeka has worked with Ocean Safety in a continued effort to make any additions or corrections to the Ocean Safety layers in order to move the project along.



Geographic Information System (GIS) (continued

- 1. Throughout February 2014, Akimeka and Ocean Safety worked collaboratively on finalizing the Surf Breaks layer.
 - a. On February 3, 2014, Akimeka received follow up from Ocean Safety regarding questions and conflicts Akimeka previously identified between the GIS and KMZ files provided, as well as verified the use of the Final Surf Breaks KMZ file.
 - Subsequently, Ocean Safety provided clarifications on the conflicts. In addition Ocean Safety also confirmed for Akimeka to disregard the final Surf Breaks previously provided.
 - ii. Shortly after clarification was provided, on February 5, 2014, Akimeka reviewed the Surf Breaks and corrected Surf Break names as directed. In addition, Akimeka provided Ocean Safety with a master spreadsheet of the latest surf break names and coordinates, as requested.
- 2. On February 25, 2014, Akimeka was contacted by HFD and EMS to request an estimated timeframe of completion for the Ocean Safety Response Areas so that TriTech can build Ocean Safety's CAD system.
 - a. Akimeka contacted Ocean Safety to infer when the response area information will be available for creation of the new layer.
 - b. On February 26, 2014, Ocean Safety followed up with Akimeka with an anticipated completion of the response areas information in the next two weeks.
 - c. On February 27, 2014, Ocean Safety submitted two KMZ files containing the Ocean Safety Response Area polygons, which contained boundary explanations and naming convention definitions. Along with the response areas polygons, Ocean Safety had submitted a final station location spreadsheet which will assist in the response area creation.
- On February 28, 2014, Akimeka followed up with Ocean Safety requesting a conference call
 meeting to clarify the Ocean Response Area boundaries, to discuss coding standards and
 naming conventions, and the use of the Final Station Location spreadsheet in the creation of
 response areas.

During the month of March 2014, Akimeka and Ocean Safety will continue to work together and will await Ocean Safety's response about attending a conference call to clarify questions regarding the Ocean Response Areas before moving forward. Akimeka plans to complete the Ocean Safety Response Areas as they are provided by Ocean Safety as part of an ongoing effort for this project.

Geographic Information System (GIS) (continued)

Intrado PowerMap Upload

Since the establishment of the GIS Data deliverable process between Akimeka and Intrado in January 2014, the data uploads have been successfully carried out.

1. Between January and February 2014, an issue within PowerMap has been identified with the display of Phase 1 wireless 911 calls. The issue identified is that the map is not displaying the Phase 1 polygons, but is zooming to that area when the 911 call occurs. Akimeka assisted Intrado on a couple occasions with the configuration settings; however no true identification of the cause of the discrepancy has been identified.


GIS UPDATES FOR POWERMAP 4.1			
DATE GIS DELIVERED TO INTRADO	DATE GIS LOADED TO POWERMAP BY INTRADO	NOTES/COMMENTS	
01/03/14		Data not loaded due to issue with indexing	
01/10/14	01/13/14		
01/24/14	01/27/14		
02/07/14			
02/21/14			

^{*} The Honolulu PowerMap 4.1 GIS Deliverable always include the following GIS layers: WSP Cell Sites, WSP Cell Sectors, Street Centerlines, Address Points, Common Places, MSAG Communities, ESN, Fire Response Areas, Medic Response Areas, Police Response Areas, Streams, and Tow Boundaries

TriTech CAD System Upgrade

During the month of January 2014, Akimeka, HFD and EMS had begun coordination to prepare Address Points for the new TriTech CAD system for Address Validation. Since Address Points have not been used in the CAD system, but in the past had been used as visual only, there are needed configurations in both the GIS and the CAD in order to work properly. HFD, EMS, and Akimeka will continue to work together to ensure the proper information is being utilized.

- 1. Agreement was made to use a small batch of Address Points for the initial configuration and testing, as to not overwhelm the system and will be more effective for testing.
 - a. It was agreed to use a small area in both the Waikiki area and Waimanalo area. Waikiki is being used to test a more urban area and Waimanalo more rural. In addition, Waimanalo has been through a street and address sweep process and Waikiki has not been through the correction process, so it should be a good means to test for a variety of potential discrepancies.
 - The first small dataset of Address Points was included in the February 7, 2014 GIS data deliverable.



Oahu Civilian 9-1-1 Status Report February 1, 2014 – February 28, 2014

Geographic Information System (GIS) (continued

- 2. Subsequent to the delivery of the small batch of Address Points on February 7, 2014, some potential issues were identified.
 - a. Apartment numbers are included in the GIS data.
 - a.Depending on how the TriTech CAD system gets configured, the information for apartment numbers and/or building numbers should not be included in the full address for address validation.
 - b. Akimeka identified previously that the ANI/ALI information for the State of Hawaii does not include apartment information in the full address used in the address validation process. That information however, does come across in driving instructions which is a comment field used to provide additional information for address locations and is not an identifier used in validations of the call.
 - c. With that said, Akimeka preferred to hold on discussing the address point configuration until a meeting with all of the PSAPs can be set up. It is important for all public safety agencies to discuss these items collectively as a group so decisions can be made together.
 - b. An issue identified by the HFD CAD Administrator, pertained to the unique ExternalKey used in the difference tables in the CAD system. It was relayed to Akimeka that the unique field was not included in the data delivered.
 - a. Akimeka responded that the necessary information is included in the GIS data, and if there is a link needed to the Street Centerlines via the ExternalStreetKey, the field is no longer unique.
 - b.In order to gain a better understanding on the situation, Akimeka discussed the issue with TriTech. Chuck Alexander of TriTech passed along that the ExternalKey provided by Akimeka is correct, it should be unique (meaning no duplicates, and not the same ExternalKey used in the Street Centerlines).
 - c. HFD and Akimeka discussed the unique field and agreed that this was a miscommunication and the data is included. Akimeka mentioned they will change the field name, so it is easier to identify when matching the source and destination columns in the CAD system.

SPAWAR Meeting on Addressing for MCBH

There has been no further information or correspondence with regards to this project.



Geographic Information System (GIS) (continued)

Street Utility Check

This is an ongoing project to correct the errors identified. A comparison of the raw CAD generated report from the Street Check Utility was performed between the Street Centerline GIS data delivered on January 27, 2014 and February 25, 2014. Below are the results of the comparison.

	01/27/14	02/25/14	Improvement/ Comments
Total Number of GIS Records	26,979	26,988	Added nine (9) records
Errors Identified			
Zero Errors	926	891	Further reduced errors by 3.8% (35 errors)
Low > High Errors	0	0	No Change
Mixed Parity Errors	0	0	No Change
Changed Parity Errors	2	0	Decreased by 2 errors
Address Gap Errors	784	586	Further reduced errors by 25.3% (198 errors)
Address Overlap Errors	0	0	No Change
Flipped Link Errors	599	591	Further reduced errors by 1.3% (8 errors)
Total Errors	2,311	2,068	Further reduced errors by 10.5% (243 errors)

In addition to Akimeka's internal validation tools, Akimeka will continue to utilize the various CAD reports to further identify and correct the multitude of discrepancies in the GIS data. This is an ongoing and routine process which Akimeka has been using to improve the accuracy of the GIS data for Public Safety.

Akimeka plans to continue its work effort to complete corrections of the discrepancies identified and/or identify any valid exceptions which Akimeka will tag with the proper information so the CAD system will accept the record(s) and not jeopardize the full functionality of the CAD system from the upload to RMS. Akimeka plans to complete all Street Utility Check errors prior to the implementation of the Motorola PremierOne CAD "go live" date.

Maui County 9-1-1 Status Report

February 1, 2014 - February 28, 2014



PSAP Operations

9-1-1 Call Volume (Maui) - February 2014

Source: Intrado Viper

								9-1	-1 Call Volur	ne							
Maui	PSAP	Wire	line		Wire	less		V	OIP	Cal	s With No ALI	Admin Ca	lls	Abandoned/Dro	pped Calls	Other (Calls
2014	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Wireless WPH2 Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned Caller	% of Total Calls	Other	% of Total Calls
February	9,876	2,169	21.96%	6385	64.65%	68.21%	31.79%	40	0.41%	361	3.66%	0	0.00%	921	9.33%	0	0.00%

9-1-1 Call Volume (Maui) - Calendar Year 2014

Source: Intrado Viper

								9-1-	1 Call Volu	me							
Maui	PSAP	Wire	line		Wire	less		V	OIP	Call	s with No ALI	Admin C	alls	Abandone	d Calls	Other	Calls
2014	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Wireless WPH2 Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Calls Abandoned by Caller	% of Total Calls	Other	% of Total Calls
January	816	114	13.97%	244	29.90%	63.52%	36.48%	0	0.00%	20	2.45%	0	0.00%	438	53.68%	0	0.00%
February	9,876	2,169	21.96%	6,385	64.65%	68.21%	31.79%	40	0.41%	361	3.66%	0	0.00%	921	9.33%	0	0.00%
March																	
April																	
May																	
June																	
July																	
August																	
September																	
October																	
November																	
December																	
YTD	10,692	2,283	17.97%	6629	62.00%	65.87%	34.13%	40	0.37%	381	3.56%	0	0.00%	1,359.00	12.71%	0	0.00%
MON AVG	5,346.00	1,141.50	_	3,314.50				20		190.5		0		679.5		0	

Note: Intrado Viper Call Volume Statistics began on January 22, 2014 at 7:00 a.m. (HST) when 911 trunks were

Transferred and connected to the Intrado Viper System from the 9-1-1 backup system being utilized during the

Intrado conversion from the CML/Plant system.

Note: There were no call volume statistics between January 28, 2014, 2:11 p.m. HST, and January 28, 2014, 8:39 p.m.

HST, while the PSAPs were on the 9-1-1 back-up system due to a Intrado Viper System outage.



PSAP Operations (continued)

9-1-1 Call Volume (Molokai) - Calendar Year 2014 Source: Intrado Viper

								9-1	-1 Call Volun	10							
Molol	kai PSAP	Wire	line		Wire	eless		V	OIP	Cal	Is With No ALI	Admin Ca	alls	Abandoned/Drop	pped Calls	Other C	Calls
2014	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Wireless WPH2 Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Calls Abandoned by Caller	% of Total Calls	Other	% of Total Calls
February	182	37	20.33%	131	71.98%	55.73%	44.27%	3	1.65%	11	6.04%	0	0.00%	30	16.48%	0	0.00%

9-1-1 Call Volume (Molokai) - Calendar Year 2014

								9-1	-1 Call Volum	10							
Moloka	ai PSAP	Wire	line		Wire	less		V	OIP	Cal	lls with No ALI	Admin C	alls	Abandoned	i Calls	Other	Calls
2014	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Wireless WPH2 Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Calls Abandoned by Caller	% of Total Calls	Other	% of Total Calls
January	187	67	35.83%	98	52.41%	55.10%	44.90%	0	0.00%	7	3.74%	0	0.00%	15	8.02%	0	0.00%
February	182	37	20.33%	131	71.98%	55.73%	44.27%	3	1.65%	11	6.04%	0	0.00%	30	16.48%	0	0.00%
March																	
April																	
May																	
June																	
July																	
August																	
September																	
October																	
November																	
December																	
YTD	369	104	0.00%	229	62.06%	55.41%	44.59%	3	0.81%	18	4.88%	0	0.00%	45	12.20%	0	0.00%
MON AVG	184.5	52		114.5				1.5		9		0		22.5		0	

Notes:

- (1) Total call volumes include Administrative calls. (Administrative calls = Calls made between 9-1-1 positions but are not 9-1-1 calls.)
- (2) "Abandoned" calls represent the number of incoming 9-1-1 calls for which the caller had hung up before a call-taker answered.
- "Abandoned" calls are included in the "Wireline" and "Wireless" counts respectively. The (3) standard Intrado Viper reports provide a break-out of "Abandoned" calls between "Wireline" and "Wireless" calls.



PSAP Operations (continued)

9-1-1 Call Volume (Combined Maui & Molokai)- February 2014

								9-1	-1 Call Volun	10							
Maui	County	Wireline	e Calls		Wireles	ss Calls		VOIF	P Calls	Cal	ls With No ALI	Admin Ca	alls	Abandoned / Dro	pped Calls	Other (Calls
2014	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of VoIP Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned Calls	% of Total Calls	Other	% of Total Calls
February	10,058	2,206	21.93%	6516	64.78%	67.96%	32.04%	43	0.43%	372	3.70%	0	0.00%	921	9.16%	0	0.00%

9-1-1 Call Volume (Combined Maui & Molokai) - Calendar Year 2014

								9-1-	1 Call Volu	me							
Maui (County	Wire	line		Wire	less		V	OIP	Call	s with No ALI	Admin C	alls	Abandone	d Calls	Other	Calls
2014	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of VoIP Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Calls Abandoned by Caller	% of Total Calls	Other	% of Total Calls
January	6,578.00	1,890.00	0.29	4,207.00	0.64	0.00	0.00	0.00	0.00	27.00	0.00	1.00	0.00	1,260.00	0.19		
February	10,058.00	2,206.00	0.22	6,516.00	0.65	0.68	0.32	43.00	0.00	372.00	0.04	0.00	0.00	921.00	0.09	0.00	0.00
March																	
April																	
May																	
June																	
July																	
August																	
September																	
October																	
November																	
December																	
YTD	16,636.00	4,096.00	0.00	10,723.00	0.64	0.68	0.32	43.00	0.00	399.00	0.02	1.00	0.00	2,181.00	0.13	0.00	0.00
MON AVG	8,318.00	2,048.00		5,361.50				21.50		199.50		0.50		1,090.50		0.00	

Note: The January Total Calls include both the Viper System and CML/Plant volumes combined. CML/Plant VOIP calls were included into the Wireline totals.

PSAP Operations (continued)

Wireless Test - February 2014

Date	WSP	Sites Tested	Sectors Tested	Tested By:	Test Pass/Fail
None					

There were no scheduled wireless testing for Maui County in February 2014.

MSAG

Current Month - February 2014

2014					9	-1-1NET	REQUE	STS			In Ref Sta as of F	tus	In Suspende as of Repor	
2014				MSAG	TRANSA	CTIONS			ALI TRANS	ACTIONS	Monti	End	End (d)	
PSAP	TOTAL	Total	Change	Combined	Delete	Insert	Split	Customer Addresses Affected	County Address Change Request (TN CR) Submitted	ALI Discrepancy (ALI-DR) Submitted (b)	TN CR	ALI-DR	# of Transactions	TNs Affected
MAUI COUNTY	136	48	34	4	5	0	5	959	87	1	176	0	0	0

During the month of February 2014, 136 MSAG transactions were processed. Forty-eight (48) 9-1-1Net requests were processed relating to the Maui County MSAG database, with 959 customer ANI/ALI (telephone/address) records updated as a direct result of Akimeka's address research and GIS validation process. Eighty-seven (87) Telephone Number Change Requests (TN CR) transactions were processed in 9-1-1Net for updates and corrections relating to the ESN 359/399 clean-up effort. Streets and address ranges were validated against the GIS to ensure synchronization and an MSAG valid address was provided to the Telco. TN CRs must be validated against HT records and approved by the end user HawaiianTelcom customer before updating the ALI record.

There are no ALI DR records in Referred status as of February 28, 2014.

There are 176 TN CRs in Referred status as of February 28, 2014.

The TN CRs in "Referred" status are a direct result of the ESN 359/399 clean-up and are awaiting approval from Hawaiian Telcom, Inc (HTI) and/or customer to update ALI records. No explanation has been provided as to why these TN CRs have not been corrected for 9-1-1 purposes. Akimeka continues to monitor and track the progress of Referred TN CRs.

There are no Suspended Records as of February 28, 2014.



MSAG (continued)

Year-to-Date (YTD) -2014

						9-1-1N	ET RE	QUESTS			In Re	ferred	In Suspended	Status
MAUI COL	JNTY			MSAG T	RANSAC	TIONS			ALI TRANSA	CTIONS		tus Report	as of Report Mo	nth End
2014	TOTAL	Total	Change	Combined	Delete	Insert	Split	Customer Addresses Affected (*)	County Address Change Request (TN CR) Submitted (a)	ALI Discrepancy (ALI-DR) Submitted (b)	TN CR	ALI- DR	# of Transactions	TNs Affected
December														
November														
October														
September														
August														
July														
June														
May														
April														
March														
February	136	48	34	4	5	0	5	959	87	1	176	0	0	0
January	83	65	44	2	13	6	0	743	16	2	147	0	0	0
TOTAL YTD	219	113	78	6	18	6	5	1,702	103	3				
AVG PER	110	57	39	3	9	3	3	851	52	2				

Note: Revised categories and report format changes effective May 2012 with new Intrado TN CR functionality.

	(a)	Represents address corrections on a specific TN or group of TNs. These "invalid" TNs usually have an associated ESN x99 attached to them which indicates the need for validation.
	(b)	Represents an address discrepancy discovered during a live 9-1-1 call. These record corrections are treated with a higher priority and should be processed within 48 hours as a general guideline.
<u>Definitions:</u>	(c)	Represents correction requests that have been referred by Intrado to the appropriate service provider and is awaiting approval to be updated in 9-1-1Net.
	(d)	Represents correction requests that have been "paused" due to TN fallouts, range overlaps, or not having a valid address point. Intrado requires additional information from Akimeka/PSAP before the Telco approves the change.



Mapping Layers Updated/Loaded Into GIS - February 2014

		MAI	JI COUNTY	
Type of Layer	Island	Akimeka GIS Server	Date Loaded Into PSAP GIS Server	Other/Remarks
		Edits Performed		AVEC
			PUBLIC SAFETY L Alphabetically)	LAYERS
	Maui/Lanai	02/26/14		Spatially corrected one (1) address point in Haiku, added common name for Keanae School and added POI address point for Keanae Park requested by Maui Dispatch.
	Maui/Lanai	02/14/14 - 02/18/14		Spatially corrected thirty-five (35) address points in Kihei.
	Maui/Lanai	2/18/2014 - 02/18/14		Spatially corrected one hundred seventy-one (171) address points and added two (2) address from the DSA Address layer in Lahaina.
	Maui/Lanai	02/18/14		Spatially corrected thirty-one (31) address points in Kula
Address Points	Maui/Lanai	02/03/14 - 02/12/14		Spatially corrected three hundred thirty-five (335) address points; Added one (1) address from the DSA Address layer in Kula
			02/12/14	
	Maui/Lanai	02/12/14		Spatially corrected forty-six (46) address points in Lahaina. Corrected the MSAG Community for one (1) address point in Paia.
	Maui/Lanai	02/05/14		Added twenty (20) new address points received from DSA for The Parkways at Maui Lani in Kahului.
	Maui/Lanai	02/04/14		Spatially corrected six (6) in Lahaina, one (1) in Kahului, and four (4) in Haiku. Added sixty (60) new addresses received from DSA.
	Molokai	02/04/14		Spatially corrected one (1) address point in Kaunakakai. Added one (1) new address received from DSA.



Mapping Layers Updated/Loaded Into GIS – February 2014 (Continued)

ems and are NG			JI COUNTY	
Type of Layer	Island	Akimeka GIS Server Date Created/ Edits Performed	Date Loaded Into PSAP GIS Server	Other/Remarks
Fire Beats				
Fire Districts				
Fire Response Areas				
Fire Stations				
Major Roads				
MSAG Address Points (aka Pseudo Address Points)				
MSAG Communities (aka Towns)				
Medic Beats				
Medic Districts				
Medic Response Areas				
Medic Stations				
Milepost Markers				
Points of Interest				
Police Beats				
Police Districts				
Police Response - Areas -				
Police Stations				
WSP Cell Sectors	Maui/Lanai	02/25/14	02/12/14	Per AT&T CRS



Mapping Layers Updated/Loaded Into GIS – February 2014 (Continued)

		MAI	UI COUNTY	
Type of Layer	Island	Akimeka GIS Server Date Created/ Edits Performed	Date Loaded Into PSAP GIS Server	Other/Remarks
Schools				
	Maui/Lanai	02/28/14		Corrected the range for Ahaaina Way, Kihei
	Maui/Lanai	02/27/14		Added the new segment of Lahaina Byp, Lahaina which also required splitting an existing street centerline segment.
	Maui/Lanai	02/26/14		Extended the range for Makena Rd, Wailea. Akimeka's
	Maui/Lanai	02/18/14		MSAG Coordinator was notified of the change. Modified thirteen (13) street centerline range segments, spatially corrected fifteen (15) street centerline segments, and partial spatial correction on three (3) street centerline segments in Lahaina. Spatially corrected one (1) segment and partial spatial correction on two (2) segments in Wailea. Spatially corrected two (2) segments Kula and one (1) in Kihei.
Street Centerlines	Maui/Lanai	02/14/14		Modified fourteen (14) street centerline range segments, spatially corrected eighteen (18) street centerline segments, and partial spatial correction on thirteen (13) street centerline segments in Lahaina. Corrected one (1) parity and parity codes for Kilohana Dr, Wailea/Kihei. Spatially corrected eight (8) segments and partial spatial correction on six (6) segments in Wailea. Corrected the range for Polihua PI, Lanai. Spatially corrected nine (9) segments and partial spatial correction on eight (8) segments in Kihei. Corrected the range for Puukolii Rd, Kaanapali. Akimeka's MSAG Coordinator was notified of range changes.
	Maui/Lanai	02/12/14		Spatially corrected ten (10) street centerline segments, partial spatial correction on nine (9) street centerline segments in Kula. Spatially corrected fourteen (14) street centerline segments, partial spatial correction on fifteen (15) street centerline segments, modified four (4) range segments and corrected the parity on one (1) segment in Lahaina.
			02/12/14	
	Maui/Lanai	02/11/14		Modified one (1) street centerline range segments, spatially corrected twenty-nine (29) street centerline segments, partial spatial correction on thirty-two (32) street centerline segments in Kula.
	Maui/Lanai	02/10/14		Modified twenty (20) street centerline range segments, spatially corrected twenty-three (23) street centerline segments, and partial spatial correction on twenty-two (22) street centerline segments in Kula.



Mapping Layers Updated/Loaded Into GIS – February 2014 (Continued)

		MAI	JI COUNTY	
Type of Layer	Island	Akimeka GIS Server	Date Loaded Into	Other/Remarks
Type of Eayer	iouna	Date Created/ Edits Performed	PSAP GIS Server	3.107.00.11.00
	Maui/Lanai	02/07/14		Modified six (6) street centerline range segments, spatially corrected thirteen (13) street centerline segments, partial spatial correction on four (4) street centerline segments and added one (1) street centerline segment for Thompson Rd in Kula.
	Maui/Lanai	02/06/14		Modified four (4) street centerline range segments, spatially corrected eleven (11) street centerline segments, partial spatial correction on two (2) street centerline segments in Kula.
Street Centerlines	Maui/Lanai	02/05/14		Extended the range for Kihau PI, Haiku per new address added
	Maui/Lanai	02/04/14		Modified two (2) street centerline range segments in Kahului and three (3) in Kula. Partial spatial correction on one (1) street centerline segment in Kula.
	Maui/Lanai	02/03/14		Modified two (2) street centerline range segments, spatially corrected six (6) street centerline segments and partial spatial correction on thirteen (13) street centerline segments in Kula.
Trails				
WSP Cell Towers	Maui/Lanai	02/25/14	02/12/14	Per AT&T CRS
		OTHER SUPPORTING (Listed	11	FETY LAYERS
Buildings				
Churches				
Gas Stations				



Mapping Layers Updated/Loaded Into GIS – February 2014 (Continued)

		MAI	JI COUNTY	
Type of Layer	Island	Akimeka GIS Server Date Created/ Edits Performed	Date Loaded Into PSAP GIS Server	Other/Remarks
Food & Beverage				
Hospitals				
Lodging				
Medical Facilities				
Parcels				
Parks (Includes National Parks)				
Park Polygon				
Post Offices				
Subdivisions				
			ELAND SECURITY Alphabetically)	LAYERS
Airports				
Bridges Coastline				
Coastal Names				



Mapping Layers Updated/Loaded Into GIS – February 2014 (Continued)

		MAI	JI COUNTY	
Type of Layer	Island	Akimeka GIS Server Date Created/ Edits Performed	Date Loaded Into PSAP GIS Server	Other/Remarks
Emergency Operation Centers (EOC)				
Emergency Shelters				
Government Buildings				
Harbors				
Helipads				
Hydrology Layers				
- Dams				
- Ponds				
- Streams (Includes Rivers)				
- Waterfalls				
Ocean Rescue Boundaries				
Ocean Safety (Includes Lifeguard Stands)				
Tsunami Evacuation Zones				
Tsunami Heights				
United States National Grid (50K)				
United States National Grid (500K)				
Waste Water Plants				



Mapping Layers Updated/Loaded Into GIS – February 2014 (Continued)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and are NG9-1-1 i3 ready

	MAUI COUNTY										
Type of Layer	Island	Akimeka GIS Server	Date Loaded Into	Other/Remarks							
Type of Layer	isiailu	Date Created/ Edits Performed	PSAP GIS Server	Otherntemarks							
	SPECIAL REQUESTS										
Gate Codes	Maui/Lanai	02/11/14		Updated The Island and Bluffs gate code per SR 633							
HCS Monsanto											
Fields											
Tow Jurisdictions											
TOW JULISUICHOUS											

Note: The Parcels layer is provided by Maui County. Akimeka performs edits on the spatial information of the layer for 9-1-1 purposes. Changes to the attribute table are made when needed. The Parcels layer uploaded to the PSAP GIS server is intended for 9-1-1 purposes only and should not be disseminated to other county agencies.

<u>CAD/Mapping System GIS Upload Process</u> Current Month GIS Activities – February 2014

02/12/14	Akimeka performed Powermap update which included: Address Points, Gate Codes, Street Centerlines, WSP Cell Sectors and WSP Cell Towers.
02/26/14	Akimeka performed Power MAP update which included: Address Points, Gate Codes, Street Centerlines, WSP Cell Sectors and WSP Cell Towers.
02/27/14	Akimeka conducted an Intergraph CAD map push which included the following data: Address Points, Common name lookup table, Gate Codes, Street Centerlines, and WSP Cell Towers

Everytime the GIS Update tool is used, Indexes and Cache have to be built. The Positron system configurator is adjusted every time a layer is loaded in the PowerMap database. Each PSAP position is updated accordingly.

February 2014



Maui County E9-1-1 Status Report February 1, 2014 - February 28, 2014

Geographic Information System (GIS)

Next Generation 911 (NG9-1-1) GIS Requirements

The transition of E9-1-1 to NG9-1-1 has caused a shift in the focus of the 9-1-1 GIS work. This new focus has centralized the GIS data model with more of an emphasis toward a higher degree of precision, while continuing its foundation on current, accurate, and standardized GIS data, only now to a higher level of exactness.

The NG9-1-1 GIS requirements have repositioned the focal point from generalizations and interpolation on Street Centerlines and civic addressing, to new and more focused requirements of point specific locations utilizing lat/longs, combined with civic addresses to determine a 9-1-1 caller's location from any communications device and from any location.

Akimeka has adapted the NG9-1-1 requirements into their correction processes and has continued working to improve accuracy, completeness, and quality of the GIS data. The redesigned correction process will also promote a higher level of detail, which helps facilitate data consistency and is an important element for interoperability and information sharing across the PSAPs.

During the month of February 2014, Akimeka has focused on correcting the following areas and has established a baseline moving into NG9-1-1:

	NGS	9-1-1 GIS Data Corrections	
GIS Layer Name	Type of Correction	Number of Records Corrected/Modified/Added/Removed	Comments/Details
Address Points	New Addresses	84 Added	Addresses received from DSA and from the DSA Address layer
Address Points	Spatially Corrected	631 Corrected	Corrected location of address point, recalculated x/y
Street Centerlines	Range Segments Corrected	73 Corrected	Ranges modified according to address point locations
Street Centerlines	Added new segments	2 Added	New Business Park in Kahului
Street Centerlines	Parity	2 Corrected	
Street Centerlines	Spatially Corrected/Partial Spatial Correction	160/130 Corrected	



Service Requests Transactions Open Service Requests – February 2014

	MAUI PSAP					
#	Date	Ticket#	Description	Category	Urgency	Comments
			NONE			

Note: Open Service Requests reflect what is in pending status at the end of the report month.

	MOLOKAI PSAP # Date Ticket #					
#	Date	Ticket #	Description	Category	Urgency	Comments
			NONE			

Note: Open Service Requests reflect what is in pending status at the end of the report month.

Year-to-Date (YTD) Summary (Maui) - 2014

MAUI PSAP				SERVICE REQUEST CATEGORIES							
2014	TOTAL		911	911 Map		AG	Request	Training	Suggestions		
2014	Created	Closed	Open	Created	Closed	Created	Closed	Created	Closed	Created	Closed
December											
November											
October											
September											
August											
July											
June											
May											
April											
March											
February	0	1	0	0	1	0	0	0	0	0	0
January	2	2	1	1	0	1	1	0	0	0	0
2013 Carryover	1		0	0	0	1	1	0	0	0	0
TOTAL	3	3	1	1	1	2	2	0	0	0	0

Note: Open Service Requests reflect what is in pending status at the end of the report month.



Service Requests Transactions (continued)

Year-to-Date (YTD) Summary (Molokai)- 2014


	MOLOKAI PSAP					SERVICE REQUEST CATEGORIES						
2014	TOTAL		911	Мар	MS	AG	Request	Training	Suggestions			
2014	Created	Closed	Open	Created	Closed	Created	Closed	Created	Closed	Created	Closed	
December												
November												
October												
September												
August												
July												
June												
May												
April												
March												
February	1	1	0	0	0	1	1	0	0	0	0	
January	0	0	0	0	0	0	0	0	0	0	0	
2013 Carryover	0	0	0	0	0	0	0	0	0	0	0	
TOTAL	1	1	0	0	0	1	1	0	0	0	0	

Note: Open Service Requests reflect what is in pending status at the end of the report month

	Category	Description
	911 Map	Mapping computer not functioning or displaying properly
Definitions:	MSAG	Discrepancies with 9-1-1 MSAG addresses
	Request Training	E-911 Operations training needs
	Suggestions	Vehicle to share suggestions

Hawaii County 9-1-1 Status Report

February 1, 2014 - February 28, 2014





PSAP Operations

9-1-1 Call Volume Hawaii County PSAPs - February 2014

Source: Intrado Viper

	9-1-1 Call Volume																
HAW	IAI'I POLICE PSAPs	Wi	reline	Wireless			VOIP Calls With No ALI			Admin Calls		Abandoned/ Dropped Calls		Other Calls			
2014	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Wireless WPH2 Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Calls Abandoned by Caller	% of Total Calls	No. of 9-1-1 Calls Abandoned by Caller	% of Total Calls
February	17,275	4,716	27.30%	11,352	65.71%	46.41%	53.59%	22	0.13%	14	0.08%	0	0.00%	1171	6.78%	0	0.00%

911 Call Volume Hawaii County PSAPs - Calendar Year 2014

						9	-1-1 Call Volum	е									
Haw	Hawaii County PSAPs Wireline				Wireless			VOIP Calls with No		n No ALI	lo ALI Admin Calls		Abandoned Calls		Other Calls		
2014	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Wireless WPH2 Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Calls Abandoned by Caller	% of Total Calls	Other Calls	% of Total Calls
January	20,517	5,680	27.68%	12,884	62.80%	48.15%	51.85%	9	0.04%	22	0.11%	0	0.00%	1,922	9.37%	0	0.00%
February	17,275	4,716	27.30%	11,352	65.71%	46.41%	53.59%	22	0.13%	14	0.08%	0	0.00%	1,171	6.78%	0	0.00%
March																	
April																	
May																	
June																	
July																	
August																	
September					_									_			
October																	
November																	
December																	
YTD	37,792	10,396	27.49%	24,236	64.26%	47.28%	52.72%	31	0.09%	36	0.09%	0	0	3,093	8.07%	0	0
MON AVG	18,896	5,198		12,118				15.5		18		0		1,546.50		0	

PSAP Operations (continued)

Note:

There were no call volume statistics between January 28, 2014, 2:11 p.m. HST, and January 28, 2014, 9:01 p.m. HST, while the PSAPs were on the 9-1-1 back-up system due to a Intrado Viper System outage.

9-1-1 Call Volume by Agency - February 2014

Source: Intrado Viper

		9-1-1 Call Volume by Agency									
			HF	PD		HFD					
2014	Number of Total Calls Received	% of Total Calls	Number of Admin Calls	Number of Abandoned/ Dropped Calls	Number of Other Calls	Number of Total Calls Received	% of Total Calls	Number of Admin Calls	Number of Abandoned/ Dropped Calls	Number of Other Calls	
February	13,955	80.78%	0	1,163	0	2,149	12.44%	0	8	0	

9-1-1 Call Volume by Agency - Calendar Year 2014

			9-	1-1 Call Volume by A	gency						
			HPD		HFD						
2014	Number of Total Calls Received	Number of Admin Calls	Number of Abandoned Calls	% of Total Calls	Number of Total Calls Received	Number of Admin Calls	Number of Dropped Calls	% of Total Calls			
January	16,012	0	1,891	78.04%	2,583	0	31	12.59%			
February	13,955	0	1,163	80.78%	2,149	0	8	12.44%			
March											
April											
May											
June											
July											
August											
September											
October											
November											
December											
YTD	29,967	0	3,054	79.41%	4,732	0	39	12.51%			
MON AVG	14,984	0	1,527		2,366	0	19.5				

PSAP Operations (continued)

Notes:

- (1) Total call volumes include Administrative calls. (Administrative calls = Calls made between 9-1-1 positions but are not 9-1-1 calls.)
- (2) "Abandoned" calls represent the number of incoming 9-1-1 calls for which the caller had hung up before a call-taker answered.
- "Abandoned" calls are included in the "Wireline" and "Wireless" counts respectively. The standard Intrado Viper reports provide a break-out of "Abandoned" calls between "Wireline" and "Wireless" calls.

Wireless Test - February 2014

Date	WSP	Sites Tested	Sectors Tested	Tested By:	Test Pass/Fail
None					

There was no scheduled Wireless Testing for Hawaii County in February 2014.

MSAG

Current Month – February 2014

					9-1-	1NET R	EQUES	STS			In Ref	ferred		
20	14		MSAG TRANSACTIONS							ALI TRANSACTIONS		tus Report h End	In Suspended Status as of Report Month End (d)	
PSAP	TOTAL	Total	Change	Combined	Delete	Insert	Split	Customer Addresses Affected	County Address Change Request (TN CR) Submitted (a)	ALI Discrepancy (ALI-DR) Submitted (b)		ALI-DR	# of Transactions	TNs Affected
HAWAII	171	64	12	28	16	7	1	1,571	96	11	383	2	0	0

During the month of February 2014, one hundred seventy-one (171) MSAG transactions were processed in 9-1-1 Net. Sixty-four (64) requests were processed relating to the MSAG database, with 1,571 customer ANI/ALI (telephone/address) records updated as a direct result Akimeka's address research and GIS validation process Ninety-six (96) Telephone Number Change Requests (TN CR) transactions and eleven (11) ALI-DR transactions were also processed in 9-1-1Net for updates and corrections. The 96 TNCRs were submitted with MSAG valid address, as a result of the ESN 299 clean-up effort. Streets and address ranges were validated against the GIS to ensure synchronization and an MSAG valid address was provided to the Telco. TN CRs must be validated against HT records and approved by the end user Hawaiian Telcom customer before updating the ALI record.

There are 383 TN CRs in Referred Status as of February 28, 2014.

Fifty (50) of the TN CRs in "Referred" status are the remainder of the TNs submitted to Intrado in October 2012 as a result of the Puako Beach Road address changes per the Hawai'i County Planning Department. These TN CRs deal primarily with house numbers. See Service Request #225.

The remaining 333 "Referred" records are a direct result of the ESN 299 clean-up and are awaiting approval from Hawaiian Telcom, Inc. Akimeka continues to monitor and track the progress of the Referred records. Once a telephone number is submitted to Intrado for correction, it must be verified against HT records and/or approved by the customer. Intrado's internal process requires calling each telephone customer individually for approval to update an address in the 9-1-1 database.

Numerous follow-ups have been made by Akimeka inquiring as to why these TN CRs remain in "Referred" status. No explanation has been provided as to why these house numbers are not being updated for 9-1-1 purposes.

Intrado will notify Akimeka when the TNs have been updated in 9-1-1Net.

There are two (2) ALI-DR in Referred status as of February 28, 2014.

One ALI DR in "Referred" status was submitted on November 21, 2013. The ALI DR was the result of a 9-1-1 call from a residence in Kealakekua. Hawaii County Fire submitted a request to Akimeka to update the customer street name from Mamalahoa Hwy to Hawaii Belt Rd. Akimeka submitted the ALI DR to Intrado and the transaction is awaiting approval from the telco.

MSAG (continued)

Current Month – February 2014

The other ALI DR in "Referred" status was submitted to Intrado on February 3, 2014. The ALI DR was the result of a 9-1-1 call from a residence in Hilo. Hawaii County Fire submitted a request to Akimeka to update the customer address currently displaying in Volcano, to their correct MSAG valid address in Hilo. Akimeka submitted the ALI DR to Intrado and the transaction is awaiting approval from the telco.

There are no Suspended records as of February 28, 2014

Year-to-Date (YTD) Summary – 2014

	•		•	•	9-1	-1NET REC	UESTS	•		•		ed Status	In Suspend	
HAWAII C	COUNTY			MSAG	TRANSACT	TONS			ALI TRANS	ACTIONS		t Month End	as of Report (d	
2014	TOTAL	Total	Change	Combined	Delete	Insert	Split	Customer Addresses Affected (*)	County Address Change Request (TN CR) Processed (a)	ALI Discrepancy (ALI-DR) Processed (b)	TN CR	ALI-DR	# of Transactions	TNs Affected
December														
November														
October														
September														
August														
July														
June														
May														
April														
March														
February	171	64	12	28	16	7	1	1,571	96	11	383	2	0	0
January	313	141	22	39	61	15	4	64	164	8	670	1	0	0
TOTAL YTD	484	205	34	67	77	22	5	1,635	260	19				
AVG PER MO	242	103	17	34	39	11	3	818	130	10				

Note: Revised categories and report format changes effective May 2012 with new Intrado TN CR functionality.

	(a)	Represents address corrections on a specific TN or group of TNs. These "invalid" TNs usually have an associated ESN x99 attached to them which indicates the need for validation.
	(b)	Represents an address discrepancy discovered during a live 9-1-1 call. These record corrections are treated with a higher priority and should be processed within 48 hours as a general guideline.
<u>Definitions:</u>	(c)	Represents correction requests that have been referred by Intrado to the appropriate service provider and is awaiting approval to be updated in 9-1-1Net.
	(d)	Represents correction requests that have been "paused" due to TN fallouts, range overlaps, or not having a valid address point. Intrado requires additional information from Akimeka/PSAP before the Telco approves the change.

Mapping Layers Updated/Loaded Into GIS - February 2014

9-1-	9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and are NG9-1-1 i3 ready									
	•	• •	IAWAII							
Towns of Lawren	Akimeka GIS Server	Date Loaded Into	Others/Demonder							
Type of Layer	Date Created/ Edits Performed	PSAP GIS Server	Other/Remarks							
			UBLIC SAFETY LAYERS Alphabetically)							
		CALLE	R LOCATION							
		02/25/14								
			Added seven (7) new addresses in Captain Cook.							
			Added two (2) new addresses in Hakalau.							
			Added one (1) new address in Hawi.							
			Added one (1) new address in Honokaa.							
			Added 22 new addresses in Kailua Kona.							
			Added five (5) new addresses in Kamuela.							
			Added ten (10) new addresses in Keaau.							
			Added one (1) new address in Keauhou.							
			Added 12 new addresses in Kurtistown.							
	02/24/14		Added nine (9) new addresses in Mountain View.							
Address Points			Added one (1) new address in Naalehu.							
Address Follits			Added 17 new addresses in Ocean View.							
			Added one (1) new address in Ookala.							
			Added three (3) new addresses in Paauilo.							
			Added 16 new addresses in Pahoa.							
			Added one (1) new address in Papaaloa.							
			Added one (1) new address in Papaikou.							
			Added 12 new addresses in Volcano.							
			Completed monthly update on address points.							
	02/04/14 - 02/24/14		Spatially corrected twelve (12) address points; Corrected routing id to two							
		2/11/14	(2) addresses in Hilo.							
	02/07/14	2/11/14	Spatially corrected one (1) address point in Keaau.							
	0207711		opation consisted one (1) address point in resadu.							
Emergency Callboxes										
Camboxes										
Fire Stations										
Medic Stations										
Milepost Markers										
Points of Interest										
(POI)	02/07/14		Spatially corrected three (3) Points of Interests in Keaau.							
Police Stations										

Mapping Layers Updated/Loaded Into GIS – February 2014 (continued)

9-1-1	GIS layers provi	ded by Akime	eka to the PSAP are designed for use on
	<u></u>		nd are NG9-1-1 i3 ready
	Akimeka GIS Server		
Type of Layer	Date Created/ Edits Performed	Date Loaded Into PSAP GIS Server	Other/Remarks
Schools			
Tsunami Evacuation Zones			
Tsunami Roadblocks			
WOD ON I Town	00/44/44	02/25/14	Per VZW CRS
WSP Cell Towers	02/14/14	02/11/14	Pel VZW CR3
		DISPATCH	AND RESPONSE
ESZ/ESN			
ESZ/ESN			
Fire Beats (Includes Medic Beats)			
Fire Districts (Includes Medic Districts)			
Fire Response Areas			
MSAG Communities (aka Towns)			
Medic Response Areas			
Ocean Rescue Boundaries			
Police Beats			
Police Districts			
Police Response			
Areas		00/05/44	
WSP Cell Sectors	02/14/14	02/25/14	Per VZW CRS
	UZI 14/ 14	02/11/14	1 0. 1211 0.10

Mapping Layers Updated/Loaded Into GIS – February 2014(continued)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on

	E9-1-		nd are NG9-1-1 i3 ready
	T	<u>+</u>	ławaii II
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	Date Loaded Into PSAP GIS Server	Other/Remarks
		2/25/14	
	02/19/14 - 02/24/14		Flipped one (1) street segment; Assigned range to one (1) street; Spatially corrected two (2) streets; Corrected range to one (1) street in
	02/24/14		Completed monthly update on street centerlines.
			Corrected range to two (2) streets in Pahoa.
	02/19/14		Changed name to two (2) streets in Kailua Kona. Corrected range to two (2) streets in Kailua Kona.
			Flipped two (2) street segments in Kealakekua. Changed name to two (2) streets in Kealakekua. Corrected range to two (2) streets in Kealakekua.
	02/10/14 - 02/13/14		Spatially corrected five (5) streets; Corrected four (4) gap errors; Merged four (4) street segments and corrected two (2) Segment too Short errors in Kailua Kona.
	02/04/14 - 02/13/14		Spatially corrected six (6) streets; Corrected parity to two (2) streets; Corrected eighteen (18) gap errors; Spatially corrected two (2) street segments; Flipped one (1) street segment; Corrected two (2) direction errors; Merged 18 street segments and corrected nine (9) Segment too Short errors and Corrected range to eight (8) streets in Hilo.
	02/04/14 - 2/13/14		Corrected range to four (4) streets; Removed RD from StreetName field to segment; Corrected two (2) gap errors in Pahoa.
Street Centerlines			Corrected range to two (2) streets in Volcano.
	02/13/14		Spatially corrected five (5) streets in Papaikou.
	02/12/14		Corrected 16 gap errors in Kurtistown.
	06/06/14 - 02/11/14		Flipped one (1) street segment; Corrected direction errors to four (4) streets; Flipped one (1) street segment in Hawi.
	00/44/44		Corrected three (3) direction errors and Flipped one (1) street segment in Keaau.
	02/11/14		Corrected two (2) direction errors; Flipped one (1) street segment and Corrected parity to one (1) street in Paauilo.
		02/11/14	
	02/04/14 - 02/10/14		Corrected two (2) gap errors; Corrected three (3) direction errors in and Spatially corrected one (1) street in Honokaa.
			Spatially corrected three (3) streets, Merged six (6) street segments and corrected three (3) Segment too Short errors in Kamuela.
	02/10/14		Merged two (2) street segments and corrected one (1) Segment too Short error in Kealakekua.
	02/10/14		Merged two (2) street segments and corrected one (1) Segment too Short error; Spatially corrected one (1) street in Paauhau.
			Merged two (2) street segments and corrected one (1) Segment too Short error in Waikoloa.

Mapping Layers Updated/Loaded Into GIS – February 2014 (continued)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and are NG9-1-1 i3 ready									
HAWAII									
	Akimeka GIS Server	Date Loaded Into	Other / Demonder						
Type of Layer	Date Created/ Edits Performed	PSAP GIS Server	Other/Remarks						
	02/04/14 - 02/07/14		Flipped one (1) street segment; Corrected direction errors to two (2) streets and Corrected two (2) gap errors in Kapaau.						
	00/07/44		Flipped one (1) street segment; .Corrected direction errors to three (3) streets in Naalehu.						
	02/07/14		Flipped one (1) street segment and Corrected two (2) direction errors in Ookala.						
Street Centerlines	02/06/14		Corrected ESN Right attribute to street in Keaau/Kurtistown.						
	20/25/4		Corrected two (2) gap errors in Laupahoehoe.						
	02/05/14		Corrected two (2) gap errors in Ocean View.						
	02/04/14		Spatially corrected two (2) streets in Captain Cook.						
		VISUAL	. REFERENCE						
Coastline									
Major Roads									
Parcels									
Trails									
SPECIAL REQUESTS									
Correctional									
Facilities									

<u>CAD/Mapping System GIS Upload Process</u> Current Month GIS Activities – February 2014

- 02/11/14 Akimeka performed Powermap Update which included: Address Points, Points Of Interest, Street Centerlines, WSP Cell Sectors and WSP Cell Towers.
- 02/25/14 Akimeka performed Powermap Update which included: Address Points, Points Of Interest, Street Centerlines, WSP Cell Sectors and WSP Cell Towers.

Everytime the GIS Update tool is used, Indexes and Cache have to be built. The Positron system configurator is adjusted every time a layer is loaded in the PowerMap database. Each PSAP position is updated accordingly.

Mapping Layers Updated/Loaded Into GIS - February 2014 (continued)

Address Points and Street Centerlines Update Comparison

On a routine basis, upon receipt of Hawai'i County Planning Department's Address Points and Street Centerlines layer updates, Akimeka compares and incorporates any of the County's additions, changes, and deletions into the Akimeka Address Points and Street Centerlines layers. In the month of May 2012, Akimeka added a process to identify changes to the Street Segment Names which has been included in the chart below.

The Address Points and Street Centerlines layer comparative analysis was completed on the updates received from the Hawai'i County Planning Department on **February 24, 2014**. Results are as follows:

HAWAII COUNTY	Address Points Layer	Street Centerlines Layer
# of New Street Segments Added		0
# of Street Segments Removed		0
# of New Addresses Added	130	
# of Addresses Removed	0	
# of Street Segment Range Changes		5
# of Street Segment Name Changes		4
# of Address Street Name Changes	0	
# of Address Street Number Changes	0	

<u>Note:</u> Some Address Points have its street name and street number changed at the same time. These are counted as separate actions since these changes are needed to make the layers "9-1-1 capable" for dispatch and response.

Geographic Information System (GIS)

Next Generation 911 (NG9-1-1) GIS Requirements


The transition of E9-1-1 to NG9-1-1 has caused a shift in the focus of the 9-1-1 GIS work. This new focus has centralized the GIS data model with more of an emphasis toward a higher degree of precision, while continuing its foundation on current, accurate, and standardized GIS data, only now to a higher level of exactness.

The NG9-1-1 GIS requirements have repositioned the focal point from generalizations and interpolation on Street Centerlines and civic addressing, to new and more focused requirements of point specific locations utilizing lat/longs, combined with civic addresses to determine a 9-1-1 caller's location from any communications device and from any location.

Akimeka has adapted the NG9-1-1 requirements into their correction processes and has continued working to improve accuracy, completeness, and quality of the GIS data. The redesigned correction process will also promote a higher level of detail, which helps facilitate data consistency and is an important element for interoperability and information sharing across the PSAPs.

During the month of February 2014, Akimeka has focused on correcting the following areas and has established a baseline moving into NG9-1-1:

NG9-1-1 GIS Data Corrections								
GIS Layer Name	Type of Correction	Number of Records Corrected/Modified/Added/Removed	Comments/Details					
Street Centerlines	Gaps	48 corrected	Majority were in Hilo and Kurtistown					
Street Centerlines	Range/Parity	22/3 corrected	Majority were in Hilo and Pahoa					
Street Centerlines	Spatial Correction	27 corrected	Majority were in Hilo, Paauhau and Kailua Kona					
Street Centerlines	Merged/Corrected Segment Too Short	34/17 corrected	Majority were in Hilo					
Street Centerlines	Flipped/Corrected Direction	10/21 corrected	To ensure proper routing					
Street Centerlines	Changed street name	4 modified	Two were in Kealakekua and two were in Kailua Kona					
Address Points	New Address Points	131 added	Throughout County in 20 communities					
Address Points	Routing ID	2 corrected	To ensure proper routing to address					
Address Points	Spatially Corrected	7 corrected	Corrected location of Address Point, recalculated x/y					



Points of	Spatially Corrected	3 corrected	Corrected location of
Interest			Point of Interest,
			recalculated x/y

Geographic Information System (GIS) (Continued)

Addition of New Emergency Service Number (ESN)

In order to accommodate the new Fire District 21 that had been created during the month of January 2014 per the request of the Hawaii Fire Department, during the month of February 2014, Akimeka began creation of a new ESN 239 in the GIS data based on this recent update.

- 1. Subsequent to the creation of the new Fire District in January 2014, during February 2014, Akimeka began creating the new ESN and plans to have this completed in March 2014.
 - During this correction process in February 2014, Akimeka also updated the boundaries to ESN 234 and ESN 236.
 - b. The process will also include corrections to the Street Centerlines, Address Points and the MSAG database including all affected TNs to ensure proper routing of emergency services.

Service Requests Transactions

Open Service Requests - February 2014

#	Date	Ticket#	Description	Category	Urgency
1	6/3/2010	225	Calls coming in from Puako Beach Dr. are reported to have just 3 digit addresses, however, they should be having 6 digit addresses according to the addressing scheme for the Island of Hawaii.	MSAG	Normal
2	11/21/2013	621	Updated Address	MSAG	Normal
3	02/03/14	641	Updated Address	MSAG	Normal

Service Requests Transactions (continued)

Year-to-Date (YTD) Summary - 2014

HAWAII				SERVICE REQUEST CATEGORIES								
2014		TOTAL			911 Map		MSAG		Request Training		Suggestions	
2014	Created	Closed	Open	Created	Closed	Created	Closed	Created	Closed	Created	Closed	
December												
November												
October												
September												
August												
July												
June												
May												
April												
March												
February	14	13	3	0	0	14	13	0	0	0	0	
January	9	9	2	0	0	9	9	0	0	0	0	
2013 Carryover	1	1	2	0	0	1	1	0	0	0	0	
TOTAL	24	23	7	0	0	24	23	0	0	0	0	

Note: Open Service Requests reflect what is in pending status at the end of the report month.

	Category	Description
	911 Map	Mapping computer not functioning or displaying properly
Definitions:	MSAG	Discrepancies with 9-1-1 MSAG addresses
	Request Training	E-911 Operations training needs
	Suggestions	Vehicle to share suggestions

E9-1-1 Database Synchronization

(<u>Reference:</u> NENA 71-501, Version 1.1 – NENA Information Document for Synchronizing Geographic Information System databases with MSAG & ALI)

As part of Akimeka's value added services, Akimeka conducted a quarterly database synchronization audit for Hawai'i County in November 2013.

The database synchronization effort included comparing Hawai'i County's 9-1-1 MSAG against its GIS Street Centerline data. A total number of **4,420** 9-1-1 MSAG records were reviewed in the audit and analyzed. Results of the database synchronization audit completed on February 28, 2014 for Hawai'i County are reported below.

Database synchronization should be part of an ongoing and continuous process to ensure that the databases remain current and synchronized. Since neither database is static in nature, the synchronization process will never yield a 100 percent match rate. As such, NENA's recommended minimum match rate is 98%.

The database synchronization process is essential to monitor and ensure the level of accuracy of the E9-1-1 databases and prepare for Next Generation 9-1-1 (NG9-1-1). As such, Akimeka will perform database synchronization audits on a quarterly basis as part of its ongoing maintenance process. Results of the database synchronization audit will be included and reported in the Monthly Status Report (MSR) accordingly.

Audit Summary Results - 2014

		As of February 1, 2013		As of May 1, 2013		As of August 1, 2013		As of November 1, 2013		As of February 1, 2014	
9-1-1 MSAG TO GIS STREET CENTERLINE AUDIT COMPARISON RESULTS	Notes	9-1-1 MSAG Dated 02-01-13		9-1-1 MSAG Dated 05-01-13		9-1-1 MSAG Dated 08-01-13		9-1-1 MSAG Dated 11-01-13		9-1-1 MSAG Dated 02-01-14	
		# of Records	%								
Total 9-1-1 MSAG Records Reviewed		4,413		4,412		4,422		4,426		4,420	
Less: 9-1-1 MSAG Exception Records	(1)	6	0.1%	6	0.1%	6	0.1%	6	0.1%	4,375	99.0%
Net 9-1-1 MSAG Records Eligible for Comparison		4,407		4,406		4,416		4,420		45	
Total 9-1-1 MSAG Records Match (9-1-1 MSAG GIS Match No Corrections Required)		4,292	97.4%	4,334	98.4%	4,381	99.2%	4,375	99.0%	1	2.2%
9-1-1 MSAG GIS No Match Minor Correction Required	(2)	88	2.0%	59	1.3%	30	0.7%	40	0.9%	0	0.0%
9-1-1 MSAG Record With No GIS Record	(3)	27	0.6%	13	0.3%	5	0.1%	5	0.1%	51	113.3%
Total 9-1-1 MSAG Records No Match		115	2.6%	72	1.6%	35	0.8%	45	1.0%	51	113.3%

Objective: NENA Recommended Match Rate = 98%

E9-1-1 Database Synchronization (continued)


(<u>Reference:</u> NENA 71-501, Version 1.1 – NENA Information Document for Synchronizing Geographic Information System databases with MSAG & ALI)


Audit Summary Results - 2014 (continued)

Notes:

- (1) An MSAG Record that will not have a corresponding GIS Street Centerline Record but is required for the routing of E9-1-1 calls (i.e., Emergency Call Box, Foreign Exchange Records, Wireless Shell Records, etc.). No further action is required.
- (2) An MSAG Record that requires minor MSAG attention in 9-1-1Net to correct MSAG Records (i.e., Reassignment of an MSAG Community, modification of the Site Address Range, assignment of an ESN, performing a combine or insert of an existing MSAG Record, etc.).
- (3) An MSAG Record that does not have a corresponding GIS Record and will require additional research and validation. The GIS Section will assist with this effort.

Audit Summary Results - February 1, 2014 vs. November 1, 2013 MSAG





Hawai'i County's level of accuracy or 9-1-1 Match percentage was 98.98% as of February 25, 2014 as compared to 99.0% as of November 1, 2013

- There continues to be a tremendous work effort to synchronize the MSAG and GIS data. Akimeka continues to work closely with County Planning to address problem areas. Hawai'i County has worked very hard to assign addresses and name and range street centerlines which have helped facilitate Akimeka's synchronization efforts.
- * "MSAG GIS Minor Corrections" increased from 60 to 89 from November 2013 to February 2014 respectively. This was primarily the result of edits made to the GIS Street Centerlines layer in order to meet new NG9-1-1 requirements. The non-match condition was the result in which MSAG records submitted in 9-1-1Net were not completed prior to the running of the comparison. Akimeka section will monitor these records to ensure they are processed in 9-1-1Net prior to the May 2014 re-analysis.

E9-1-1 Database Synchronization (continued)

(<u>Reference:</u> NENA 71-501, Version 1.1 – NENA Information Document for Synchronizing Geographic Information System databases with MSAG & ALI)

Audit Summary Results – February 1, 2014 vs. November 1, 2013 MSAG (continued)

- *GIS Record With No Matching MSAG Record" decreased from 88 to 56 from November 2013 to February 2014 respectively. This includes GIS records that have no MSAG records, and/or GIS records that do not match the MSAG record exactly. The non-match condition of the remaining 56 records may also be a result in which MSAG records submitted in 9-1-1 Net were not completed prior to the running of the comparison. Akimeka section will monitor these records to ensure they are processed in 9-1-1Net prior to the May 2014 re-analysis.
- "GIS Record With No MSAG Record" decreased by 85% (35 to 5) from November 2013 to February 2014 respectively. A combination of corrections within the MSAG database has been processed in order to meet NG9-1-1 requirements, resulting in decrease of missing MSAG records.
- Ongoing maintenance is critical to ensure the database synchronized level of address accuracy is maintained each time an MSAG or GIS record is "touched".

Invalid MSAG Streets and Address Ranges – ESN x99 Records

At the request of the County of Hawai'i Chief of Police, Hawaiian Telcom, Inc. (HTI) provided Hawai'i County and Akimeka, as the PSAP's agent, with access and visibility to the ESN x99 MSAG records which are "known" invalid streets and address ranges. Results of the data provided are as follows:

	Invalid MSAG Records						
		9-1-1 MSAG Dated 02-01-14					
HAWAII	# of Records (Baseline Starting Point)	# of Records	% of Total MSAG Records (Valid and Invalid)				
ESN 299	2,150	1450	24.7%				

These invalid MSAG records represent **24.7**% of the Total MSAG records for Hawai'i County. The individual ALI records associated with these records are provided below.


TN CRs are submitted by Akimeka when valid MSAG addresses are identified and validated against the GIS data. Akimeka will continue to investigate and report on these ESN 299 MSAG records as a separate project and add-on to the Database Synchronization quarterly report.

E9-1-1 Database Synchronization (continued)

(<u>Reference:</u> NENA 71-501, Version 1.1 – NENA Information Document for Synchronizing Geographic Information System databases with MSAG & ALI)

Automatic Location Identification (ALI) Discrepancy Reports

As part of Akimeka's ongoing database synchronization efforts, Akimeka reviewed and summarized the ALI discrepancy reports by community for Hawai'i County. As of February 26, 2014, **11,229** ESN 299 records, representing **12.7%** of Hawai'i County's total ALI records, require research and corrective action, if needed. These ALI discrepancy reports may result in a No Record Found (NRF) condition during a 9-1-1 call.



The total number of ALI records decreased by .3% (89,038 to 88,766) while the number of ESN 299 records decreased from 11,758 to 11,229 (4.5%) from November 2013 to February 2014 respectively. The decrease was due primarily to Akimeka's effort to identify the invalid MSAG records and verify their correct locations against current County GIS data.

Although the ESN 299 is a "valid" MSAG utilized for overflow addressing, the voice portion of the 9-1-1 call will still be routed to the PSAP. However, the address information will present an invalid address/location to the dispatcher or a "No Record Found" condition which may affect the processing of the 9-1-1 response and/or cause confusion or delay during the dispatch of 9-1-1 resources to the caller's location.

The goal, which requires the cooperation among all service providers, is to clean-up all ESN 299 MSAG records to a valid Hawai'i County ESN and valid MSAG address.

Kauai County 9-1-1 Status Report

February 1, 2014 - February 28, 2014





PSAP Operations 9-1-1 Call Volume – February 2014

Source: Intrado Viper

	9-1-1 Call Volume																
KAUA	1 PSAP	Wireli	ine		Wireless			V	OIP	Calls With No Admin		n Calls	Calls Abandoned/ Dropped Calls		Other Calls		
2014	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	Of VolD	Wirele ss WPH2	Calls	% of Total Calls	No. of Admi n Calls	Total	No. of 9-1-1 Calls Abandone d by Caller	% of Total Calls	Other	% of Total Calls
February	4,091	806	19.70%	2,703	66.07%	50.06%	49.94%	6	0.15%	28	0.68%	0	0.00%	548	13.40%	0	0.00%

9-1-1 Call Volume - Calendar Year 2014

	9-1-1 Call Volume																
KAUA	KAUA'I PSAP Wireline			Wireless			VOIP		Calls with No ALI		Admin Calls		Abandoned Calls		Other Calls		
2014	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Wirele ss WPH2 Calls	No. of Calls with No ALI	% of Total Calls	No. of Admi n Calls	% of Total Calls	No. of 9-1-1 Calls Abandone d by Caller	% of Total Calls	Other	% of Total Calls
January	5,059	1,034	20.44%	3,107	61.42%	51.66%	48.34%	7	0.14%	30	0.59%	0	0.00%	881	17.41%	0	0.00%
February	4,091	806	19.70%	2,703	66.07%	50.06%	49.94%	6	0.15%	28	0.68%	0	0.00%	548	13.40%	0	0.00%
March																	
April																	
May																	
June																	
July																	
August																	
September																	
October																	
November																	
December																	
YTD	9,150	1,840	20.11%	5,810	63.74%			13	0.14%	58		0	0.00%	1,429	15.62%	0	0.00%
MON AVG	4,575	920	20.07%	2,905	63.74%	50.86%	49.14%	7	0.14%	29	0.64%	0	0.00%	715	15.40%	0	0.00%

Notes:

- (1) Total call volumes include Administrative calls. (Administrative calls = Calls made between 9-1-1 positions but are not 9-1-1 calls.)
- (2) "Abandoned" calls represent the number of incoming 9-1-1 calls for which the caller had hung up before a call-taker answered.
- (3) "Abandoned" calls are included in the "Wireline" and "Wireless" counts respectively. The standard Intrado Viper reports provide a break-out of "Abandoned" calls between "Wireline" and "Wireless" calls.

Wireless Test - February 2014

Date	WSP	Sites Tested	Sectors Tested	Tested By	Test Pass/Fail
None					

There were no scheduled wireless testing for Maui County in February 2014.

MSAG

Current Month – February 2014

			9-1-1NET REQUESTS										In Suspended Status		
20	014		MSAG TRANSACTIONS							SACTIONS	as of Report Month End (c)		as of Report Month End		
PSAP	TOTAL	Total	Change	Combined	Delete	Insert	Split	Customer Addresses Affected	County Address Change Request (TN CR) Submitted	ALI Discrepancy (ALI-DR) Submitted (b)	TN CR	ALI- DR	# of Transactions	TNs Affected	
KAUAI	38	9	7	2	0	0	0	443	27	2	155	0	0	0	

During the month of February 2014 thirty-eight (38) MSAG transactions were processed during the month of February 2014. Nine (9) 9-1-1Net requests were processed relating to the MSAG database, with 443 customer ANI/ALI (telephone/address) records updated as a direct result of Akimeka's address research and GIS validation process . Twenty-seven (27) Telephone Number Change Requests (TN CR) were processed in 9-1-1Net for updates and corrections to the ALI database. The TN CRs were submitted as a result of the ESN 499 clean-up effort. Streets and address ranges were validated against the GIS to ensure synchronization and an MSAG address was provided to the Telco. TN CRs must be validated against HT records and approved by the end user Hawaiian Telcom customer before updating the ALI record.

There are 155 TN CRs in Referred status as of February 28, 2014.

155 TN CRs that remain in "Referred" status are a direct result of the ESN 499 clean-up and are awaiting approval from end user Hawaiian Telcom customer in order to update the ALI records. No explanation has been provided by HTI as to why these TN CRs have not been processed for 9-1-1 purposes.

Intrado will notify Akimeka when each TN has been updated in 9-1-1Net

There are no ALI-DRs in Referred status as of February 28, 2014.

There are no records in Suspended status as of February 28, 2014.



MSAG (continued)

Year-to-Date (YTD) Summary - 2014

					9-1	I-1NET	REQUE	STS			In Ref	erred		
KAUA			MSAG T	RANSA	CTIONS	3		ALI TRA	NSACTIONS	Status as of Report Month End (c)		In Suspended Status as of Report Month End (d)		
2014	TOTAL	Total	Change	Combined	Delete	Insert	Split	Customer Addresses Affected (*)	County Address Change Request (TN CR)	ALI Discrepancy (ALI-DR) Submitted (b)		ALI-DR	# of Transactions	TNs Affected
December														
November														
October														
September														
August														
July														
June														
May														
April														
March														
February	38	9	7	2	0	0	0	443	27	2	155	0	0	0
January	46	15	3	2	5	2	3	42	31	0	139	0	0	0
TOTAL YTD	84	24	10	4	5	2	3	485	58	2				
AVG PER MO	42	12	5	2	3	1	2	243	29	1				

Note: Revised categories and report format changes effective May 2012 with new Intrado TN CR functionality.

	(2)	Represents address corrections on a specific TN or group of TNs. These "invalid" TNs usually have an associated ESN x99 attached to them which indicates the need for validation.
	/h\	Represents an address discrepancy discovered during a live 9-1-1 call. These record corrections are treated with a higher priority and should be processed within 48 hours as a general guideline.
<u>Definitions:</u>	(c)	Represents correction requests that have been referred by Intrado to the appropriate service provider and is awaiting approval to be updated in 9-1-1Net.
		Represents correction requests that have been "paused" due to TN fallouts, range overlaps, or not having a valid address point. Intrado requires additional information from Akimeka/PSAP before the Telco approves the change.

Mapping Layers Updated/Loaded Into GIS - February 2014

		KAUA							
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	Date Loaded Into PSAP GIS Server	Other/Remarks						
		CAL 9-1-1 PUBLIC	SAFETY LAYERS						
(Listed Alphabetically)									
Address Points		02/13/14							
7.00.000.000.000	02/05/14		Corrected routing id to 35 addresses in Pakala.						
Emergency Callboxes									
Fire Beats									
Fire Districts									
Fire Decrease Assess									
Fire Response Areas									
Fire Stations									
Incident									
Response Area									
Matan Banda									
Major Roads									
MOAO O									
MSAG Communities (aka Towns)									
(
Medic Beats									
Medic Districts									
Medic Response Areas									
Medic Stations									
1	1	II	II						

Mapping Layers Updated/Loaded Into GIS - February 2014

Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	Date Loaded Into PSAP GIS Server	Other/Remarks
Milepost Markers			
Points of Interest	02/26/14		Performed review of Name Field and to be compliant with NENA standards removed special characters from 152 records.
Police Beats			
Police Districts			
Police Response Areas			
Police Stations			
Schools			
Street Centerlines	02/14/14	02/13/14	Split two (2) streets (Kukui St and Olohena St) in Kapaa. Reviewed fire beat attributes and updated where needed. Added street segment; Corrected range to one (1) street segment in Kaumakani.
	02/12/14		Corrected range to two (2) streets; Flipped two (2) street segments; Corrected parity to two (2) street segments in Mana.
	02/05/14		Corrected parity to six (6) streets in Numila.
Trails			
WSP Cell Sectors	02/11/14	02/13/14	Per AT&T CRS Per AT&T CRS
WSP Cell Towers (Points)	02/11/14	02/13/14 01/23/14 01/09/14	Per AT&T CRS Per AT&T CRS

Mapping Layers Updated/Loaded Into GIS - February 2014

		KAUA	
	Akimeka GIS Server	Date Loaded Into	
Type of Layer	Date Created/ Edits Performed	PSAP GIS Server	Other/Remarks
	l	POPTING 9-1-1 PI	BLIC SAFETY LAYERS
	OTHER GOF	(Listed Alphab	
Churches			
Gas Stations			
Food & Beverage			
Hospitals			
Lodging			
Medical Facilities			
Parcels			
Parks			
Parks Polygon			
Post Offices			
Out district and			
Subdivisions			
	DISAST	TER/HOMELAND S	ECURITY LAYERS
		(Listed Alphab	
Airports			

Mapping Layers Updated/Loaded Into GIS - February 2014

		KAUA	1
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	Date Loaded Into PSAP GIS Server	Other/Remarks
Bridges			
Coastline			
Coastal Names			
Communications			
Emergency Shelters			
Emergency Operation Centers (EOC)			
Government Buildings			
Harbors			
Helipads			
Hydrants			
Hydrology Layers			
- Dams	<u> </u>	<u>, * . * . * . * . * . * . * . * . * . * </u>	
- Ponds			
- Streams (Includes Rivers)			
- Waterfalls			

Mapping Layers Updated/Loaded Into GIS - February 2014

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems.

	•	KAUA	
Type of Layer	Type of Layer Type of Layer Date Created/ Edits Performed		Other/Remarks
Ocean Rescue Boundaries			
Ocean Safety (Includes Lifeguard Stands)			
Tsunami Evacuation Zones			
Tsunami Heights			
United States National Grid (50K)			
Waste Water Plants			
		SPECIAL REQ	UESTS
KCC Building Outline			
KCC Callboxes			

Kauai County Page 8 of 11 February 2014

Mapping Layers Updated/Loaded Into GIS - February 2014

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems.

<u>CAD/Mapping System GIS Upload Process</u> Current Month GIS Activities – February 2014

02/12/14	Akimeka prepared Address Points, Street Centerlines, WSP Cell Sectors and WSP Cell Towers for Powermap update.
02/13/14	Akimeka prepared and copied the following data onto Kauai's GeoComm computer: Address Points, Street Centerlines, Geofile for Street Centerlines, WSP Cell Sectors and WSP Cell Towers.
02/24/14	Akimeka attended meeting to provide dispatcher training on Address Validation, PowerMap, Call Taking, Wireless Handling.
02/27/14	Akimeka prepared the following data for a GeoComm upload: Address Points, Street Centerlines, Geofile for Street Centerlines and Points of Interest, Points of interest, WSP Cell Sectors and WSP Cell Towers. The GeoComm computer is disconnected so an upload was not conducted.

Everytime the GIS Update tool is used, Indexes and Cache have to be built. The Positron system configurator is adjusted every time a layer is loaded in the PowerMap database. Each PSAP position is updated accordingly.



Service Requests Transactions

Open Service Requests - February 2014

1 02/03/14 638 808 826 6219 question why does it MSAG LO's show up as 404 Unknown ESN?	#	escription	Date Ticket #	Category	Urgency
	1			MSAG	LOW

Note: Open Service Requests reflect what is in pending status at the end of the report month.

Year-to-Date (YTD) Summary - 2014

	KAUA				-	SERVI	CE REQUE	ST CATEG	ORIES	•	
2014	TOTAL		911 Map		MSAG		Request Training		Suggestions		
2014	Created	Closed	Open	Created	Closed	Created	Closed	Created	Closed	Created	Closed
December											
November											
October											
September											
August											
July											
June											
May											
April											
March											
February	3	2	1	0	0	3	2	0	0	0	0
January	0	0	0	0	0	0	0	0	0	0	0
2013 Carryover	0	0	0	0	0	0	0	0	0	0	0
TOTAL	3	2	1	0	0	3	2	0	0	0	0

Note: Open Service Requests reflect what is in pending status at the end of the report month.

Category Desc		Description
	911 Map	Mapping computer not functioning or displaying properly
<u>Definitions:</u>	MSAG	Discrepancies with 9-1-1 MSAG addresses
	Request Training	E-911 Operations training needs
	Suggestions	Vehicle to share suggestions