

ERROR CODE MESSAGES FOR THE DESCRIPTOR TABLE

CODE: D00

MESSAGE: TRANS ALREADY EXISTS

DESCRIPTION OF ERROR: A Descriptor Table maintenance transaction already exists on the on-line hold file for the control key specified. To change an existing Descriptor Table maintenance transaction on-line, use the recall function.

CODE: D01

MESSAGE: ADD/MATCH ERROR

DESCRIPTION OF ERROR: There is already an entry in the Descriptor Table for the control key specified. Table maintenance transactions with a function code of "A" (add) must not find a matching record.

CODE: D02

MESSAGE: CHANGE/NO MATCH ERR

DESCRIPTION OF ERROR: There is no previous entry in the Descriptor Table for the control key specified. Table maintenance transactions with a function of "C" (change) must find a matching record.

CODE: D03

MESSAGE: DELETE/NO MATCH ERR

DESCRIPTION OF ERROR: There is no previous entry in the Descriptor Table for the control key specified. Table maintenance transactions with a function of "D" (delete) must find a matching record.

CODE: D04

MESSAGE: DELETE TRAN HAS DATA

DESCRIPTION OF ERROR: Invalid data was coded on a delete Descriptor Table maintenance transaction. The control key and the function are the only data allowed on a delete Descriptor Table maintenance transaction.

CODE: D05

MESSAGE: INVALID FUNCTION

DESCRIPTION OF ERROR: An invalid function code was entered in this Descriptor Table maintenance transaction. Valid values are "A", "C", "D" and "P".

CODE: D06

MESSAGE: INVALID RECORD NO

DESCRIPTION OF ERROR: An invalid record number was entered in this Descriptor Table maintenance transaction. Valid values are "1" and "2".

CODE: D07

MESSAGE: INVALID DATA TYPE

DESCRIPTION OF ERROR: An invalid data type was entered in this Descriptor Table maintenance transaction. The data type for all Descriptor Table maintenance transactions must equal "T".

CODE: D08

MESSAGE: INVALID TABLE TYPE

DESCRIPTION OF ERROR: An invalid table type has been entered in this Descriptor Table maintenance transaction. Valid values are "D", "AC", "PC", "CT", "TD", "CC", "DA" and "VE".

CODE: D09

MESSAGE: DT TITLE MISSING

DESCRIPTION OF ERROR: The title for this Descriptor Table maintenance transaction must not be blank.

CODE: D10

MESSAGE: ERROR MSG TOO LONG

DESCRIPTION OF ERROR: The error message entered in the D51-error code table is too long. Error messages cannot exceed 20 characters.

CODE: D11

MESSAGE: CHANGE HAS NO DATA

DESCRIPTION OF ERROR: A "change" Descriptor Table maintenance transaction must have reference data or title. Both the reference data and title cannot be blank on a change transaction.

CODE: D12

MESSAGE: TABLE DOES NOT EXIST

DESCRIPTION OF ERROR: An invalid Descriptor Table identification has been entered in this Descriptor Table maintenance transaction. Table type code must be "D," for descriptor. Table identification codes must be one of the following:

D01 through D05;
D09 through D11;
D14 through D26;
D28 through D33;
D36 through D42; or
D44 through D54

CODE: D13

MESSAGE: INVALID KEY LENGTH

DESCRIPTION OF ERROR: An invalid length for the table entry key has been entered in this Descriptor Table maintenance transaction. Valid lengths for each subtable (not including the department code) are:

D01 - 0	D18 - 8	D31 - 3	D45 - 6
D02 - 2	D19 - 10	D32 - 9	D46 - 6
D03 - 4	D20 - 12	D33 - 4	D47 - 6
D04 - 6	D21 - 14	D36 - 2	D48 - 2
D05 - 8	D22 - 1	D37 - 4	D49 - 8
D09 - 2	D23 - 2	D38 - 6	D50 - 4
D10 - 2	D24 - 4	D39 - 8	D51 - 3
D11 - 2 or 4	D25 - 1	D40 - 10	D52 - 20
D14 - 6	D26 - 3	D41 - 12	D53 - 0 or 2
D15 - 2	D28 - 1, 2 or 3	D42 - 14	D54 - 2 or 4
D16 - 4	D29 - 12	D44 - 1	
D17 - 6	D30 - 1		

CODE: D14

MESSAGE: REFERENCE NOT BLANK

DESCRIPTION OF ERROR: Reference data must be blank for various subtables. These subtables are:

D01	D20	D38	D54
D02	D21	D39	
D03	D22	D40	
D04	D23	D41	
D05	D24	D42	
D09	D25	D44	
D10	D26	D45	
D15	D29	D46	
D16	D30	D47	
D17	D33	D48	
D18	D36	D49	
D19	D37	D50	

CODE: D15

MESSAGE: EXTRA DATA IN REFER

DESCRIPTION OF ERROR: The reference data for this subtable contains more than the allowable lengths. The allowable lengths for these subtables are:

D11 - 8
D28 - 1
D31 - 2
D32 - 27
D51 - 5
D52 - 9
D53 - 8

CODE: D16

MESSAGE: INVALID DEPT

DESCRIPTION OF ERROR: An invalid department code has been entered in this Descriptor Table maintenance transaction. Valid values are A - Z for the first position and 1 - 9 or blank for the second position.

CODE: D17

MESSAGE: DEPT MUST BE ZZ

DESCRIPTION OF ERROR: The department code for this Descriptor Table maintenance transaction must be ZZ when the following statewide subtables are being updated:

D09	D25
D10	D26
D14	D28
D15	D29
D16	D30
D17	D31
D18	D32
D19	D33
D20	D45
D21	D46
D22	D48
D23	D51
D24	D52
	D54

CODE: D18

MESSAGE: INVALID DIVISION

DESCRIPTION OF ERROR: An invalid division code has been entered in this Descriptor Table maintenance transaction. Valid values are alphanumeric but cannot be "00".

CODE: D19

MESSAGE: DEPT NOT IN D01

DESCRIPTION OF ERROR: The department code used in this Descriptor Table maintenance transaction must match a department in the department (D01) subtable.

CODE: D20

MESSAGE: INVALID BRANCH

DESCRIPTION OF ERROR: An invalid branch has been entered in this Descriptor Table maintenance transaction. Valid values are alphanumeric, but cannot be "00".

CODE: D21

MESSAGE: DEPT/DIV NOT IN D02

DESCRIPTION OF ERROR: The department/division combination used in this Descriptor Table maintenance transaction must match a department/division combination in the division (D02) subtable.

CODE: D22

MESSAGE: INVALID SECTION

DESCRIPTION OF ERROR: An invalid section code has been entered in this Descriptor Table maintenance transaction. Valid values are alphanumeric, but cannot be "00".

CODE: D23

MESSAGE: D/DIV/BR NOT IN D03

DESCRIPTION OF ERROR: The department/division/branch combination used in this Descriptor Table maintenance transaction must match a department/division/branch combination in the branch (D03) subtable.

CODE: D24

MESSAGE: INVALID UNIT

DESCRIPTION OF ERROR: An invalid unit code has been entered in this Descriptor Table maintenance transaction. Valid values are alphanumeric but cannot be "00".

CODE: D25

MESSAGE: D/DIV/B/S NOT IN D04

DESCRIPTION OF ERROR: The department/division/branch/section combination used in this Descriptor Table maintenance transaction must match a department/division/branch/section combination in the section (D04) subtable.

CODE: D26

MESSAGE: INVALID COST ELEMENT

DESCRIPTION OF ERROR: An invalid cost element code has been entered in this Descriptor Table maintenance transaction. The first position must be alphabetic.

CODE: D27

MESSAGE: INVALID ALLOT CAT

DESCRIPTION OF ERROR: An invalid allotment category code has been entered in this Descriptor Table maintenance transaction. Valid values are "10" and "20".

CODE: D28

MESSAGE: INVALID MAJOR OBJ

DESCRIPTION OF ERROR: An invalid major object code has been entered in this Descriptor Table maintenance transaction. Valid values are 01 - 99.

CODE: D29

MESSAGE: ALLOT CAT NOT IN D10

DESCRIPTION OF ERROR: The allotment category code used in this Descriptor Table maintenance transaction must match an allotment category in the allotment category (D10) subtable.

CODE: D30

MESSAGE: COST ELEM NOT IN D09

DESCRIPTION OF ERROR: The cost element used in this Descriptor Table maintenance transaction must match a cost element in the cost element (D09) subtable.

CODE: D31

MESSAGE: INVAL D11 M OBJ IND

DESCRIPTION OF ERROR: The minor object indicator used in this Descriptor Table maintenance transaction must equal "Y" or blank.

CODE: D32

MESSAGE: INVALID MINOR OBJ

DESCRIPTION OF ERROR: An invalid minor object code has been entered in this Descriptor Table maintenance transaction. Valid values are 00 - 99 or blank if department is "ZZ".

CODE: D33

MESSAGE: MAJ OBJ NOT IN D11

DESCRIPTION OF ERROR: The major object used in this Descriptor Table maintenance transaction must match a major object in the major object (D11) subtable with department "ZZ".

CODE: D35

MESSAGE: INVAL D11 VF 1099

DESCRIPTION OF ERROR: An invalid 1099 indicator has been entered in this Descriptor Table maintenance transaction. Valid values are "Y" and blank. This indicator may equal "Y" only if both the W2 and other pay indicators are blank.

CODE: D36

MESSAGE: INVAL D11 VF W2

DESCRIPTION OF ERROR: An invalid W2 indicator has been entered in this Descriptor Table maintenance transaction. The only valid values are "Y" and blank. This indicator may equal "Y" only if both the 1099 and other pay indicators are blank.

CODE: D37

MESSAGE: INVAL D11 VF OTH PAY

DESCRIPTION OF ERROR: An invalid other pay indicator has been entered in this Descriptor Table maintenance transaction. The only valid values are "Y" and blank. This indicator may equal "Y" only if both the 1099 and W2 indicators are blank.

CODE: D38

MESSAGE: INVAL REPT PGM

DESCRIPTION OF ERROR: An invalid report program was entered in this Descriptor Table maintenance transaction. Valid values are AAA - ZZZ for the first three positions and 000 - 999 for the second three positions.

CODE: D40

MESSAGE: INVALID PGM LVL I

DESCRIPTION OF ERROR: An invalid value for program level I has been entered in this Descriptor Table maintenance transaction. Valid values are 01 - 99.

CODE: D41

MESSAGE: INVALID PGM LVL II

DESCRIPTION OF ERROR: An invalid program level II has been entered in this Descriptor Table maintenance transaction. Valid values are 01 - 99.

CODE: D42

MESSAGE: D/PGM LVL NOT IN D15

DESCRIPTION OF ERROR: The department/program level I used in this Descriptor Table maintenance transaction must match a department/program level I in the program level I (D15) subtable.

CODE: D43

MESSAGE: INVALID PGM LVL III

DESCRIPTION OF ERROR: An invalid program level III has been entered in this Descriptor Table maintenance transaction. Valid values are 01 - 99.

CODE: D44

MESSAGE: D/PGM LVL NOT IN D16

DESCRIPTION OF ERROR: The department program level I/program level II combination used in this Descriptor Table maintenance transaction must match a department program level I/program level II combination in the program level II (D16) subtable.

CODE: D45

MESSAGE: INVALID PGM LVL IV

DESCRIPTION OF ERROR: An invalid program level IV indicator has been entered in this Descriptor Table maintenance transaction. Valid values are 01 - 99.

CODE: D46

MESSAGE: D/PGM LVL NOT IN D17

DESCRIPTION OF ERROR: The department program level I/II/III combination used in this Descriptor Table maintenance transaction must match a program level I/II/III combination in the program level III (D17) subtable.

CODE: D47

MESSAGE: INVALID PGM LVL V

DESCRIPTION OF ERROR: An invalid program level V indicator has been entered in this Descriptor Table maintenance transaction. Valid values are 01 - 99.

CODE: D48

MESSAGE: D/PGM LVL NOT IN D18

DESCRIPTION OF ERROR: The department program level I/II/III/IV combination used in this Descriptor Table maintenance transaction must match a department program level I/II/III/IV combination in the program level IV (D18) subtable.

CODE: D49

MESSAGE: INVALID PGM LVL VI

DESCRIPTION OF ERROR: An invalid program level VI has been entered in this Descriptor Table maintenance transaction. Valid values are 01 - 99.

CODE: D50

MESSAGE: D/PGM LVL NOT IN D19

DESCRIPTION OF ERROR: The department program level I/II/III/IV/V combination used in this Descriptor Table maintenance transaction must match a department program level I/II/III/IV/V combination in the program level V (D19) subtable.

CODE: D51

MESSAGE: INVALID PGM LVL VII

DESCRIPTION OF ERROR: An invalid program level VII has been entered in this Descriptor Table maintenance transaction. Valid values are 01 - 99.

CODE: D52

MESSAGE: D/PGM LVL NOT IN D20

DESCRIPTION OF ERROR: The department program level I/II/III/IV/V/VI combination used in this Descriptor Table maintenance transaction must match a department program level I/II/III/IV/V/VI combination in the program level VI (D20) subtable.

CODE: D53

MESSAGE: INVALID GAAP FUND

DESCRIPTION OF ERROR: An invalid GAAP fund has been entered in this Descriptor Table maintenance transaction. Valid values are 01 - 99.

CODE: D54

MESSAGE: INVALID GAAP SUBFUND

DESCRIPTION OF ERROR: An invalid GAAP subfund has been entered in this Descriptor Table maintenance transaction. Valid values are 01 - 99.

CODE: D55

MESSAGE: GAAP FUND NOT IN D23

DESCRIPTION OF ERROR: The GAAP fund used in this Descriptor Table maintenance transaction must match a GAAP fund in the GAAP fund (D23) subtable.

CODE: D56

MESSAGE: INVALID FUND

DESCRIPTION OF ERROR: An invalid fund code has been entered in this Descriptor Table maintenance transaction. Valid values are alphabetic characters only.

CODE: D57

MESSAGE: INVALID FUND DETAIL

DESCRIPTION OF ERROR: An invalid fund detail has been entered in this Descriptor Table maintenance transaction. Valid values are alphanumeric, but cannot be "00".

CODE: D58

MESSAGE: FUND NOT IN D25

DESCRIPTION OF ERROR: The fund entered in the fund detail (D26) subtable must match a fund contained in the accounting fund (D25) subtable.

CODE: D59

MESSAGE: INVALID D28 FUNCTION

DESCRIPTION OF ERROR: An invalid function code has been entered in this Descriptor Table maintenance transaction. The first position of the function must be alpha. The second and third positions may be blank or alphanumeric. The third position must be blank if the second position is blank. A two-position function combination must match a one-position function code in the D28 subtable. A three-position function combination must match a two-position function code in the D28 subtable.

CODE: D61

MESSAGE: INVALID MOF

DESCRIPTION OF ERROR: An invalid means of financing code has been entered in this Descriptor Table maintenance transaction. Valid values are alphabetic.

CODE: D62

MESSAGE: INVALID GL ACCT

DESCRIPTION OF ERROR: An invalid general ledger account number has been entered in this Descriptor Table maintenance transaction. Valid values are 001 - 999.

CODE: D63

MESSAGE: INVAL D31 DR/CR IND

DESCRIPTION OF ERROR: An invalid debit/credit indicator has been entered in this Descriptor Table maintenance transaction. Valid values are "D" = debit or "C" = credit.

CODE: D64

MESSAGE: INVAL D31 CLOSE IND

DESCRIPTION OF ERROR: An invalid close indicator has been entered in this Descriptor Table maintenance transaction. Valid values are "0," "1," and "2."

CODE: D65

MESSAGE: INVAL SUBSIDIARY ACT

DESCRIPTION OF ERROR: An invalid subsidiary account code has been entered in this Descriptor Table maintenance transaction. Valid values are alphanumeric, but cannot be "000000".

CODE: D66

MESSAGE: GL ACCT NOT IN D31

DESCRIPTION OF ERROR: The general ledger account number entered in the general ledger subsidiary (D32) subtable must match a general ledger account number entered in the general ledger (D31) subtable.

CODE: D68

MESSAGE: INVALID SOURCE

DESCRIPTION OF ERROR: An invalid source code has been entered in this Descriptor Table maintenance transaction. Valid values are 0001-9999.

CODE: D69

MESSAGE: INVALID ACTV LVL I

DESCRIPTION OF ERROR: An invalid activity level I code has been entered in this Descriptor Table maintenance transaction. Valid values are alphanumeric, but cannot be "00".

CODE: D70

MESSAGE: INVALID ACTV LVL II

DESCRIPTION OF ERROR: An invalid activity level II code has been entered in this Descriptor Table maintenance transaction. Valid values are alphanumeric, but cannot be "00".

CODE: D71

MESSAGE: D/ACTV LV NOT IN D36

DESCRIPTION OF ERROR: The activity level I code entered in this activity level II (D37) subtable must match an activity level I in the activity level I (D36) subtable.

CODE: D72

MESSAGE: INVALID ACTV LVL III

DESCRIPTION OF ERROR: An invalid activity level III code has been entered in this Descriptor Table maintenance transaction. Valid values are alphanumeric, but cannot be "00".

CODE: D73

MESSAGE: D/ACTV LV NOT IN D37

DESCRIPTION OF ERROR: The combination of department activity level I and II entered in this activity level III (D38) subtable must match a department activity level I and II combination in the activity level II (D37) subtable.

CODE: D74

MESSAGE: INVALID ACTV LVL IV

DESCRIPTION OF ERROR: An invalid activity level IV code has been entered in this Descriptor Table maintenance transaction. Valid values are alphanumeric, but cannot be "00".

CODE: D75

MESSAGE: D/ACTV LV NOT IN D38

DESCRIPTION OF ERROR: The combination of department activity level I, II and III entered in this activity level IV (D39) subtable must match a department activity level I, II and III combination in the activity level III (D38) subtable.

CODE: D76

MESSAGE: INVALID ACTV LVL V

DESCRIPTION OF ERROR: An invalid activity level V code has been entered in this Descriptor Table maintenance transaction. Valid values are alphanumeric, but cannot be "00".

CODE: D77

MESSAGE: D/ACTV LV NOT IN D39

DESCRIPTION OF ERROR: The combination of department activity level I, II, III and IV entered in this activity level V (D40) subtable must match a department activity level I, II, III and IV combination in the activity level IV (D39) subtable.

CODE: D78

MESSAGE: INVALID ACTV LVL VI

DESCRIPTION OF ERROR: An invalid activity level VI code has been entered in this Descriptor Table maintenance transaction. Valid values are alphanumeric, but cannot be "00".

CODE: D79

MESSAGE: D/ACTV LV NOT IN D40

DESCRIPTION OF ERROR: The combination of department activity level I, II, III, IV and V entered in this activity level VI (D41) subtable must match a department activity level I, II, III, IV, and V combination in the activity level V (D40) subtable.

CODE: D80

MESSAGE: INVALID ACTV LVL VII

DESCRIPTION OF ERROR: An invalid activity level VII code has been entered in this Descriptor Table maintenance transaction. Valid values are alphanumeric, but cannot be 00.

CODE: D81

MESSAGE: D/ACTV LV NOT IN D41

DESCRIPTION OF ERROR: The combination of department activity level I, II, III, IV, V and VI entered in this activity level VII (D42) subtable must match a department activity level I, II, III, IV, V and VI combination in the activity level VI (D41) subtable.

CODE: D82

MESSAGE: INVALID PROJECT TYPE

DESCRIPTION OF ERROR: An invalid project type code has been entered in this Descriptor Table maintenance transaction. Valid values are alphanumeric.

CODE: D83

MESSAGE: INVALID STW PROJECT

DESCRIPTION OF ERROR: An invalid statewide project code has been entered in this Descriptor Table maintenance transaction. Valid values are alphanumeric, but cannot be all zeroes or all nines.

CODE: D84

MESSAGE: INVALID CONTROL PROJ

DESCRIPTION OF ERROR: An invalid control project code has been entered in this Descriptor Table maintenance transaction. Valid values are alphanumeric, but cannot be all zeroes or all nines.

CODE: D85

MESSAGE: INVALID PROJECT

DESCRIPTION OF ERROR: An invalid project code has been entered in this Descriptor Table maintenance transaction. Valid values are alphanumeric, but cannot be "000000".

CODE: D86

MESSAGE: INVALID LOCATION

DESCRIPTION OF ERROR: An invalid location code has been entered in this Descriptor Table maintenance transaction. Valid values are numeric.

CODE: D87

MESSAGE: INVALID FED CAT NO

DESCRIPTION OF ERROR: An invalid federal catalog number has been entered in this Descriptor Table maintenance transaction. Valid values are any combination of digits but not all zeroes or blanks.

CODE: D88

MESSAGE: INVALID FEDERAL AGY

DESCRIPTION OF ERROR: An invalid federal agency code has been entered in this Descriptor Table maintenance transaction. Valid values are alphanumeric but not all zeroes or blanks.

CODE: D89

MESSAGE: INVALID ERROR CODE

DESCRIPTION OF ERROR: An invalid error code has been entered in this Descriptor Table maintenance transaction. The first position must be alphabetic. Positions two and three may be alphanumeric.

CODE: D90

MESSAGE: INVAL D51 ELEM NO

DESCRIPTION OF ERROR: An invalid element number has been entered in this Descriptor Table maintenance transaction. Valid values are all blanks or 01-99. This element must be blank if the first character of the error code is "D", "T", "A", "C", "V", "L", "Q", or "P".

CODE: D91

MESSAGE: INVAL D51 ELEM LEN

DESCRIPTION OF ERROR: An invalid element length has been entered in this Descriptor Table maintenance transaction. If the element number is blank, the element length must be blank. If the element number is numeric, the element length must be 01 - 99.

CODE: D92

MESSAGE: INV D51 SEVERITY IND

DESCRIPTION OF ERROR: An invalid severity indicator has been entered in this Descriptor Table maintenance transaction. Valid values are "B" and "E".

CODE: D94

MESSAGE: INVAL D52 ELEM LEN

DESCRIPTION OF ERROR: An invalid element length has been entered in this Descriptor Table maintenance transaction. Valid values are 01 - 99.

CODE: D95

MESSAGE: INVAL D52 ELEM LOC

DESCRIPTION OF ERROR: An invalid element location has been entered in this Descriptor Table maintenance transaction. Valid values are 002 - 999.

CODE: D96

MESSAGE: INVAL D52 CORR LEVEL

DESCRIPTION OF ERROR: An invalid correction level indicator has been entered in this Descriptor Table maintenance transaction. Valid values are "B," "H," "D," and "G."

CODE: D97

MESSAGE: INV D11 DEPT

DESCRIPTION OF ERROR: If the minor object is not entered for this Descriptor Table maintenance transaction, the department must be a statewide department (ZZ).

CODE D98

MESSAGE: INV D11 REF DATA

DESCRIPTION OF ERROR: If the minor object has been entered, the D11 allotment category, cost element, and minor object indicators must be blank.

CODE D99

MESSAGE: ZZ MIN OBJ PRESENT

DESCRIPTION OF ERROR: If a department attempts to add a minor object that is already present for department ZZ, then a D99 error will result.

CODE: DA3

MESSAGE: INV D53 MIN OBJ IND

DESCRIPTION OF ERROR: An invalid minor object indicator has been entered in this Descriptor Table maintenance transaction. Valid values are "Y" or blank.

CODE: DA4

MESSAGE: INV D53 ACTIVITY IND

DESCRIPTION OF ERROR: An invalid activity indicator has been entered in this Descriptor Table maintenance transaction. Valid values are "Y" or blanks.

CODE: DA5

MESSAGE: INV D53 COST CTR IND

DESCRIPTION OF ERROR: An invalid cost center indicator has been entered in this Descriptor Table maintenance transaction. Valid values are "Y" or blanks.

CODE: DA6

MESSAGE: INV D53 PROJECT IND

DESCRIPTION OF ERROR: An invalid project indicator has been entered in this Descriptor Table maintenance transaction. Valid values are "Y" or blanks.

CODE: DA7

MESSAGE: INV D53 AL OBJ IND

DESCRIPTION OF ERROR: An invalid allotment object level indicator has been entered in this Descriptor Table maintenance transaction. Valid values are "0," "1," and "2."

CODE: DA8

MESSAGE: INV D53 PRJ FUND CTL

DESCRIPTION OF ERROR: An invalid project fund control indicator has been entered in this Descriptor Table maintenance transaction. Valid values are "I", "W", or "F".

CODE: DA9

MESSAGE: INV D53 ALOT FND CTL

DESCRIPTION OF ERROR: An invalid allotment fund control indicator has been entered in this Descriptor Table maintenance transaction. Valid values are "I", "W", or "F".

CODE: DB1

MESSAGE: INV ALLOT REV IND

DESCRIPTION OF ERROR: An invalid allotment reversion indicator has been entered in this Descriptor Table maintenance transaction. Valid values are "Y" or "N".

CODE: DB2

MESSAGE: INV POSTING IND

DESCRIPTION OF ERROR: An invalid function posting indicator has been entered in this Descriptor Table maintenance transaction. Valid values are 'Y' and blank. If a three digit key has been entered, the posting indicator must equal "Y".

CODE: DB3

MESSAGE: INV D53 APPN FD CR

DESCRIPTION OF ERROR: An invalid appropriation fund control indicator has been entered in this Descriptor Table maintenance transaction. Valid values are "I", "W", or "F".

CODE: DB4

MESSAGE: INV D51 ELEMENT NAME

DESCRIPTION OF ERROR: An invalid D51 element name has been entered in this Descriptor Table maintenance transaction. Valid values are non-blank.

CODE: DC1

MESSAGE: INVALID D03-DIV

DESCRIPTION OF ERROR: An invalid division has been entered in this on-line Descriptor Table maintenance transaction. Valid values are alphanumeric but cannot be zeroes.

CODE: DC2

MESSAGE: INVALID D04-KEY

DESCRIPTION OF ERROR: An invalid branch has been entered in this on-line Descriptor Table maintenance transaction. Valid values are alphanumeric but cannot be zeroes.

CODE: DC3

MESSAGE: INVALID D05-KEY

DESCRIPTION OF ERROR: An invalid section has been entered in this on-line Descriptor Table maintenance transaction. Valid values are alphanumeric but cannot be zeroes.

CODE: DC4

MESSAGE: INVALID KEY COMBO

DESCRIPTION OF ERROR: The fund, fiscal year and appropriation account combination used in this on-line Descriptor Table maintenance transaction must be either alpha for fund, numeric for fiscal year and numeric for appropriation account or blank for fund, numeric for fiscal year and blank for appropriation account.

CODE: DC5

MESSAGE: INVALID D16-KEY

DESCRIPTION OF ERROR: An invalid program level I key has been entered in this on-line Descriptor Table maintenance transaction. Valid values are 01-99.

CODE: DC6

MESSAGE: INVALID D17-KEY

DESCRIPTION OF ERROR: An invalid program level II key has been entered in this on-line Descriptor Table maintenance transaction. Valid values are 01-99 for each level.

CODE: DC7

MESSAGE: INVALID D18-KEY

DESCRIPTION OF ERROR: An invalid program level III key has been entered in this on-line Descriptor Table maintenance transaction. Valid values are 01-99 for each level.

CODE: DC8

MESSAGE: INVALID D19-KEY

DESCRIPTION OF ERROR: An invalid program level IV key has been entered in this on-line Descriptor Table maintenance transaction. Valid values are 01-99 for each level.

CODE: DC9

MESSAGE: INVALID D20-KEY

DESCRIPTION OF ERROR: An invalid program level V key has been entered in this on-line Descriptor Table maintenance transaction. Valid values are 01-99 for each level.

CODE: DD1

MESSAGE: INVALID D21-KEY

DESCRIPTION OF ERROR: An invalid program level VI key has been entered in this on-line Descriptor Table maintenance transaction. Valid values are 01-99 for each level.

CODE: DD2

MESSAGE: INVALID D24-KEY

DESCRIPTION OF ERROR: An invalid GAAP fund has been entered in this on-line Descriptor Table maintenance transaction. Valid values are 01-99.

CODE: DD3

MESSAGE: INVALID D26-KEY

DESCRIPTION OF ERROR: An invalid fund has been entered in this on-line Descriptor Table maintenance transaction. Valid values are alphabetic.

CODE: DD4

MESSAGE: INVALID D32-KEY

DESCRIPTION OF ERROR: An invalid general ledger account has been entered in this on-line Descriptor Table maintenance transaction. Valid values are 001 through 999.

CODE: DD5

MESSAGE: INVALID D37-KEY

DESCRIPTION OF ERROR: An invalid activity level I key has been entered in this on-line Descriptor Table maintenance transaction. Valid values are alphanumeric but cannot be zeroes.

CODE: DD6

MESSAGE: INVALID D38-KEY

DESCRIPTION OF ERROR: An invalid activity level II key has been entered in this on-line Descriptor Table maintenance transaction. Valid values are alphanumeric for each level but cannot be zeroes.

CODE: DD7

MESSAGE: INVALID D39-KEY

DESCRIPTION OF ERROR: An invalid activity level III key has been entered in this on-line Descriptor Table maintenance transaction. Valid values are alphanumeric for each level but cannot be zeroes.

CODE: DD8

MESSAGE: INVALID D40-KEY

DESCRIPTION OF ERROR: An invalid activity level IV key has been entered in this on-line Descriptor Table maintenance transaction. Valid values are alphanumeric for each level but cannot be zeroes.

CODE: DD9

MESSAGE: INVALID D41-KEY

DESCRIPTION OF ERROR: An invalid activity level V key has been entered in this on-line Descriptor Table maintenance transaction. Valid values are alphanumeric for each level but cannot be zeroes.

CODE: DE1

MESSAGE: INVALID D42-KEY

DESCRIPTION OF ERROR: An invalid activity level VI key has been entered in this on-line Descriptor Table maintenance transaction. Valid values are alphanumeric for each level but cannot be zeroes.

CODE: DE2

MESSAGE: UNAUTHORIZED DEPT

DESCRIPTION OF ERROR: An invalid department has been entered in this on-line Descriptor Table maintenance transaction. The department must be one that is authorized for the user.

CODE: DE3

MESSAGE: INV ALLOT CAT

DESCRIPTION OF ERROR: An invalid allotment category has been entered in this on-line Descriptor Table maintenance transaction. Valid values are "10", "20" or "blank".

CODE: DE4

MESSAGE: INV COST ELEMENT

DESCRIPTION OF ERROR: An invalid cost element has been entered in this on-line Descriptor Table maintenance transaction. Valid values are alphabetic or blank.

CODE: DE5

MESSAGE: INVALID KEY APP ACCT

DESCRIPTION OF ERROR: The key fund, fiscal year and appropriation account used in this Descriptor Table maintenance transaction must match a key appropriation account in the Appropriation Account Table.

CODE: DE6

MESSAGE: INVALID REF COMBO

DESCRIPTION OF ERROR: If coded, the values for the information elements fund, fiscal year and appropriation account used in this Descriptor Table maintenance transaction must be alpha for fund, numeric for fiscal year and numeric for appropriation account.

CODE: DE7

MESSAGE: INVALID REF APP ACCT

DESCRIPTION OF ERROR: The fund, fiscal year and appropriation account used in this Descriptor Table maintenance transaction must match an appropriation account in the Appropriation Account Table.

CODE: DE8

MESSAGE: INVALID ACTIVITY

DESCRIPTION OF ERROR: If coded, the activity code used in this on-line Descriptor Table maintenance transaction must be alphanumeric but cannot be zeroes.

CODE: DE9

MESSAGE: INVALID COST CENTER

DESCRIPTION OF ERROR: If coded, the cost center used in this on-line Descriptor Table maintenance transaction must be alphanumeric but cannot be zeroes.

CODE: DF1

MESSAGE: INVALID PROJECT

DESCRIPTION OF ERROR: If coded, the project code used in this on-line Descriptor Table maintenance transaction must be alphanumeric but cannot be zeroes.

CODE: DF2

MESSAGE: INVALID PHASE

DESCRIPTION OF ERROR: If coded, the project phase used in this on-line Descriptor Table maintenance transaction must be numeric but cannot be zeroes.

CODE: DF3

MESSAGE: ACTIVITY NOT IN TBL

DESCRIPTION OF ERROR: The activity code used in this Descriptor Table maintenance transaction must match an activity code in the Department Activity Table.

CODE: DF4

MESSAGE: COST CTR NOT IN TBL

DESCRIPTION OF ERROR: The cost center code used in this Descriptor Table maintenance transaction must match a cost center code in the Department Cost Center Table.

CODE: DF5

MESSAGE: PROJECT NOT IN TBL

DESCRIPTION OF ERROR: The project/phase combination used in this Descriptor Table maintenance transaction must match a project code in the Project Control Table.

CODE: DF6

MESSAGE: INVALID DIVISION

DESCRIPTION OF ERROR: The division code used in this Descriptor Table maintenance transaction must match a division code in the division (D02) subtable.

CODE: DF7

MESSAGE: NO D53 TABLE

DESCRIPTION OF ERROR: The department and division code used in this Descriptor Table maintenance transaction must have a related D53 table.

CODE: DG1

MESSAGE: INVALID BATCH TYPE

DESCRIPTION OF ERROR: A batch type has been entered in the control key batch type field. Valid batch types are I, J, K, L, 3 or 5.

CODE: DG2

MESSAGE: INVALID DIV IND

DESCRIPTION OF ERROR: An invalid division indicator has been entered in the reference data division indicator field. Valid values are "Y" or "N".

CODE: DG3

MESSAGE: INVALID FUND IND

DESCRIPTION OF ERROR: An invalid fund indicator has been entered in the reference data fund field. Valid values are "Y" or "N".

CODE: DG4

MESSAGE: INVALID PAY IND

DESCRIPTION OF ERROR: An invalid payment window indicator has been entered in the reference data payment window indicator field. Valid values are "Y" or "N".

CODE: DG5

MESSAGE: INVALID VEND NO IND

DESCRIPTION OF ERROR: An invalid vendor number indicator has been entered in the reference data vendor number indicator field. Valid values are "Y" or "N".

CODE: DG6

MESSAGE: INVAL VEND NAME IND

DESCRIPTION OF ERROR: An invalid vendor name indicator has been entered in the reference data vendor name indicator field. Valid values are "Y" or "N".

CODE: DG7

MESSAGE: INVAL VENDOR IND-YY

DESCRIPTION OF ERROR: An invalid combination of vendor number and vendor name indicators has been entered ("Y" and "Y"). If vendor number indicator is "Y", then the vendor name indicator must be "N" or if the vendor number indicator is "N", then the vendor name indicator must be "Y".

CODE: DG8

MESSAGE: INVAL VENDOR IND-NN

DESCRIPTION OF ERROR: An invalid combination of vendor number and vendor name indicators has been entered ("N" and "N"). If vendor number indicator is "Y", then the vendor name indicator must be "N" or if the vendor number indicator is "N", then the vendor name indicator must be "Y".

CODE: DH1

MESSAGE: INVALID RT ONLINE SW

DESCRIPTION OF ERROR: An invalid relationship edit online switch has been entered in this Descriptor Table Maintenance transaction. Valid values are blank, "1", or "2".

CODE: DH2

MESSAGE: INVALID RT MATCH SW

DESCRIPTION OF ERROR: An invalid relationship edit match method switch has been entered in this Descriptor Table Maintenance transaction. Valid values are blank, "1", "2", "3", "4", "5", "6", "7", or "8".

CODE: DH3

MESSAGE: INVALID RT BATCH SW

DESCRIPTION OF ERROR: An invalid relationship edit batch switch has been entered in this Descriptor Table maintenance transaction. Valid values are blank or 'Y'.

CODE: DH4

MESSAGE: INVAL RT IND UPDATE

DESCRIPTION OF ERROR: An invalid relationship edit update of the D53 on-line and batch indicators has been entered in this Descriptor Table maintenance transaction. The update of these on-line and batch indicators is not allowed unless a corresponding D54 table entry exists for the department/division.