CODE: X11

MESSAGE: PROC DAT GT STOP DT

DESCRIPTION OF ERROR: An attempt has been made to post a transaction to the allotment department file when the transaction processing date was after the allotment stop date.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

ACTION REQUIRED: Perform table maintenance to the Appropriation Account Table to change the stop date so the transaction can be processed.

CODE: X12

DEGREE OF ERROR: WARNING

MESSAGE: AD-FILE NO MATCH

DESCRIPTION OF ERROR: A transaction that should post to the allotment department file was processed, and there was no matching record on the allotment department file.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

CUDE:

X14AVALE ALUT UTKLY (U.U)X15AVALE ALUT UTKLY (U.H)X10AVALE ALUT UTKLY (PYU)

DESCRIPTION OF ERROR: The allotment department file available allotment balance consists of quarterly allotments 1 + quarterly allotments 2 + quarterly allotments 5 + quarterly allotments + + allotment reversions + allotment transfers + restricted allotments + contract encumbrances + claim encumbrances + cash expenditures + continuing allotments. If the available allotment balance for the current month, prior month, or prior year is greater than zero, the transaction is flagged with on KI4, kib or XI6 error code, respectively.

SYSTER ACTION: The transaction is posted to the system master files; nowever, it is listed the following day (only) on the edit activity report with a warning message.

X17Offier Aluf nut Zeru (Gnu)X18uiner Aluf nut Zeru (Cnl)X15uiner Aluf nut Zeru (PYu)

UUDE:

DESCRIPTION OF ERROR: IT appropriation type is A, C, D, c, F, 1, 2, 5, or a and the allotment department file other allotments for the current month, prior month or prior year are not equal to zero, the transaction is flagged with an X_{17} , X1a or X13 error code respectively.

SYSTEM ACTION: The transaction is posted to the system master files; nowever, it is listed the following day (only) on the edit activity report with a warning message.

MESSAGE

X±0AVE ALOT HUN-QTREY (CHU)X21AVE ALOT HUN-QTREY (CHI)X22AVE ALOT HUN-QTREY (PYU)

CODE:

DESCRIPTION OF ERROR: The allotment department file available allotment balance consists of allotment others + allotment reversions + allotment transfers + allotment restrictions + contract encumbrances + claims encumbrances + cash expenditures + continuing allotments. If the available allotment balance for the current month, prior month or prior year is greater than zero, the transaction is flagged with an X20, X21 or X22 error code, respectively.

SYSTER ACTION: The transaction is posted to the system master files; nowever, it is listed the following day (only) on the edit activity report with a warning message.

X23 QIRLY ALUI NUT ZERU (UNU) X24 UTRLY ALUT NUT ZERU (UNI)

· .

LUDE:

X24 QTREY ALUT HUT ZERU (CHT) ALU VIKEY ALUT NUT ZERU (PYU)

DESCRIPTION OF ERROR: If appropriation type is C, D, E, F, G, or c and the allotment department file quarterly allotments 1, quarterly allotments 2, quarterly allotments 3 and quarterly allotments 4 do not equal zero for the current month, prior month or prior year, the transaction is flagged with an X25, X24 or X25 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

X29 ACCRD EXP NEG (CnO) X50 ACCRD EXP NEG (CnO) X51 ACCRD EXP NEG (PYO)

CUDE:

DESCRIPTION OF ERROR: It the allotment department file accrued expenditures for the current month, prior month or prior year are less than zero, the transaction is flagged with an X29, X30 or X31 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

MESSAGE

DEGREE OF ERROR: WARNING

DEGREE OF ERROR: WARNING

X32	CASH	EXP	NEG	(CMO)
X33	CASH	ЕΧР	NEG	(CM1)
X34	CASH	EXP	NEG	(PYO)

DESCRIPTION OF ERROR: If the allotment department file cash expenditures for the current month, prior month or prior year are less than zero, the transaction is flagged with an X32, X33 or X34 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

ACTION REQUIRED: If the transaction has been posted as intended, then no action is necessary since the master files have been updated. However, if the transaction has been posted in error, the original transaction must be reversed and the transaction must be resubmitted with the appropriate modifications.

CODE:	MESSAGE
X35	ENC CONTR NEG (CMO)
X36	ENC CONTR NEG (CM1)
X37	ENC CONTR NEG (PYO)

DESCRIPTION OF ERROR: If the allotment department file contract encumbrances for the current month, prior month or prior year are less than zero, the transaction is flagged with an X35, X36 or X37 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

MESSAGE

X38	ENC	CLMS	NEG	(CMO)
X39	ENC	CLMS	NEG	(CM1)
X40	ENC	CLMS	NEG	(PYO)

DESCRIPTION OF ERROR: If the allotment department file claims encumbrances for the current month, prior month or prior year are less than zero, the transaction is flagged with an X38, X39 or X40 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

ACTION REQUIRED: If the transaction has been posted as intended, then no action is necessary since the master files have been updated. However, if the transaction has been posted in error, the original transaction must be reversed and the transaction must be resubmitted with the appropriate modifications.

CODE :	MESSAGE					
X41	ALLOT QTR 1 POS (CMO)					
X42	ALLOT QTR 1 POS (CM1)					
X43	ALLOT QTR 1 POS (PYO)					

DEGREE OF ERROR: WARNING

DESCRIPTION OF ERROR: If the allotment department file first quarter allotments for the current month, prior month or prior year are greater than zero, the transaction is flagged with an X41, X42 or X43 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

X44	ALLOT	QTR	2	POS	(CMO)
X45	ALLOT	QTR	2	POS	(CM1)
X46	ALLOT	QTR	2	POS	(PYO)

DESCRIPTION OF ERROR: If the allotment department file second quarter allotments for the current month, prior month or prior year are greater than zero, the transaction is flagged with an X44, X45 or X46 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

ACTION REQUIRED: If the transaction has been posted as intended, then no action is necessary since the master files have been updated. However, if the transaction has been posted in error, the original transaction must be reversed and the transaction must be resubmitted with the appropriate modifications.

CODE :

MESSAGE

DEGREE OF ERROR: WARNING

22

X47	ALLOT	QTR	3	POS	(CMO)
X48	ALLOT	QTR	3	POS	(CM1)
X49	ALLOT				

DESCRIPTION OF ERROR: If the allotment department file third quarter allotments for the current month, prior month or prior year are greater than zero, the transaction is flagged with an X47, X48 or X49 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

MESSAGE

DEGREE OF ERROR: WARNING

X50	ALLOT	QTR	4	POS	(CMO)
X51	ALLOT	QTR	4	POS	(CM1)
X52	ALLOT	QTR	4	POS	(PYO)

DESCRIPTION OF ERROR: If the allotment department file fourth quarter allotments for the current month, prior month or prior year are greater than zero, the transaction is flagged with an X50, X51 or X52 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

ACTION REQUIRED: If the transaction has been posted as intended, then no action is necessary since the master files have been updated. However, if the transaction has been posted in error, the original transaction must be reversed and the transaction must be resubmitted with the appropriate modifications.

CODE:

MESSAGE

X53ALLOT OTHER POS (CMO)X54ALLOT OTHER POS (CM1)X55ALLOT OTHER POS (PYO)

DESCRIPTION OF ERROR: If the allotment department file other allotments for the current month, prior month or prior year are greater than zero, the

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

transaction is flagged with an X53, X54 or X55 error code, respectively.

DEGREE OF ERROR: WARNING

HESSAGE

X56ALLOT REVERSIONS NEG (CHO)X57ALLOT REVERSIONS NEG (CHT)X56ALLOT REVERSIONS REG (PYO)

CODE:

DESCRIPTION OF ERROR: If the allotment department file allotment reversions for the current month, prior month or prior year are less than zero, the transaction is flagged with an X56, X57 or X58 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; nowever, it is listed the following day (only) on the edit activity report with a warning message.

MESSAGE

XUZ ALLUT KESTR NËG (CHO) XUJ ALLUT KESTR NËG (CHT) XU4 ÁLLUT KESTR NËG (PYU)

LUDE:

.

DESCRIPTION OF ERROR: If the allotment department file restricted allotments for the current month, prior month or prior year are less than zero, the transaction is flagged with an Xu2, Xu3 or Xu4 error code, respectively.

SYSTER ACTION: The transaction is posted to the system master files; nowever, it is listed the following day (only) on the edit activity report with a warning message.

HESSAGE

X71CONTIN ALLUT POS (CHO)X72CONTIN ALLUT POS (CHT)X73CONTIN ALLUT PS (PYO)

CUDE:

DESCRIPTION OF ERROR: IT the allothent department file continuing allothents for the current month, prior month or prior year are greater than zero, the transaction is flagged with an X/1, X/2 or X/3 error code, respectively.

SYSTER ACTION: The transaction is posted to the system master files; nowever, it is listed the following day (only) on the edit activity report with a warning message.

XOSPRUU AVAIL APPRIS (UNU)XU4PRUU AVAIL APPRIS (UNI)XU5PRUU AVAIL APPRIS (PYU)

CUDE:

ULSCRIPTION OF ERROR: The project file available appropriation balance for the current month, prior month and prior year consists of project original appropriations + project appropriation transfers + project restricted appropriations + project lapsed appropriations - project allotments-other project allotments quarter one - project allotments quarter two - project allotments quarter three - project allotments quarter tour - project allotment reversions - project allotment transfers. If the available appropriation balance for the current month, prior month or prior year is greater than zero, the transaction is flagged with an X83, X84 or X65 error code, respectively.

SYSTER ACTION: The transaction is posted to the system master files; nowever, it is listed the following day (only) on the edit activity report with a warning message.

ACTION REQUIRED: IT the transaction has been posted as intended, then no action is necessary since the master files have been updated. However, if the transaction has been posted in error, the original transaction must be reversed and the transaction must be resubmitted with the appropriate modifications.

E-170

X86PROJ AVAIL ALUT UIKLY (CMU)X87PRUJ AVAIL ALUT UIKLY (CHI)X88PRUJ AVAIL ALUT UIKLY (PYU)

CUDE:

DESCRIPTION OF ERROR: The project file available allotment balance for the current month, prior month and prior year consists of (project allotments quarter one + project allotments quarter two + project allotments quarter three + project allotments quarter four + project allotment reversions + project allotment transfers + project allotment restrictions + project claim encumbrances + cash expenditures). If the available allotment balance for the current month, prior month or prior year is greater than zero, the transaction is flagged with an X80, X87 or X88 error code, respectively.

SYSTEM AUTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

AUTION REQUIRED: If the transaction has been posted as intended, then no action is necessary since the master tiles have been updated. However, if the transaction has been posted in error, the original transaction must be reversed and the transaction must be resubmitted with the appropriate modifications.

CODE: MESSAGE

DEGREE OF ERROR: WARNING

Хрэ	OTHER	ALUT	NUT	ZERO	(Cin0)
XSO	UTHER	ALUT	TON	ZERU	(Cial)
X51	UTHER	ALUT	nuT	ZERU	(PYU)

DESCRIPTION OF ERROR: If appropriation type is A, C, D, E, F, 1, 2, 3, or 6 and the project file other allotments for the current month, prior month or prior year is not zero, the transaction is flagged with an X85, X90 or X91 error code, respectively.

SYSTEM AUTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

MESSAUL

XSSPRJ_AVE_ALOT_HUN-QTR_(CHU)XSSPRJ_AVE_ALOT_HUN-QTR_(CHT)XATPRJ_AVE_ALUT_HUN-QTR_(FYO)

UUUL:

DESCRIPTION OF ERROR: The project file available allotment balance for the current month, prior month and prior year consists of project allotments other + project allotment reversions + project allotment transfers + project allotment restrictions + project contract encumbrances + project claim encumbrances + project cash expenditures. If the available allotment balance for the current month, prior month or prior year is greater than zero, the transaction is flagged with an X98, X99 or XAI error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; nowever, it is listed the following day (only) on the edit activity report with a warning message.

ACTION REQUIRED: If the transaction has been posted as intended, then no action is necessary since the master files have been updated. However, if the transaction has been posted in error, the original transaction must be reversed and the transaction must be resubmitted with the appropriate modifications.

CUDE: HESSAGE

DEGREE OF ERROR: WARNING

XRZ	Q TRLY	ALUT	NUT	ZERU	(Criu)
XAG	QTRLY	ALUT	NUT	ZERU	(Crif)
XA4	Ų TRLY	ALUT	NUT	ZERU	(141)

DESCRIPTION OF ERROR: If appropriation type is B, C, \cup , E, F, G, 3, 4, 5 or 6 and the project file allotment quarter 1, allotment quarter 2, allotment quarter 3 and allotment quarter 4 is not zero for the current month, prior month or prior year, the transaction is flagged with an XA2, XA3 or XA4 error code, respectively.

SYSTER ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

DEGREE OF ERROR: WARNING

MESSAGE

XAD PRUJ UNEXPEND APPRN (CHU) XAG PRUJ UNEXPEND APPRN (CHT) XA7 PRUJ UNEXPEND APPRN (PYU)

CODE:

DESCRIPTION OF ERROR: The project file unexpended appropriation balance for the current month, prior month and prior year consists of project original appropriations + project transfers + project restricted appropriations + project lapsed appropriations + project claim encumbrances + project contract encumbrances + project cash expenditures. If the unexpended appropriation balance for the current month, prior month or prior year is greater than zero, the transaction is flagged with an KAt, XAO or KA/ error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; nowever, it is listed the following day (only) on the edit activity report with a warning message.

XB5 PRUJECT BUDGET (CHC) XB5 PRUJECT BUDGET (CHC) XB7 PRUJECT BUDGET (PYC)

DESCRIPTION OF ERROR: The project file available project budget balance for the current month, prior month and prior year consists of project budget + project contract encumbrances + project claim encumbrances + project cash expenditures. If the available project budget balance for the current month, prior month or prior year is greater than zero, the transaction is flagged with an XB5, XB0 or XB7 error code, respectively.

SYSTEM ALTION: The transaction is posted to the system master files; nowever, it is listed the following day (only) on the edit activity report with a warning message.

DEGREE OF ERROR: WARNING

XB 8	ORG	APPRN	POS	(CMO)
XB9		APPRN		• • •
XC1	ORG	APPRN	POS	(PYO)

MESSAGE

DESCRIPTION OF ERROR: If the project file original appropriations for the current month, prior month or prior year are greater than zero, the transaction is flagged with an XB8, XB9 or XC1 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

ACTION REQUIRED: If the transaction has been posted as intended, then no action is necessary since the master files have been updated. However, if the transaction has been posted in error, the original transaction must be reversed and the transaction must be resubmitted with the appropriate modifications.

CODE :	MESSAGE					
XC2 XC3	RESTR APPRN NEG (CMO) RESTR APPRN NEG (CM1)					
XC4	RESTR APPRN NEG (PYO)					

DESCRIPTION OF ERROR: If the project file restricted appropriations for the current month, prior month or prior year are less than zero, the transaction is flagged with an XC2, XC3 or XC4 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

CODE:

MESSAGE

DEGREE OF ERROR: WARNING

XC5	LAPSED	APPRN	NEG	(CMO)
XC6	LAPSED	APPRN	NEG	(CM1)
XC7	LAPSED	APPRN	NEG	(PYO)

DESCRIPTION OF ERROR: If the project file lapsed appropriations for the current month, prior month or prior year are less than zero, the transaction is flagged with an XC5, XC6 or XC7 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

ACTION REQUIRED: If the transaction has been posted as intended, then no action is necessary since the master files have been updated. However, if the transaction has been posted in error, the original transaction must be reversed and the transaction must be resubmitted with the appropriate modifications.

MESSAGE

DEGREE OF ERROR: WARNING

XC8	ACCRD	ЕХР	NEG	(CMO)
XC9	ACCRD	ЕХР	NEG	(CM1)
XD1	ACCRD	EXP	NEG	(PYO)

DESCRIPTION OF ERROR: If the project file accrued expenditures for the current month, prior month or prior year are less than zero, the transaction is flagged with an XC8, XC9 or XD1 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

ACTION REQUIRED: If the transaction has been posted as intended, then no action is necessary since the master files have been updated. However, if the transaction has been posted in error, the original transaction must be reversed and the transaction must be resubmitted with the appropriate modifications.

E-186

MESSAGE

DEGREE OF ERROR: WARNING

XD2	EXP	NEG	(CMO)
XD3	EXP	NEG	(CM1)
XD4	EXP	NEG	(PYO)

DESCRIPTION OF ERROR: If the project file cash expenditures for the current month, prior month or prior year are less than zero, the transaction is flagged with an XD2, XD3 or XD4 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

ACTION REQUIRED: If the transaction has been posted as intended, then no action is necessary since the master files have been updated. However, if the transaction has been posted in error, the original transaction must be reversed and the transaction must be resubmitted with the appropriate modifications.

<u>CODE</u> :		MESSAGE				
XD5		CONTR				
XD6	ENC	CONTR	NEG	(CM1)		
XD 7	ENC	CONTR	NEG	(PYO)		

DESCRIPTION OF ERROR: If the project file contract encumbrances for the current month, prior month or prior year are less than zero, the transaction is flagged with an XD5, XD6 or XD7 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

DEGREE OF ERROR: WARNING

XD 8	ENC	CLMS	NEG	(CMO)
XD9	ENC	CLMS	NEG	(CM1)
XEl	ENC	CLMS	NEG	(PYO)

DESCRIPTION OF ERROR: If the project file claims encumbrances for the current month, prior month or prior year are less than zero, the transaction is flagged with an XD8, XD9 or XE1 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

ACTION REQUIRED: If the transaction has been posted as intended, then no action is necessary since the master files have been updated. However, if the transaction has been posted in error, the original transaction must be reversed and the transaction must be resubmitted with the appropriate modifications.

CODE :	MESSAGE						
XE 2	ACCRD REV ATTAIN POS (CMO)					
XE 3	ACCRD REV ATTAIN POS (CM1)					
XE4	ACCRD REV ATTAIN POS (PYO)					

DESCRIPTION OF ERROR: If the project file accrued revenue attainment for the current month, prior month or prior year is greater than zero, the transaction is flagged with an XE2, XE3 or XE4 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

MESSAGE

DEGREE OF ERROR: WARNING

DEGREE OF ERROR: WARNING

XE 5	REV ATTAIN	POS	(CMO)
XE 6	REV ATTAIN	POS	(CM1)
XE 7	REV ATTAIN	POS	(PYO)

DESCRIPTION OF ERROR: If the project file revenue attainment for the current month, prior month or prior year is greater than zero, the transaction is flagged with an XE5, XE6 or XE7 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

ACTION REQUIRED: If the transaction has been posted as intended, then no action is necessary since the master files have been updated. However, if the transaction has been posted in error, the original transaction must be reversed and the transaction must be resubmitted with the appropriate modifications.

<u>CODE</u> :	MESSAGE					
XE 8 XE 9	CASH TRF LNS IN POS (CMO) CASH TRF LNS IN POS (CM1)					
XFI	CASH TRF LNS IN POS (PYO)					

DESCRIPTION OF ERROR: If the project file cash transfer loans in for the current month, prior month or prior year are greater than zero, the transaction is flagged with an XE8, XE9 or XF1 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

DEGREE OF ERROR: WARNING

XF 2	ALLOT	QTR	1	POS	(CMO)
XF 3	ALLOT	QTR	1	POS	(CM1)
XF 4	ALLOT	QTR	1	POS	(PYO)

DESCRIPTION OF ERROR: If the project file first quarter allotments for the current month, prior month or prior year are greater than zero, the transaction is flagged with an XF2, XF3 or XF4 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

ACTION REQUIRED: If the transaction has been posted as intended, then no action is necessary since the master files have been updated. However, if the transaction has been posted in error, the original transaction must be reversed and the transaction must be resubmitted with the appropriate modifications.

CODE:MESSAGEXE5ALLOT OTR 2 POS (C

DEGREE OF ERROR: WARNING

XF 5	ALLOT	QTR	2	POS	(CMO)
XF 6	ALLOT	QTR	2	POS	(CM1)
XF 7	ALLOT	QTR	2	POS	(PYO)

DESCRIPTION OF ERROR: If the project file second quarter allotments for the current month, prior month or prior year are greater than zero, the transaction is flagged with an XF5, XF6 or XF7 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

DEGREE OF ERROR: WARNING

CODE:

XF 8	ALLOT	QTR	3	POS	(CMO)
XF 9	ALLOT	QTR	3	POS	(CM1)
XG1	ALLOT	QTR	3	POS	(PYO)

MESSAGE

DESCRIPTION OF ERROR: If the project file third quarter allotments for the current month, prior month or prior year are greater than zero, the transaction is flagged with an XF8, XF9 or XG1 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

ACTION REQUIRED: If the transaction has been posted as intended, then no action is necessary since the master files have been updated. However, if the transaction has been posted in error, the original transaction must be reversed and the transaction must be resubmitted with the appropriate modifications.

CODE :	MESSAGE				
XG2 XG3 XG4	ALLOT ALLOT ALLOT	Q TR	4	POS	(CM1)

DESCRIPTION OF ERROR: If the project file fourth quarter allotments for the current month, prior month or prior year are greater than zero, the transaction is flagged with an XG2, XG3 or XG4 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

MESSAGE

DEGREE OF ERROR: WARNING

XG5	ALLOT	OTHER	POS	(CMO)
XG6	ALLOT	OTHER	POS	(CM1)
XG 7	ALLOT	OTHER	POS	(PYO)

DESCRIPTION OF ERROR: If the project file other allotments for the current month, prior month or prior year are greater than zero, the transaction is flagged with an XG5, XG6 or XG7 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

ACTION REQUIRED: If the transaction has been posted as intended, then no action is necessary since the master files have been updated. However, if the transaction has been posted in error, the original transaction must be reversed and the transaction must be resubmitted with the appropriate modifications.

CODE :

MESSAGE

DEGREE OF ERROR: WARNING

XG 8	ALLOT	REVERSIONS	NEG	(CMO)
XG9	ALLOT	REVERSIONS	NEG	(CM1)
XHJ	ALLOT	REVERSIONS	NEG	(PYO)

DESCRIPTION OF ERROR: If the project file allotment reversions for the current month, prior month or prior year are less than zero, the transaction is flagged with an XG8, XG9 or XH1 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

CUDE:	HESSAGE	DEGREE OF ERROR: WARNING	
Xho Xho Xh7	EST REV NEG (CHD) EST REV NEG (CHT) EST REV NEG (PYU)		

DESCRIPTION OF ERROR: If the project file estimated revenues for the current month, prior month or prior year are less than zero, the transaction is flagged with an XH5, XH0 or XH7 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; nowever, it is listed the following day (only) on the edit activity report with a warning message.

X12ALLOT RESTRINEG (CHO)X13ALLOT RESTRINEG (CHT)X14ALLOT RESTRINEG (PYO)

HESSAGE

.

CODE:

DESCRIPTION OF ERROR: If the project file allotment restrictions for the current month, prior month or prior year are less than zero, the transaction is flagged with an XI2, XI3 or X14 error code, respectively.

SYSTER AUTION: The transaction is posted to the system master files; nowever, it is listed the following day (only) on the edit activity report with a warning message.

HESSAGE

X15EST SPUL APPRILPUS (CHU)X10EST SPUL APPRILPUS (CH1)X17EST SPUL APPRILPUS (PYU)

LUUL:

DESCRIPTION OF ERROR: If the project file estimated special appropriations for the current month, prior month or prior year are greater than zero, the transaction is flagged with an XI5, XI6 or XI7 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; nowever, it is listed the following day (only) on the edit activity report with a warning message.

CUDE:

DEGREE OF ERROR: WARNING

XJ5PRUJ BUDGET POS (CHU)XJ5PRUJ BUDGET POS (CH1)XJ7PRUJ BUDGET POS (PYO)

DESCRIPTION OF ERROR: If the project file project budget for the current month, prior month or prior year is greater than zero, the transaction is flagged with an XD5, XD0 or XD7 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; nowever, it is listed the following day (only) on the edit activity report with a warning message.

XJ 8	CASH	TRF	LOANS	OUT	NEG	(CMO)
XJ9	CASH	TRF	LOANS	OUT	NEG	(CM1)
XK 1	CASH	TRF	LOANS	OUT	NEG	(PYO)

DESCRIPTION OF ERROR: If the project file cash transfer loans out for the current month, prior month or prior year are less than zero, the transaction is flagged with an XJ8, XJ9 or XK1 error code, respectively.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

ACTION REQUIRED: If the transaction has been posted as intended, then no action is necessary since the master files have been updated. However, if the transaction has been posted in error, the original transaction must be reversed and the transaction must be resubmitted with the appropriate modifications.

CODE: XK2 DEGREE OF ERROR: WARNING

MESSAGE: PF MATCH ERROR

DESCRIPTION OF ERROR: A transaction that should post to the project file was processed, and there was a matching record on the project file.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

MESSAGE: PF-FILE NO MATCH

DESCRIPTION OF ERROR: A transaction that should post to the project file was processed, and there was no matching record on the project file.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

ACTION REQUIRED: If the transaction has been posted as intended, then no action is necessary since the master files have been updated. However, if the transaction has been posted in error, the original transaction must be reversed and the transaction must be resubmitted with the appropriate modifications.

CODE: XK4

DEGREE OF ERROR: WARNING

MESSAGE: AD MATCH ERROR

DESCRIPTION OF ERROR: A transaction that should post to the allotment department file was processed, and there was a matching record on the allotment department file.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

MESSAGE: PROC DAT GT STOP DAT

DESCRIPTION OF ERROR: An attempt has been made to post a transaction to the project file when the transaction processing date was after the project stop date.

SYSTEM ACTION: The transaction is posted to the system master files; however, it is listed the following day (only) on the edit activity report with a warning message.

ACTION REQUIRED: Perform table maintenance to the Project Control Table to change the stop date.

XP1	XQI	XR 1	XS1	XTI	XU1	
XP2	XQ2	XR2	XS2	XT2	XU2	
XP3	XQ3	XR3	XS3	XT3	XU3	
XP4	XQ4	XR4	XS4			
XP5	XQ5	XR5	XS5			
XP6	XQ6	XR6	XS6			
XP7		XR7				
XP8		XR8				
XP9		XR9				

See corresponding error code with a prefix of "H". Error codes XP1 - XU3 represent online departmental edits that, at the option of the user departments, have been established as "WARNING" errors rather than "FATAL" errors. Online departmental transactions are added to the online hold file, however, a warning message will appear at the bottom of the terminal screen when the transactions are entered.