

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019



Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019




TABLE OF CONTENTS

1. PSAP Operations	5
9-1-1 Call Volume Hawaii County PSAPS – May 2019	5
Call Volume Hawaii County PSAP Notes:	5
9-1-1 Call Volume – Calendar Year 2019	5
9-1-1 Call Volume by Agency – May 2019.....	6
9-1-1 Call Volume by Agency – Calendar Year 2019	6
PSAP Operation Notes:.....	6
For your Information.....	7
Text to 911 – Current Month – May 2019	7
Note:	7
Wireless PSAP Testing – May 2019.....	8
Notes:	8
2. MSAG (Master Street Address Guide)	9
MSAG Transactions Current Month/Year – May 2019.....	9
MSAG Current Month Notes:	10
Telephone Record (ALI) Transactions current month notes:	10
Open Telephone Record (ALI) discrepancy Status:.....	10
TNCR (Telephone Number Change Request) Current Status – May 2019	11
Note:	11
Dispatchable Location – Status as of – May 2019.....	12

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

Narrative:	12
Spectrum (Charter) 9-1-1 VoIP Database Verification Project - May 2019	13
Bandwidth 9-1-1 VoIP Database Verification Project – May 2019.....	14
3. Geographic Information System (GIS) – May 2019	15
Mapping Layers Updated (Part I)	15
Mapping Layers Updated (Part II)	16
Mapping Layers Updated (Part III).....	17
Mapping Layers Updated (Part IV).....	18
Mapping Layers Updated (Part V).....	19
Mapping Layers Updated (Part VI).....	20
Mapping Layers Updated (Part VII)	21
Geographic Information System (GIS) Narratives	21
GIS Key Activities/Updates.....	21
Lava Flow and Alternate Routes.....	22
Fire Department IMT (Incident Management Team) Map	22
Address Points and Street Centerlines Update Comparison	22
Note:	22
CAD System Deployment.....	23
MapFlex System	23
MapFlex Issues	23
DATE.....	23
ISSUE.....	23
DESCRIPTION	23
STATUS.....	23
4. Service Requests Transactions.....	25
Open Service Requests – May 2019	25

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

Note* There is one (1) opened service request pending for May 2019.....	25
Service Request Year-to-Date (YTD) Summary – 2019.....	25
5. E9-1-1 Database Synchronization.....	26
Audit Summary Results – May 2019	27
Audit Summary Results Comparision – May 1, 2019 vs February 1, 2019.....	28
Note:	28
Audit Summary Results	28
Comparison Notes:.....	28
Invalid MSAG Streets and Address Ranges – ESN x99 Records	29
Automatic Location Identification (ALI) Discrepancy Report	30

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

1. PSAP OPERATIONS

9-1-1 CALL VOLUME HAWAII COUNTY PSAPS – MAY 2019

Source: West Safety Services Viper system

(*) Totals are based on calls to Primary PSAP.

9-1-1 Call Volume																	
HAWAII COUNTY PSAPs		Wireline		Wireless				VOIP		Calls With No ALI		Admin Calls		Abandoned Calls		Other Calls	
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Total Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	No. of Other Calls	% of Total Calls
MAY	17,912	2,768	15.45%	12,996	72.55%	43.80%	56.20%	816	4.56%	17	0.09%	0	0.00%	1,315	7.34%	0	0.00%

CALL VOLUME HAWAII COUNTY PSAP NOTES:

*The percentage of Wireless Phase 2 calls (56.20%) has surpassed the number of Wireless Phase 1 calls (43.80%) in May 2019.

*911 Calls with No ALI in May 2019 = 0.09% - Statewide average for 2018 = 0.09%

9-1-1 CALL VOLUME – CALENDAR YEAR 2019

9-1-1 Call Volume																	
HAWAII COUNTY PSAPs		Wireline		Wireless				VOIP		Calls with No ALI		Admin Calls		Abandoned Calls		Other Calls	
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Total Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	No. of Other Calls	% of Total Calls
JAN	16,913	3,148	18.61%	12,155	71.87%	42.34%	57.66%	746	4.41%	14	0.08%	0	0.00%	850	5.03%	0	0.00%
FEB	16,724	2,829	16.92%	11,899	71.15%	41.31%	58.69%	765	4.57%	13	0.08%	0	0.00%	1,218	7.28%	0	0.00%
MAR	18,089	2,946	16.29%	12,950	71.59%	42.12%	57.88%	861	4.76%	10	0.06%	0	0.00%	1,322	7.31%	0	0.00%
APR	17,257	3,049	17.67%	12,166	70.50%	43.28%	56.72%	787	4.56%	13	0.08%	0	0.00%	1,242	7.20%	0	0.00%
MAY	17,912	2,768	15.45%	12,996	72.55%	43.80%	56.20%	816	4.56%	17	0.09%	0	0.00%	1,315	7.34%	0	0.00%
JUNE																	
JULY																	
AUG																	
SEPT																	
OCT																	
NOV																	
DEC																	
YTD	86,895	14,740		62,166				3,975		67		0		5,947		0	
MON AVG	17,379	2,948	16.99%	12,433	71.53%	42.57%	57.43%	795	4.57%	13	0.08%	0	0.00%	1,189	6.83%	0	0.00%

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

9-1-1 CALL VOLUME BY AGENCY – MAY 2019

2019	9-1-1 Call Volume by Agency									
	Hawaii Police Department					Hawaii Fire Department				
	Number of Total Calls Received	% of Total Calls	Number of Admin Calls	Number of Abandoned Dropped Calls	Number of Other Calls	Number of Total Calls Received	% of Total Calls	Number of Admin Calls	Number of Abandoned Dropped Calls	Number of Other Calls
May	14,041	78.39%	0	1,284	0	2,556	14.27%	0	31	0

9-1-1 CALL VOLUME BY AGENCY – CALENDAR YEAR 2019

2019	9-1-1 Call Volume by Agency									
	Hawaii Police Department					Hawaii Fire Department				
	Number of Total Calls Received	% of Total Calls	Number of Admin Calls	Number of Abandoned Dropped Calls	Number of Other Calls	Number of Total Calls Received	% of Total Calls	Number of Admin Calls	Number of Abandoned Dropped Calls	Number of Other Calls
January	13,504	79.84%	0	825	0	2,559	15.13%	0	25	0
February	12,962	77.51%	0	1,178	0	2,544	15.21%	0	40	0
March	15,426	85.28%	0	1,291	0	2,663	14.72%	0	31	0
April	13,670	79.21%	0	1,219	0	2,345	13.59%	0	23	0
May	14,041	78.39%	0	1,284	0	2,556	14.27%	0	31	0
June										
July										
August										
September										
October										
November										
December										
YTD	69,603		0	5,797	0	12,667		0	150	0
MON AVG	13,921	80.05%	0	1,159	0	2,533	14.58%	0	30	0

PSAP OPERATION NOTES:

- Abandoned Calls represent the number of incoming 9-1-1 calls for which the caller had hung up before a call-taker answered. Abandoned Calls are **not** included in the % of Total Calls.
- All VoIP (Voice over Internet Protocol) types of 911 calls are combined in the Call Volume statistic.

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

FOR YOUR INFORMATION

FYI.....For Your Information								
PSAP Operations								
Statewide 911 Call Volumes								
PSAP	2018		2017		2016		2015	
Oahu Civilian	1,034,190	70.62%	1,022,818	72.16%	1,009,059	71.93%	1,019,402	70.94%
RDC Pearl Harbor	37,068	2.53%	27,916	1.97%	N/A	N/A	N/A	N/A
Hawaii County	206,648	14.11%	193,166	13.62%	205,412	14.64%	217,768	15.15%
Maui County	133,869	9.14%	123,685	8.73%	137,333	9.80%	142,952	9.95%
Kauai County	52,623	3.60%	49,902	3.52%	50,955	3.63%	56,874	3.96%
Total	1,464,398	100.00%	1,417,487	100.00%	1,402,759	100.00%	1,436,996	100.00%
*2016 & 2015 Statewide average does not include Military 911 calls								

TEXT TO 911 – CURRENT MONTH – MAY 2019

NOTE:

- 911 Text messages received at the Fire Department are transfers from the Police Department.
- Although there is a “Text to 911” plot on the MapFlex, the location of the plot is not reliable. Text to 911 Dispatchers should use their skills to ascertain the exact location of the emergency response.

TEXT TO 911 Hawaii County PSAPs 2019		
Month	Received at Police	Received at Fire
January	29	2
February	29	3
March	27	2
April	20	7
May	20	2
June		
July		
August		
September		
October		
November		
December		
YTD	125	16
Monthly Avg.	25.00	3.20

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

WIRELESS PSAP TESTING – MAY 2019

HAWAII COUNTY - MAY 2019						
Date	WSP	Sites Tested	Sectors Tested	Tested By:	Test Pass/Fail	Comments:

NOTES:

- There were no (0) scheduled Wireless 911 Tests for the month of May 2019.
- Verizon Wireless has completed migrating their Wireless network database from West to ComTech.
- During the 4th quarter of 2018, there was an increasing amount of “MOBL” class of service type of 911 calls delivered to the State of Hawaii PSAPs. On January 15th, 2019, West completed the position source mapping for ComTech which appears to have resolved this issue.

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

2. MSAG (MASTER STREET ADDRESS GUIDE)

MSAG TRANSACTIONS CURRENT MONTH/YEAR – MAY 2019

HAWAII COUNTY	9-1-1 TRANSACTIONS								
	Total	Dispatchable Location Transactions Submitted	MSAG	ALI Submitted		Open ALI Discrepancy Records			Customer Addresses Affected
2019		DL (A)	MSAG (B)	TN CR (C)	ALI DR (D)	TNCR	ALI DR	VoIP DR	
JANUARY	184	157	12	9	6	322	0	0	82
FEBRUARY	61	12	26	17	6	193	0	0	12
MARCH	145	92	22	30	1	359	0	0	370
APRIL	60	25	21	13	1	254	0	0	24
MAY	305	278	17	7	3	473	0	0	37
JUNE									
JULY									
AUGUST									
SEPTEMBER									
OCTOBER									
NOVEMBER									
DECEMBER									
TOTAL YTD	755	564	98	76	17	1,601	0	0	525
AVG PER MONTH	151	113	20	15	3		0	0	105

Definitions

- (A) **Dispatchable Location** - is defined in the FCC 15-9 Docket as the verified or corroborated street address of the calling party plus additional information such as floor, suite, apartment or similar information that may be needed to adequately identify the location of the calling party. Please see Dispatchable Location Section for more information.
- (B) **Master Street Address Guide** - Represents corrections made to street records including, street names, address ranges, MSAG Communities and ESNs.
- (C) **Telephone Number Change Request** - Represents address corrections on a specific TN or group of TNs. These "invalid" TNs usually have an associated ESN 299 attached to them which indicates the need for validation.
- (D) **Automatic Location Information Discrepancy Record** - Represents an address discrepancy discovered during a live 9-1-1 call, from a landline OR a VoIP phone. These record corrections are treated with a higher priority and should be processed within 48 hours if wireline, and 72 hours if a VoIP phone, as a general guideline.

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

MSAG CURRENT MONTH NOTES:

A total of **305** MSAG transactions were processed in 9-1-1 Net during the current month. Seventeen (**17**) requests were processed relating to the MSAG database. Changes include: changes to high – low street ranges, combining street records, deletion of invalid records, splitting street records to align with Police, Fire, EMS and Military response areas, and inserting new MSAG records.

There were **37** customer ANI/ALI (telephone number/address) records updated as a direct result.

TELEPHONE RECORD (ALI) TRANSACTIONS CURRENT MONTH NOTES:

Seven (**7**) Telephone Number Change Requests (TN CR) transactions were processed in 9-1-1 Net with valid MSAG addresses, as a result of the ESN 299 clean-up effort. ESN 299 TN CRs must be validated against HT records and approved by the end user Hawaiian Telcom customer before updating the ALI record.

Three (**3**) ALI DRs were submitted as the result of 9-1-1 call from residents in Kurtistown, Pahala, and Pahoā. .

Akimeka submitted two hundred seventy eight (**278**) TN CRs related to the Dispatchable Location Project during the current month

OPEN TELEPHONE RECORD (ALI) DISCREPANCY STATUS:

- **There are currently 473 Open TN CR Transactions.**
- **Refer to chart in the next section “TNCR Current Status”**

473 Open TN CR transactions are a direct result of the dispatchable location project and are awaiting approval from Hawaiian Telcom, Inc. Once a telephone number is submitted to West for correction, it is verified against HT records and/or by the customer. West's internal process requires calling each telephone customer individually for verification to update an address in the 9-1-1 database.

- **There are currently no Open ALI-DRs as May 31, 2019**
- **There are currently no Open VoIP DRs as May 31, 2019**

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

TNCR (TELEPHONE NUMBER CHANGE REQUEST) CURRENT STATUS – MAY 2019

NOTE:

- 9-1-1 NET is a secure web-based application that provides access to request changes to the MSAG, ALI, TN, and ESN/ELT data supported and maintained by West Safety Services for the Telephone Company (TelCo).
- TNCRs are not requests to change Telephone Numbers (TNs); however, it is a corrective process within 9-1-1 NET to modify location information associated with an Automatic Location Identification (ALI) record to a valid MSAG address for 9-1-1 purposes.

PSAP 9-1-1 Telephone Number Location Change Request (Telephone Number Change Request (TNCR) Status)				
County	TOTAL TNCR RECORDS SUBMITTED BY AKIMEKA	OPENED TNCRS PENDING FURTHER ACTION BY WEST SAFETY SERVICES	OPENED TNCRS REFERRED TO TELCO BY WEST SAFETY SERVICES	TOTAL UNOPENED TNCR RECORDS
HAWAII	473	120	51	302

STATUS
<u>TOTAL TNCRs SUBMITTED</u> - The total number of TNCR requests for modification that have been submitted in 9-1-1
<u>PENDING STATUS</u> - TNCRs assigned this status are requests which have been reviewed by the 9-1-1 Database Service Provider Data Analyst, and are pending investigation whether the request is valid or invalid, and/or whether the request requires additional information to validate.
<u>REFERRED STATUS</u> - TNCRs assigned this status are requests which have been reviewed by the 9-1-1 Database Service Provider Data Analyst, and the request requires additional information to validate. The West Safety Services Data Analysts assigns this status to a TNCR and the request is referred to the telephone service providers for further research.
<u>TOTAL UNOPENED TNCR RECORDS STATUS</u> - The request is submitted by Akimeka on behalf the PSAP; however, processing by the 9-1-1 Database Service Provider Data Analyst has not begun.

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

DISPATCHABLE LOCATION – STATUS AS OF – MAY 2019

NARRATIVE:

During the August 2015 State of Hawaii 911 Board meeting, Akimeka provided a “State of Hawaii PSAPs Proposed ALI Compliancy with FCC 15-9” presentation. Based on the 9-1-1 Board’s confirmation to add the “Dispatchable Location” information into the ALI database, Akimeka researched the format standards of each pertinent field, and tested the delivery of the data to the PSAP. After a few configuration adjustments (eliminating the TelCo comments field from appearing on the ALI Screen), Akimeka standardized an additional information data format to proceed with this project.

During the month of September 2015, Akimeka started a pilot project, entering additional location information to a verified MSAG address with multiple telephone numbers. Specifically the **Kings Shops at 690250 Waikoloa Beach Dr., Waikoloa**. The “Dispatchable Location” data is entered into the “Driving Directions” field in the 9-1-1 Net system, and will display on the Viper Power 911 ALI Screen in the “Exact” field should a 911 call be received from that telephone number. There are a total of **4,625** Dispatchable Locations processed to date. There were **278** Dispatchable locations submitted and **59** were processed in May 2019.

Dispatchable Location			
2019	Common Name Place	TNCR*	Transactions
Quarter 2	MSAG Address	Transactions Submitted	Processed**
Quarter 1 Carryover		5,005	4,437
April	Waiakea Kai Plaza, 88 Kanoelehua Ave, Hilo	0	72
	Longs, 555 Kilauea Ave, Hilo	0	11
	Hilo Shopping Center, 1221 Kilauea Ave, Hilo	0	45
	St Joseph School, 1000 Ululain St, Hilo	0	1
	Mango Hotel, 826151 Mamalahoa Hwy, Captain Cook	6	0
	Four Seasons, 720100 Kaupalehu Dr, Kailua Kona	6	0
	Wyndam Kona Hawaiian Resort, 755961 Alii Dr, Kailua Kona	13	0
May	Hilo Shopping Center, 1221 Kilauea Ave, Hilo	0	34
	Four Seasons, 720100 Kaupalehu Dr, Kailua Kona	0	6
	Mango Hotel, 826151 Mamalahoa Hwy, Captain Cook	0	6
	Wyndam Kona Hawaiian Resort, 755961 Alii Dr, Kailua Kona	0	13
	Kona Adventist School, 821013 Kinue Rd, Captain Cook	2	0
	Cedar House B&B, 826119 D Rd, Captain Cook	1	0
	Kam School Honaunau, 845574 Honaunau Beach Rd, Honaunau	4	0
	Sheraton Keahou Bay, 780128 Ehukai St, Keauhou	38	0
	Maunaloa Village, 787190 Kaleiopapap St, Keauhou	233	0
June			
Q2 Total		303	188
Total		5,308	4,625

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

SPECTRUM (CHARTER) 9-1-1 VOIP DATABASE VERIFICATION PROJECT - MAY 2019

Akimeka received the Automatic Location Identification (ALI) records from Spectrum (formally known as Charter Communications) which is the predominant Voice over Internet Protocol (VoIP) provider in the State of Hawaii. As Akimeka has access to these ALI Records, Akimeka is researching and verifying the VoIP records against an MSAG valid address and the GIS data. This research is a validation of the ALI Record to ensure that the location as provided by the VoIP provider matches the GIS Information utilized by the Public Safety Agencies within their specific County 9-1-1 Service Area. This validation reduces the potential of address or location dispute during a 9-1-1 call.

The analysis of the database records indicates that there are invalid MSAG addresses utilized by the VoIP Provider. These records are being identified, and will be sent back to Spectrum for corrective action.

*Spectrum (Charter) 9-1-1 VoIP Database Verification Project					
PSAP	TOTAL RECORDS SUBMITTED BY SPECTRUM (A)	TOTAL RECORDS MATCHING & VERIFIED WITH 911 DATABASES (B)	TOTAL RECORDS NOT MATCHING	NON MATCHING RECORDS CORRECTED BY AKIMEKA (C)	PERCENT COMPLETED
HAWAII County	22,044	21,638 (98%)	406	406	100.00%
KAUAI County	8,936	8,695 (97%)	241	241	100.00%
MAUI County	18,256	17,517 (96%)	739	739	100.00%
OAHU Civilian	87,414	85,329 (98%)	2,085	2,085	100.00%
OAHU Military	3,663	710 (19%)	2,953	2,953	100.00%
TOTAL	140,313	**133,889	6,424	6,424	100.00%

* Spectrum VoIP Database received on June 21st, 2017

** Akimeka provided VoIP Records with Latitude/Longitude coordinates

(A)	VoIP Database records submitted by Spectrum to Akimeka for research and MSAG address validation.
(B)	Akimeka has researched and verified the VoIP record against an MSAG valid address and GIS data. Akimeka is tracking corrections needed to be performed by Spectrum. Addressing data will be updated or added in the GIS if the VoIP record is determined to be valid.
(C)	Verification Process Completed.

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

BANDWIDTH 9-1-1 VOIP DATABASE VERIFICATION PROJECT – MAY 2019

Akimeka received the Automatic Location Identification (ALI) records from Bandwidth which is a Voice over Internet Protocol (VoIP) provider in the State of Hawaii. As Akimeka has access to these ALI Records, Akimeka researched and verified the VoIP records against an MSAG valid address and the GIS data. This research is a validation of the ALI Record to ensure that the location as provided by the VoIP provider matches the GIS Information utilized by the Public Safety Agencies within their specific County 9-1-1 Service Area. This validation reduces the potential of address or location dispute during a 9-1-1 call.

The analysis of the database records indicates that there were invalid MSAG addresses utilized by the VoIP Provider. These records were identified, and sent back to Bandwidth for corrective action.

Akimeka will update the chart below as we receive updated ALI records from Bandwidth.

*Bandwidth 9-1-1 VoIP Database Verification Project **(Updated)					
PSAP	TOTAL RECORDS SUBMITTED BY BANDWIDTH (A)	TOTAL NEW RECORDS VERIFIED WITH 911 DATABASES (B)	TOTAL RECORDS NOT MATCHING	NON MATCHING RECORDS CORRECTED BY AKIMEKA (C)	PERCENT COMPLETED
HAWAII County	545	85	0	0	100.00%
KAUAI County	306	41	0	0	100.00%
MAUI County	914	222	1	1	100.00%
OAHU Civilian	4,065	888	1	1	100.00%
OAHU Military	56	7	0	0	100.00%
TOTAL	5,886	1,243	2	2	100.00%

***Bandwidth VoIP Database received on April 5th, 2018**

****Updated Bandwidth VoIP Database received on September 6th, 2018**

(A)	VoIP Database records submitted by Bandwidth to Akimeka for research and MSAG address validation.
(B)	Akimeka has researched and verified the VoIP record against an MSAG valid address and GIS data. Akimeka is tracking corrections needed to be performed by Bandwidth. Addressing data will be updated or added in the GIS if the VoIP record is determined to be valid.
(C)	Verification Process Completed.

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

3. GEOGRAPHIC INFORMATION SYSTEM (GIS) – MAY 2019

MAPPING LAYERS UPDATED (PART I)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

HAWAII COUNTY		
Type of Layer	Akimeka GIS Server	GIS Delivery Dates/Remarks
	Date Created/ Edits Performed	
CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)		
Address Points	5/21/19 To 5/31/19	Next Delivery 6/4/2019
		Added address for one (1) record in Honokaa
		Added address for ten (10) records in Naalehu
		Added address for twenty-one (21) records in Pahoa
		Corrected zipcode, added alias, corrected spatial for one (1) record in Ocean View
		Added address for one (1) record in Honomu
		Added address for two (2) records in Kapaau
		Added address for three (3) records in Captain Cook
		Added address for one (1) record in Keauhou
		Updated address for one (1) record in Volcano
		Corrected TMK for one (1) record in Pahoa
		Updated address for five (5) records in Captain Cook
		Added address for seventeen (17) records in Volcano
		Corrected spatial for six (6) records in Volcano
		Added new address point for one (1) record in Kailua Kona
		Corrected spatial for two (2) records in Kailua Kona
		Added address for three (3) records in Pahala
		Added address for eight (8) records in Ocean View
		Added address for nine (9) records in Hilo
		Updated address for one (1) record in Kailua Kona
		Corrected TMK for two (2) records in Kailua Kona
		Corrected spatial for two (2) records in Honokaa
		Added address for four (4) records in Kailua Kona
		Corrected spatial for twenty-nine (29) records in Ocean View
		Added address for one (1) record in Holualoa
		Added address for fourteen (14) records in Keaau
		Corrected spatial for eighteen (18) records in Naalehu
		Added address for nine (9) records in Mountain View
		Corrected spatiaal for one (1) record in Ocean View
		Corrected zipcode, added address point for one (1) record in Ocean View
		Added address for seven (7) records in Kamuela
		Corrected TMK, added alias for one (1) record in Hilo
		Added address for eighteen (18) records in Kurtistown

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

MAPPING LAYERS UPDATED (PART II)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

HAWAII COUNTY		
Type of Layer	Akimeka GIS Server	GIS Delivery Dates/Remarks
	Date Created/ Edits Performed	
CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)		
Address Points	5/7/19 To 5/20/19	Delivered 5/21/2019
		Added alias for three (3) records in Pahoa
		Corrected spatial for one (1) record in Kamuela
		Corrected spatial for twenty-four (24) records in Volcano
		Corrected TMK for one (1) record in Mountain View
		Corrected spatial for three (3) records in Captain Cook
		Corrected TMK and corrected spatial for two (2) records in Volcano
		Corrected spatial for two (2) records in Kailua Kona
		Corrected spatial for one (1) record in Naalehu
		Corrected spatial for eight (8) records in Pahoa
		Corrected spatial for one (1) record in Ocean View
		Corrected spatial for three (3) records in Mountain View
		Corrected spatial for one (1) record in Kurtistown
		Corrected TMK and corrected spatial for one (1) record in Papaikou
		Updated street name for three (3) records in Pahoa
		Corrected TMK for one (1) record in Volcano
		Added address for one (1) record in Pahala
		Updated TMK for two (2) records in Volcano
		Corrected prefix for two (2) records in Volcano
		Updated routingID and TMK for three (3) records in Hilo
	5/1/19 To 5/6/19	Delivered 5/7/2019
		Added intermediate milepost marker for five hundred and ninety (590) records in Kamuela
		Corrected spatial for one (1) record in Volcano
		Added intermediate milepost marker for two hundred and eighty-three (283) records in HVNP
		Added intermediate milepost marker for forty-two (42) records in Laupahoehoe
		Corrected spatial for ten (10) records in Holualoa
		Verified address for one (1) record in Hilo
		Added intermediate milepost marker for thirty-five (35) records in Ookala
		Corrected TMK for one (1) record in Pahoa
		Added intermediate milepost marker for forty-three (43) records in Papaaloa
		Added intermediate milepost marker for ninety-nine (99) records in Keaau
		Added intermediate milepost marker for forty-five (45) records in Honomu
		Added intermediate milepost marker for one hundred and twenty-three (123) records in Kapaau

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

MAPPING LAYERS UPDATED (PART III)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

HAWAII COUNTY		
Type of Layer	Akimeka GIS Server	GIS Delivery Dates/Remarks
	Date Created/ Edits Performed	
CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)		
Address Points	5/1/19 To 5/6/19	Added intermediate milepost marker for one hundred and seventy-five (175) records in Honokaa
		Added intermediate milepost marker for one hundred and thirty-three (133) records in Hawi
		Added intermediate milepost marker for four hundred and twenty-eight (428) records in Hilo
		Added address point for one (1) record in Captain Cook
		Added intermediate milepost marker for seventeen (17) records in Honaunau
		Corrected zipcode, for three (3) records in Ocean View
		Added intermediate milepost marker for one hundred and thirty-six (136) records in Pahala
		Added intermediate milepost marker for four hundred and seventy-nine (479) records in Kailua Kona
		Corrected spatial for one (1) record in Pahala
		Added intermediate milepost marker for forty (40) records in Pepeekeo
		Corrected TMK for one (1) record in Mountain View
		Corrected spatial for two (2) records in Honokaa
		Corrected spatial for sixteen (16) records in Captain Cook
		Corrected spatial for one (1) record in Kapaau
		Corrected TMK for one (1) record in Holualoa
		Corrected spatial for four (4) records in Ocean View
		Corrected TMK for one (1) record in Hilo
		Added intermediate milepost marker for one hundred and three (103) records in Volcano
		Corrected spatial for three (3) records in Mountain View
		Added intermediate milepost marker for two hundred and twenty-six (226) records in Paauilo
		Corrected spatial for five (5) records in Pahoa
		Added intermediate milepost marker for seven (7) records in Kurtistown
		Added intermediate milepost marker for sixty-one (61) records in Holualoa
		Corrected spatial for four (4) records in Kamuela
		Corrected spatial for sixteen (16) records in Hilo
		Added intermediate milepost marker for nine (9) records in Paauhau
		Added intermediate milepost marker for twelve (12) records in Ninole
		Added intermediate milepost marker for fifty-five (55) records in Mountain View
		Added intermediate milepost marker for one hundred and sixty-six (166) records in Naalehu
		Added intermediate milepost marker for two hundred and fifty (250) records in Pahoa
		Added intermediate milepost marker for fifty-seven (57) records in Keauhou
		Corrected spatial for two (2) records in Keauhou

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

MAPPING LAYERS UPDATED (PART IV)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

HAWAII COUNTY		
Type of Layer	Akimeka GIS Server	GIS Delivery Dates/Remarks
	Date Created/ Edits Performed	
CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)		
Address Points	5/1/19 To 5/6/19	Added intermediate milepost marker for twenty-three (23) records in Papaikou
		Added intermediate milepost marker for thirty-two (32) records in Kealakekua
		Added intermediate milepost marker for thirteen (13) records in Hakalau
		Added intermediate milepost marker for eighty-eight (88) records in Ocean View
		Corrected spatial for twenty-six (26) records in Hakalau
		Added intermediate milepost marker for two hundred and thirty-two (232) records in Captain Cook
		Added intermediate milepost marker for sixty-four (64) records in Waikoloa
Airports		
Bridges		
Building Footprints		
Bus Stops		
Churches		
Coastal Names		
Coastline		
Common Places		
Correctional Facilities		
Emergency Callboxes		
Emergency Operation Centers		
Emergency Shelters		
ESZ/ESN		
Fire Beats		
Fire Districts		
Fire Response Areas		
Fire Stations		
Food & Beverage		
Gas Stations		
Gate Codes		
Government Buildings		
Harbors		
Helipads		
Hiking Trails		

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

MAPPING LAYERS UPDATED (PART V)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

HAWAII COUNTY		
Type of Layer	Akimeka GIS Server	GIS Delivery Dates/Remarks
	Date Created/ Edits Performed	
CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)		
Hospitals		
Hydrants		
Hyrdology Layers		
Incident Response Areas		
Lodging		
Major Roads		
Medic Beats		
Medic Districts		
Medic Response Areas		
Medic Stations		
Medical Facilities		
Milepost Markers		
MSAG Communities		
Net Junctions		
Ocean Rescue Boundaries		
Ocean Safety		
Parcels		
Parks		
Parks Polygon		
Points of Interest		
Police Beats		
Police Districts		
Police Response Areas		
Police Stations		
Post Offices		
Schools		
Street Centerlines	5/21/19 To 5/31/19	Next Delivery 6/4/2019
		Updated speed limit for five (5) records in Pahoia
		Updated speed limit for two (2) records in Keauhou
		Updated range and updated street name for one (1) record in Captain Cook
		Updated speed limit for four (4) records in Kealahou
		Updated speed limit for one (1) record in Captain Cook
		Updated street name for one (1) record in Captain Cook

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

MAPPING LAYERS UPDATED (PART VI)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

HAWAII COUNTY		
Type of Layer	Akimeka GIS Server	GIS Delivery Dates/Remarks
	Date Created/ Edits Performed	
CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)		
Street Centerlines	5/21/19 To 5/31/19	Added segment for one (1) record in Volcano
		Updated speed limit for six (6) records in Kailua Kona
		Updated speed limit for six (6) records in Hilo
		Extended segment one (1) record in Kamuela
		Updated street name for one (1) record in Pahoa
		Updated speed limit for two (2) records in Volcano
		Added segment for two (2) records in Hilo
		Updated speed limit for six (6) records in Waikoloa
	5/7/19 To 5/20/19	Delivered 5/21/2019
		Updated range for one (1) record in Mountain View
		Split segment & updated range for three (3) records in Kailua Kona
		Updated speed limit for six (6) records in Pahoa
		Corrected spatial, updated ESN for one (1) record in Kailua Kona
		Updated speed limit for one (1) record in Honokaa
		Updated alias 2 for four (4) records in Hilo
		Updated range, split segment and updated range, corrected spatial, updated ESN for two (2) records in Kailua Kona
		Split segment and updated range for two (2) records in Volcano
		Split segment and updated range for four (4) records in Pahoa
		Updated speed limit for five (5) records in Hilo
		Updated speed limit for eighteen (18) records in Captain Cook
		Updated range for one (1) record in Volcano
		Updated range for two (2) records in Pahoa
		Split segment and updated range for two (2) records in Kailua Kona
		Added segment for four (4) records in Kailua Kona
		Updated street name and range for two (2) records in Hilo
Subdivisions		
Tow Jurisdictions		
Tsunami Evacuation Zones		
Tsunami Heights		
Waste Water Plants		

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

MAPPING LAYERS UPDATED (PART VII)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

HAWAII COUNTY		
Type of Layer	Akimeka GIS Server	GIS Delivery Dates/Remarks
	Date Created/ Edits Performed	
CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)		
WSP Cell Sectors	5/7/19 To 5/20/19	Delivered 5/21/2019
		Updated three (3) sectors per Sprint CRS
		Added three (3) sectors per Sprint CRS
		Updated six hundred and sixty-nine (669) sectors per Verizon Wireless audit
WSP Cell Towers	5/7/19 To 5/20/19	Delivered 5/21/2019
		Added one (1) tower per Sprint CRS
		Updated one (1) tower per Sprint CRS
		Updated one hundred and twenty-three (123) towers per Verizon Wireless audit

GEOGRAPHIC INFORMATION SYSTEM (GIS) NARRATIVES

GIS KEY ACTIVITIES/UPDATES

GIS Key activities include the events such as GIS deliverables, meetings, agreements, etc.

Date	Key Activities/Updates
5/7/2019	Delivered Address Points, Cell Sectors, Cell Towers, Points of Interest, Street Centerlines, ESN, and MSAG Communities and Common Places for Hawaii County Mapflex.
5/7/2019	Delivered Address Points, City, Common Names Alt Table, Display Streets, Fire EMS Zone, First In, Points of Interest, POI Alt Names, Police Zones, Street Centerlines, Street Alt Names, Street Routes, and Updated Mile Marker Posts for Hawaii County Spillman.
5/7/2019	Delivered 1/10th milepost markers for Spillman, after test deliverable was successful.
5/21/2019	Delivered Address Points, Cell Sectors, Cell Towers, Points of Interest, Street Centerlines, ESN, and Common Places for Hawaii County Mapflex.
5/21/2019	Delivered Address Points, City, Common Names Alt Table, Display Streets, Fire EMS Zone, First In, Points of Interest, POI Alt Names, Police Zones, Street Centerlines, Street Alt Names, Street Routes for Hawaii County Spillman.

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

LAVA FLOW AND ALTERNATE ROUTES

Historical events are archived in the 2018 Monthly Status Reports.

Akimeka will resume to deliver updates should the event start up again.

FIRE DEPARTMENT IMT (INCIDENT MANAGEMENT TEAM) MAP

Historical events are archived in the 2018 Monthly Status Reports.

Akimeka will update these GIS layers upon request by the Hilo Fire Department.

ADDRESS POINTS AND STREET CENTERLINES UPDATE COMPARISON

On a routine basis, upon receipt of Hawai'i County Planning Department's Address Points and Street Centerlines layer updates, Akimeka compares and incorporates any of the County's additions, changes, and deletions into the Akimeka Address Points and Street Centerlines layers that appear necessary for the dispatch and response of 911 personnel.

The new Address Points and Street Centerlines geodatabase comparative analysis was received from the Hawai'i County Planning Department on **May 20, 2019**. A new compare process was developed by Akimeka to perform this analysis.

HAWAII COUNTY	Address Points Layer	Street Centerlines Layer
New Addresses Added	129	
Addresses Removed	0	
Address Street Name Changes	6	
Address Street Number Changes	2	
New Street Segments Added		5
Street Segments Removed		0
Street Segment Range Changes		6
Street Segment Name Changes		1

NOTE:

Some Address Points have multiple updates that are required, including Street Name and Street Number. These updates are counted as separate actions since the changes are required in order to make the GIS layers "9-1-1 capable" for CAD system recommendations affecting public safety dispatch and response operations.

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

CAD SYSTEM DEPLOYMENT

On September 18th, 2018, the Hawaii Police and Fire Department went live on the new Spillman CAD and mapping systems. There have been no major GIS data configuration changes requested. Historical events are archived in the 2018 Monthly Status Reports.

MAPFLEX SYSTEM

Akimeka delivered GIS data to the MapFlex system on the following dates in May 2019

Hawaii County – May 7th, 2019 and May 21st 2019

Maui County – May 8th, 2019 and May 22nd, 2019

Kauai County – May 9th, 2019, and May 23rd, 2019

Honolulu – May 10th, 2019, and May 24th, 2019

MAPFLEX ISSUES

Below is a detailed list of issues regarding the MapFlex systems throughout the State of Hawaii.

DATE	ISSUE	DESCRIPTION	STATUS
8/2016	Wireless Addresses	MapFlex system began displaying wireless information incorrectly. MapFlex system is doing a reverse query for additional information in the GIS and this is overriding the ALI information with the closest address in the GIS.	Partially Resolved (Nov 2016) The overriding ALI with updated Lat/Longs from the GIS is still occurring
11/2016	Phase I Display	Wireless Phase I calls plotting at centroid of coverage area and landing in the ocean. After installation of new MapFlex version to correct other issues, the configurations for Wireless Phase I were not set up properly by West, in which the mapping did not point to the correct information in MapFlex.	Partially Resolved (Dec 2016) According to PSAPs, it's not fully resolved. The icon of the tower still doesn't plot for Phase I.
11/2016	Wireless Confidence	Sprint calls coming across with unusually high confidence. Coordination is taking place with Sprint and West. West provides the PDE services for Sprint.	Pending
3/22/2017	ArcGIS Address Locator	The locators in MapFlex have a configurations which does not include ESNs. A reported issue has occurred with the Sheraton in Waikiki. The address locator does not differentiate between the Sheraton hotel and the surf break and plots on the surf break. The bigger issue is that this same issue will occur with complexes that have same primary address.	Pending A new SP 5.4 update by West is aimed to correct this issue.

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

5/17/2017	VoIP Calls Plotting Incorrectly	Recognized in late April and early May 2017, the PSAPs have been receiving several VoIP calls which are plotting in the incorrect locations. After further research it was determined that it is because MapFlex is configured to plot the received Lat/Long. The problem is that these are not always maintained properly and that ideally the system should first choose to match with the GIS data based on the provided address. During the September 20, 2017 PSAP conference call, HT relayed there was confirmation that the Time Warner records were in fact passing through the West FMCC.	Partially Resolved – the Lat/Longs are no longer being plotted in MapFlex due to a software release.
5/17/2017	Landline Calls Producing X/Y on calls	It was determined that for normal landline calls, the X/Y coordinates are being sent. The PSAPs have asked where these are being generated and why would they be sent for landline calls.	West is looking into this (May - June 2017)
5/23/2018	Phase I & Phase II coverage area	Phase I calls received at the Kihei Maui PSAP are displaying a circular circumference area rather than a cone shaped directional coverage. Phase II calls are not plotting the COF meters correctly.	Pending
5/24/2018	Incorrect Addresses	MapFlex system began displaying incorrect addresses in the bubble display when an Address Point is right mouse clicked to see information by the PSAPs. However, the address in the data is still correct as shown on the left hand side.	Pending
6/27/2018	Moving Labels	It was brought up during the PSAP teleconference with Hawaiian Tel and West that the Hawaii Fire Department submitted a trouble ticket regarding the parcel labels. When the base map is checked on for viewing the owner's names on the parcel layer, the names of some of the parcels will follow and leave their parcel as the map is panned following streets. This problem was also recreated at the Hawaii Police Department.	Pending

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

4. SERVICE REQUESTS TRANSACTIONS

OPEN SERVICE REQUESTS – MAY 2019

#	Date	Ticket #	Description	PSAP	Urgency	Comments
1	01/23/19	1007	Incorrect Address	Hawaii Fire	Normal	Confirmation pending from Inequent.com 5/31/2019 RS

Note* There is one (1) opened service request pending for May 2019.

SERVICE REQUEST YEAR-TO-DATE (YTD) SUMMARY – 2019

HAWAII COUNTY				MSAG SERVICE REQUEST CATEGORIES					
2019	TOTAL		Open	WIRELINE		WIRELESS		VoIP	
	Created	Closed		Created	Closed	Created	Closed	Created	Closed
2018 Carryover*			0						
January	6	5	1	2	2	0	0	3	2
February	6	4	3	3	3	0	0	3	1
March	1	1	3	1	1	0	0	0	0
April	1	3	1	1	1	0	0	0	2
May	3	3	1	3	3	0	0	0	0
June									
July									
August									
September									
October									
November									
December									
TOTAL	17	16	1	10	10	0	0	6	5

Note:

* The 2018 Carryover row indicated the number of Service Requests that were opened in 2018 and brought forward into 2019 in an effort to track the service request until completion. Detailed information on service tickets are available upon request.

Definitions:	Category	Description
	Wireline	Telephone Number (ALI) Discrepancies from land line phones that have been submitted to West Safety Services via 9-1-1 Net for correction.
	Wireless	Telephone Number (ALI) Discrepancies from phones that were land lines at one time, and were ported out to a wireless carrier. However, the phone number was never removed from the MSAG database.
	VoIP	Telephone Number (ALI) Discrepancies from VoIP phones that have been submitted to Time Warner Cable (TWCBL) or other VoIP providers for correction

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

5. E9-1-1 DATABASE SYNCHRONIZATION

(Reference: NENA 71-501, Version 1.1 – NENA Information Document for Synchronizing Geographic Information System databases with MSAG & ALI)

As part of Akimeka's value added services, Akimeka conducted a quarterly database synchronization audit for Hawaii County in **May 2019**.

The database synchronization effort included comparing Hawaii County's 9-1-1 MSAG against its GIS Street Centerline data. A total number of **4,592** 9-1-1 MSAG records were reviewed in the audit and analyzed. Results of the database synchronization audit completed on May 1, 2019 for Hawaii County are reported below.

Database synchronization should be part of an ongoing and continuous process to ensure that the databases remain current and synchronized. Since neither database is static in nature, the synchronization process will never remain at a 100 percent match rate. It can be expected that the percentage will fluctuate by a small degree. As such, NENA's recommended minimum match rate is 98%.

The database synchronization process is essential to monitor and ensure the level of accuracy of the E9-1-1 databases and prepare for Next Generation 9-1-1 (NG9-1-1). As such, Akimeka will perform database synchronization audits on a quarterly basis as part of its ongoing maintenance process. Results of the database synchronization audit will be included and reported in the Monthly Status Report (MSR) accordingly.

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

AUDIT SUMMARY RESULTS – MAY 2019

9-1-1 MSAG TO GIS STREET CENTERLINE AUDIT COMPARISON RESULTS	Notes	As of August 1, 2018		As of November 1, 2018		As of February 1, 2019		As of May 1, 2019	
		9-1-1 MSAG Dated 8-01-18		9-1-1 MSAG Dated 11-01-18		9-1-1 MSAG Dated 2-01-19		9-1-1 MSAG Dated 5-01-19	
		# of Records	%	# of Records	%	# of Records	%	# of Records	%
Total 9-1-1 MSAG Records Reviewed		4,569		4,580		4,578		4,592	
Less: 9-1-1 MSAG Exception Records	(1)	51	1.1%	51	1.1%	45	1.0%	44	1.0%
Net 9-1-1 MSAG Records Eligible for Comparison		4,518		4,529		4,533		4,548	
Total 9-1-1 MSAG Records Match (9-1-1 MSAG -- GIS Match -- No Corrections Required)		4,511	99.8%	4,520	99.8%	4,515	99.6%	4,547	100.0%
9-1-1 MSAG -- GIS No Match Minor Correction Required	(2)	4	0.1%	5	0.1%	11	0.2%	1	0.0%
9-1-1 MSAG Record With No GIS Record	(3)	3	0.1%	4	0.1%	7	0.2%	0	0.0%
Total 9-1-1 MSAG Records No Match		7	0.2%	9	0.2%	18	0.4%	1	0.0%



Notes:

- (1) An MSAG Record that will not have a corresponding GIS Street Centerline Record but is required for the routing of E9-1-1 calls (i.e., Emergency Call Box, Foreign Exchange Records, Wireless Shell Records, etc.). No further action is required.
- (2) An MSAG Record that requires minor MSAG attention in 9-1-1Net to correct MSAG Records (i.e., Reassignment of an MSAG Community, modification of the Site Address Range, assignment of an ESN, performing a combine or insert of an existing MSAG Record, etc.).
- (3) An MSAG Record that does not have a corresponding GIS Record and will require additional research and validation. The GIS Section will assist with this effort.

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

AUDIT SUMMARY RESULTS COMPARISON – MAY 1, 2019 VS FEBRUARY 1, 2019



NOTE:

**Hawaii County's level of accuracy or 9-1-1 Match percentage improved
from 100% as of May 1, 2019 to 99.6% as of February 1, 2019
NENA Recommended Match Rate = 98%**

AUDIT SUMMARY RESULTS

COMPARISON NOTES:

- ❖ There continues to be a tremendous work effort to synchronize the MSAG and GIS data. Akimeka continues to work closely with County Planning to address problem areas. Hawai'i County has worked very hard to assign addresses and name and range street centerlines which have helped facilitate Akimeka's synchronization efforts.
- ❖ "MSAG - MSAG with Missing GIS Records" decreased from seven (7) to zero (0) records from February 2019 to May 2019. MSAG records with missing record were decreased due primarily to the verification of the MSAG records against multiple GIS databases to determine if the roads are existing within Hawaii County.
- ❖ "MSAG - GIS Minor Corrections" decreased from eleven (11) to one (1) records from February 2019 to May 2019. The non-match condition of the eleven records are a result in which MSAG records submitted in 9-1-1 Net were not completed prior to the end of month. The MSAG section will monitor these records to ensure they are processed in 9-1-1Net prior to the August 2019 re-analysis
- ❖ "GIS Record with No Matching MSAG Record" decreased from sixteen (16) to two (2) records from February 2019 to May 2019. This includes GIS records that have no MSAG records, and/or GIS records that do not match the MSAG record exactly.
- ❖ "GIS Record with No MSAG Record" decreased from four (4) to one (1) records from February 2019 to May 2019. This was primarily the result of edits made to the GIS Street Centerlines layer in order to meet new NG9-1-1 requirements.
- ❖ Ongoing maintenance is critical to ensure the database synchronized level of address accuracy is maintained each time an MSAG or GIS record is "touched".

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

INVALID MSAG STREETS AND ADDRESS RANGES – ESN X99 RECORDS

At the request of the County of Hawai‘i Chief of Police, Hawaiian Telcom, Inc. (HTI) provided Hawai‘i County and Akimeka, as the PSAP’s agent, with access and visibility to the ESN x99 MSAG records which are “known” invalid streets and address ranges. Results of the data provided are as follows:

HAWAII	Invalid MSAG Records			
	9-1-1 MSAG Dated 02-01-19		9-1-1 MSAG Dated 05-01-19	
	Number of Records	% of Total Invalid MSAG Records	Number of Records	% of Total Invalid MSAG Records
ESN 299	199	4.2%	188	4.0%

These invalid MSAG records represent **4.0%** of the Total MSAG records for Hawai‘i County. The individual ALI records associated with these records are provided below.

TN CRs are submitted by Akimeka when valid MSAG addresses are identified and validated against the GIS data. Akimeka will continue to investigate and report on these ESN 299 MSAG records as a separate project and add-on to the Database Synchronization quarterly report.

Hawaii County E9-1-1 Status Report

May 1, 2019 – May 31, 2019

AUTOMATIC LOCATION IDENTIFICATION (ALI) DISCREPANCY REPORT

As part of Akimeka's ongoing database synchronization efforts, Akimeka reviewed and summarized the ALI discrepancy reports by community for Hawai'i County. As of May 29, 2019, 591 ESN 299 records, representing .9% of Hawai'i County's total ALI records, require research and corrective action, if needed. These ALI discrepancy reports may result in a No Record Found (NRF) condition during a 9-1-1 call.

