July 1, 2019 - July 31, 2019



July 1, 2019 – July 31, 2019

AKIMEKA | HIGH PRIORITY, HIGH IMPACT.

TABLE OF CONTENTS

1.	PSAP Operations	5
	9-1-1 Call Volume Hawaii County PSAPS – July 2019	5
	Call Volume Hawaii County PSAP Notes:	5
	9-1-1 Call Volume – Calendar Year 2019	5
	9-1-1 Call Volume by Agency – July 2019	6
	9-1-1 Call Volume by Agency – Calendar Year 2019	6
	PSAP Operation Notes:	6
	For your Information	7
	Text to 911 – Current Month – July 2019	7
	Note:	7
	Wireless PSAP Testing – July 2019	8
	Notes:	8
2.	MSAG (Master Street Address Guide)	9
	MSAG Transactions Current Month/Year – July 2019	9
	MSAG Current Month Notes:	10
	Telephone Record (ALI) Transactions current month notes:	10
	Open Telephone Record (ALI) discrepancy Status:	10
	TNCR (Telephone Number Change Request) Current Status – July 2019	11
	Note:	11
	Dispatchable Location – Status as of – July 2019	12



July 1, 2019 – July 31, 2019

	Narrative:	12
	Spectrum (Charter) 9-1-1 VoIP Database Verification Project - July 2019	13
	Bandwidth 9-1-1 VoIP Database Verification Project – July 2019	14
3.	Geographic Information System (GIS) – July 2019	15
	Mapping Layers Updated (Part I)	15
	Mapping Layers Updated (Part II)	16
	Mapping Layers Updated (Part III)	17
	Mapping Layers Updated (Part IV)	18
	Mapping Layers Updated (Part V)	19
	Geographic Information System (GIS) Narratives	20
	GIS Key Activities/Updates	20
	Lava Flow and Alternate Routes	20
	Fire Department IMT (Incident Management Team) Map	20
	Address Points and Street Centerlines Update Comparison	21
	Note:	21
	CAD System Deployment	21
	MapFlex System	21
	MapFlex Issues	22
	DATE	22
	ISSUE	22
	DESCRIPTION	22
	STATUS	22
4.	Service Requests Transactions	24
	Open Service Requests – July 2019	24
	Note* There is one (1) opened service request pending for July 2019.	24
	Service Request Year-to-Date (YTD) Summary – 2019	24



July 1, 2019 – July 31, 2019

25
25
25
25
25
25

July 1, 2019 – July 31, 2019

1. PSAP OPERATIONS

9-1-1 CALL VOLUME HAWAII COUNTY PSAPS – JULY 2019

Source: West Safety Services Viper system

(*) Totals are based on calls to Primary PSAP.

	9-1-1 Call Volume																
	AII COUNTY PSAPs	Wir	eline		Wire	less		VC)IP	Calls No		Admir	Calls	Aband Ca	doned Ils	Other	Calls
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Total Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	No. of Other Calls	% of Total Calls
JULY	18,817	2,901	15.42%	13,724	72.93%	44.58%	55.42%	761	4.04%	58	0.31%	0	0.00%	1,373	7.30%	0	0.00%

CALL VOLUME HAWAII COUNTY PSAP NOTES:

The percentage of Wireless Phase 2 calls (55.42%) has surpassed the number of Wireless Phase 1 calls (44.58%) in July 2019.

*911 Calls with No ALI in July 2019 = 0.31% - Statewide average for 2018 = 0.09%

9-1-1 CALL VOLUME - CALENDAR YEAR 2019

									lume								
	HAWAII COUNTY PSAPs		Wireline		Wireless			VC	DIP	Calls with No ALI		Admin Calls		Abandoned Calls		Other Calls	
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Total Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	No. of Other Calls	% of Total Calls
JAN	16,913	3,148	18.61%	12,155	71.87%	42.34%	57.66%	746	4.41%	14	0.08%	0	0.00%	850	5.03%	0	0.00%
FEB	16,724	2,829	16.92%	11,899	71.15%	41.31%	58.69%	765	4.57%	13	0.08%	0	0.00%	1,218	7.28%	0	0.00%
MAR	18,089	2,946	16.29%	12,950	71.59%	42.12%	57.88%	861	4.76%	10	0.06%	0	0.00%	1,322	7.31%	0	0.00%
APR	17,257	3,049	17.67%	12,166	70.50%	43.28%	56.72%	787	4.56%	13	0.08%	0	0.00%	1,242	7.20%	0	0.00%
MAY	17,912	2,768	15.45%	12,996	72.55%	43.80%	56.20%	816	4.56%	17	0.09%	0	0.00%	1,315	7.34%	0	0.00%
JUNE	17,668	2,638	14.93%	12,986	73.50%	43.21%	56.79%	774	4.38%	18	0.10%	0	0.00%	1,252	7.09%	0	0.00%
JULY	18,817	2,901	15.42%	13,724	72.93%	44.58%	55.42%	761	4.04%	58	0.31%	0	0.00%	1,373	7.30%	0	0.00%
AUG																	
SEPT																	
ОСТ																	
NOV																	
DEC																	
YTD	123,380	20,279		88,876				5,510		143		0		8,572		0	
MON AVG	17,626	2,897	16.47%	12,697	72.01%	42.95%	57.05%	787	4.47%	20	0.11%	0	0.00%	1,225	6.93%	0	0.00%

July 1, 2019 – July 31, 2019

9-1-1 CALL VOLUME BY AGENCY - JULY 2019

				9-1-1	Call Volui	me by Agency						
2019		Hawaii	Police Dep	artment		Hawaii Fire Department						
2019	Number of Total Calls Received	% of Total Calls	Number of Admin Calls	Number of Abandoned Dropped Calls	Number of Other Calls	Number of Total Calls Received	% of Total Calls	Number of Admin Calls	Number of Abandoned Dropped Calls	Number of Other Calls		
July	14,731	78.29%	0	1,340	0	2,713	14.42%	0	33	0		

9-1-1 CALL VOLUME BY AGENCY - CALENDAR YEAR 2019

				9-1-1	Call Volui	me by Ag	ency					
2019		Hawaii	Police Dep	partment		Hawaii Fire Department						
2019	Number of Total Calls Received	% of Total Calls	Number of Admin Calls	Number of Abandoned Dropped Calls	Number of Other Calls	Number of Total Calls Received	% of Total Calls	Number of Admin Calls	Number of Abandoned Dropped Calls	Number of Other Calls		
January	13,504	79.84%	0	825	0	2,559	15.13%	0	25	0		
February	12,962	77.51%	0	1,178	0	2,544	15.21%	0	40	0		
March	15,426	85.28%	0	1,291	0	2,663	14.72%	0	31	0		
April	13,670	79.21%	0	1,219	0	2,345	13.59%	0	23	0		
Мау	14,041	78.39%	0	1,284	0	2,556	14.27%	0	31	0		
June	13,908	78.72%	0	1,226	0	2,508	14.20%	0	26	0		
July	14,731	78.29%	0	1,340	0	2,713	14.42%	0	33	0		
August												
September												
October												
November												
December												
YTD	98,242		0	8,363	0	17,888		0	209	0		
MON AVG	14,035	79.60%	0	1,195	0	2,555	14.51%	0	30	0		

PSAP OPERATION NOTES:

- Abandoned Calls represent the number of incoming 9-1-1 calls for which the caller had hung up before a call-taker answered. Abandoned Calls are <u>not</u> included in the % of Total Calls.
- All VoIP (Voice over Internet Protocol) types of 911 calls are combined in the Call Volume statistic.



July 1, 2019 – July 31, 2019

FOR YOUR INFORMATION

	FYIFor Your Information											
PSAP Operations												
	Statewide 911 Call Volumes											
PSAP	PSAP 2018 2017 2016 2015											
Oahu Civilian	Oahu Civilian 1,034,190 70.62% 1,022,818 72.16% 1,009,059 71.93% 1,019,402 70.94%											
RDC Pearl Harbor	37,068	2.53%	27,916	1.97%	N/A	N/A	N/A	N/A				
Hawaii County	206,648	14.11%	193,166	13.62%	205,412	14.64%	217,768	15.15%				
Maui County	133,869	9.14%	123,685	8.73%	137,333	9.80%	142,952	9.95%				
Kauai County	Kauai County 52,623 3.60% 49,902 3.52% 50,955 3.63% 56,874 3.96%											
Total	Total 1,464,398 100.00% 1,417,487 100.00% 1,402,759 100.00% 1,436,996 100.00%											
*2016 & 2015 Statewide avera	2016 & 2015 Statewide average does not include Military 911 calls											

TEXT TO 911 - CURRENT MONTH - JULY 2019

NOTE:

- 911 Text messages received at the Fire Department are transfers from the Police Department.
- Although there is a "Text to 911" plot on the MapFlex, the location of the plot is not reliable. Text to 911 Dispatchers should use their skills to ascertain the exact location of the emergency response.

TEXT TO 911 Hawaii County PSAPs 2019										
Month	Received	Received at								
IVIOTITI	at Police	Fire								
January	29	2								
February	29	3								
March	27	2								
April	20	7								
May	20	2								
June	18	0								
July	21	0								
August										
September										
October										
November										
December										
YTD	164	16								
Monthly Avg.	23.43	2.29								

Page 7 of 25



July 1, 2019 – July 31, 2019

WIRELESS PSAP TESTING - JULY 2019

	HAWAII COUNTY - JULY 2019										
Date	WSP	Sites Tested	Sectors Tested	Tested By:	Test Pass/Fail	Comments:					
07/16/19	Sprint	2	3		cancelled	testing postponed due to					
						activities on Mauna Kea					
07/31/19	Sprint	1	1	Hawaii PSAP	Pass	2nd site (Volcano) not ready					

NOTES:

- There were two (2) scheduled Wireless 911 Tests for the month of July 2019. Only one was tested, the 2nd site was not ready to test. Will reschedule.
- Verizon Wireless has completed migrating their Wireless network database from West to ComTech.
- During the 4th quarter of 2018, there was an increasing amount of "MOBL" class of service type of 911 calls delivered to the State of Hawaii PSAPs. On January 15th, 2019, West completed the position source mapping for ComTech which appears to have resolved this issue.

Page 8 of 25

July 1, 2019 – July 31, 2019

2. MSAG (MASTER STREET ADDRESS GUIDE)

MSAG TRANSACTIONS CURRENT MONTH/YEAR – JULY 2019

			9	-1-1 TR	ANSAC1	TIONS			
HAWAII COUNTY	Total	Dispatchable Location Transactions Submitted	MSAG	ALI Suk	omitted				Customer Addresses
2019		DL (A)	MSAG (B)	TN CR (C)	ALI DR (D)	TNCR	ALI DR	VoIP DR	Affected
JANUARY	184	157	12	9	6	322	0	0	82
FEBRUARY	61	12	26	17	6	193	0	0	12
MARCH	145	92	22	30	1	359	0	0	370
APRIL	60	25	21	13	1	254	0	0	24
MAY	305	278	17	7	3	473	0	0	37
JUNE	129	113	13	2	1	318	0	0	87
JULY	140	112	17	10	1	232	0	0	17
AUGUST									
SEPTEMBER									
OCTOBER									
NOVEMBER									
DECEMBER									
TOTAL YTD	1,024	789	128	88	19	2,151	0	0	629
AVG PER MONTH	146	113	18	13	3		0	0	90

Definitions

- (A) **D**ispatchable **L**ocation is defined in the FCC 15-9 Docket as the verified or corroborated street address of the calling party plus additional information such as floor, suite, apartment or similar information that may be needed to adequately identify the location of the calling party. Please see Dispatchable Location Section for more information.
- (B) **M**aster **S**treet **A**ddress **G**uide Represents corrections made to street records including, street names, address ranges, MSAG Communities and ESNs.
- (C) **T**elephone **N**umber **C**hange **R**equest Represents address corrections on a specific TN or group of TNs. These "invalid" TNs usually have an associated ESN 299 attached to them which indicates the need for validation.
- (D) **A**utomatic **L**ocation **I**nformation **D**iscrepancy **R**ecord Represents an address discrepancy discovered during a live 9-1-1 call, from a landline OR a VoIP phone. These record corrections are treated with a higher priority and should be processed within 48 hours if wireline, and 72 hours if a VoIP phone, as a general guideline.



July 1, 2019 – July 31, 2019

MSAG CURRENT MONTH NOTES:

A total of **140** MSAG transactions were processed in 9-1-1 Net during the current month. Seventeen (**17**) requests were processed relating to the MSAG database. Changes include: changes to high – low street ranges, combining street records, deletion of invalid records, splitting street records to align with Police, Fire, EMS and Military response areas, and inserting new MSAG records.

There were 17 customer ANI/ALI (telephone number/address) records updated as a direct result.

TELEPHONE RECORD (ALI) TRANSACTIONS CURRENT MONTH NOTES:

Ten (10) Telephone Number Change Requests (TN CR) transactions were processed in 9-1-1 Net with valid MSAG addresses, as a result of the ESN 299 clean-up effort. ESN 299 TN CRs must be validated against HT records and approved by the end user Hawaiian Telcom customer before updating the ALI record.

One (1) ALI DRs were submitted as the result of 9-1-1 call from a business in Kamuela.

Akimeka submitted one hundred thirteen (112) TN CRs related to the Dispatchable Location Project during the current month

OPEN TELEPHONE RECORD (ALI) DISCREPANCY STATUS:

- There are currently 232 Open TN CR Transactions.
- Refer to chart in the next section "TNCR Current Status"

232 Open TN CR transactions are a direct result of the dispatchable location project and are awaiting approval from Hawaiian Telcom, Inc. Once a telephone number is submitted to West for correction, it is verified against HT records and/or by the customer. West's internal process requires calling each telephone customer individually for verification to update an address in the 9-1-1 database.

- There are currently no Open ALI-DRs as July 31, 2019
- There are currently no Open VoIP DRs as July 31, 2019

July 1, 2019 – July 31, 2019

TNCR (TELEPHONE NUMBER CHANGE REQUEST) CURRENT STATUS – JULY 2019

NOTE:

- 9-1-1 NET is a secure web-based application that provides access to request changes to the MSAG, ALI, TN, and ESN/ELT data supported and maintained by West Safety Services for the Telephone Company (TelCo).
- TNCRs are not requests to change Telephone Numbers (TNs); however, it is a corrective process within 9-1-1 NET to modify location information associated with an Automatic Location Identification (ALI) record to a valid MSAG address for 9-1-1 purposes.

	PSAP 9-1-1 Telephone Number Location Change Request (Telephone Number Change Request (TNCR) Status)										
County	TOTAL TNCR RECORDS SUBMITTED BY AKIMEKA	OPENED TNCRS PENDING FURTHER ACTION BY WEST SAFETY SERVICES	OPENED TNCRS REFERRED TO TELCO BY WEST SAFETY SERVICES	TOTAL UNOPENED TNCR RECORDS							
HAWAII	232	120	63	49							

STATUS

TOTAL TNCRs SUBMITTED - The total number of TNCR requests for modification that have been submitted in 9-1-1 **PENDING STATUS** - TNCRs assigned this status are requests which have been reviewed by the 9-1-1 Database Service Provider Data Analyst, and are pending investigation whether the request is valid or invalid, and/or whether the request requires additional information to validate.

REFERRED STATUS - TNCRs assigned this status are requests which have been reviewed by the 9-1-1 Database Service Provider Data Analyst, and the request requires additional information to validate. The West Safety Services Data Analysts assigns this status to a TNCR and the request is referred to the telephone service providers for further research.

TOTAL UNOPENED TNCR RECORDS STATUS - The request is submitted by Akimeka on behalf the PSAP; however, processing by the 9-1-1 Database Service Provider Data Analyst has not begun.

July 2019

Hawaii County E9-1-1 Status Report

July 1, 2019 – July 31, 2019

DISPATCHABLE LOCATION - STATUS AS OF - JULY 2019

NARRATIVE:

During the August 2015 State of Hawaii 911 Board meeting, Akimeka provided a "State of Hawaii PSAPs Proposed ALI Compliancy with FCC 15-9" presentation. Based on the 9-1-1 Board's confirmation to add the "Dispatchable Location" information into the ALI database, Akimeka researched the format standards of each pertinent field, and tested the delivery of the data to the PSAP. After a few configuration adjustments (eliminating the TelCo comments field from appearing on the ALI Screen), Akimeka standardized an additional information data format to proceed with this project.

During the month of September 2015, Akimeka started a pilot project, entering additional location information to a verified MSAG address with multiple telephone numbers. Specifically the **Kings Shops at 690250 Waikoloa Beach Dr., Waikoloa**. The "Dispatchable Location" data is entered into the "Driving Directions" field in the 9-1-1 Net system, and will display on the Viper Power 911 ALI Screen in the "Exact" field should a 911 call be received from that telephone number. There are a total of 5,005 Dispatchable Locations processed to date. There were 25 Dispatchable locations submitted and 112 were processed in July 2019.

Dispatchable Location						
2019 Quarter 3	Common Name Place MSAG Address	TNCR* Transactions Submitted	Transactions Processed**			
Quarter 2 Carryover		5,421	4,893			
	Kona Inn Shopping Village, 755744 Alii Dr, Kailua Kona	0	101			
	Kona Baptist Church, 787156 Puuloa Rd, Keauhou	0	3			
	Holualoa Inn, 765932 Mamalahoa Hwy, Holualoa	0	5			
July	Kona Hotel, 765908 Mamalahoa Hwy, Holualoa	0	2			
	The Kona Billfisher, 755841 Alii Dr, Kailua Kona	1	1			
	Coconut Grove Marketplace, 755819 Alii Dr, Kailua Kona	7	0			
	17	0				
August						
September						
Q3 Total		25	112			
Total		5,446	5,005			

Hawaii County

July 1, 2019 – July 31, 2019

SPECTRUM (CHARTER) 9-1-1 VOIP DATABASE VERIFICATION PROJECT - JULY 2019

Akimeka received the Automatic Location Identification (ALI) records from Spectrum (formally known as Charter Communications) which is the predominant Voice over Internet Protocol (VoIP) provider in the State of Hawaii. As Akimeka has access to these ALI Records, Akimeka is researching and verifying the VoIP records against an MSAG valid address and the GIS data. This research is a validation of the ALI Record to ensure that the location as provided by the VoIP provider matches the GIS Information utilized by the Public Safety Agencies within their specific County 9-1-1 Service Area. This validation reduces the potential of address or location dispute during a 9-1-1 call.

The analysis of the database records indicates that there are invalid MSAG addresses utilized by the VoIP Provider. These records are being identified, and will be sent back to Spectrum for corrective action.

*Spectrum (Charter)								
	9-1-1 VoIP I	Database Veri	fication P	Project				
	TOTAL TOTAL RECORDS TOTAL NON PERCENT							
	RECORDS	MATCHING &	RECORDS	MATCHING	COMPLETED			
PSAP	SUBMITTED BY		NOT	RECORDS				
ISAI	SPECTRUM	911 DATABASES	MATCHING	CORRECTED				
	(A)	(B)		BY AKIMEKA				
			(C)					
HAWAII County	22,044	21,638 (98%)	406	406	100.00%			
KAUAI County	8,936	8,695 (97%)	241	241	100.00%			
MAUI County	18,256	17,517 (96%)	739	739	100.00%			
OAHU Cilivian	87,414	85,329 (98%)	2,085	2,085	100.00%			
OAHU Military	3,663	710 (19%)	2,953	2,953	100.00%			
TOTAL	140,313	**133,889	6,424	6,424	100.00%			

^{*} Spectrum VoIP Database received on June 21st, 2017

^{**} Akimeka provided VoIP Records with Latitude/Longitude coordinates

(A)	VoIP Database records submitted by Spectrum to Akimeka for research and MSAG address validation.
(B)	Akimeka has researched and verified the VoIP record against an MSAG valid address and GIS data. Akimeka is tracking corrections needed to be performed by Spectrum. Addressing data will be updated or added in the GIS if the VoIP record is determined to be valid.
(C)	Verifcation Process Completed.

July 1, 2019 – July 31, 2019

BANDWIDTH 9-1-1 VOIP DATABASE VERIFICATION PROJECT – JULY 2019

Akimeka received the Automatic Location Identification (ALI) records from Bandwidth which is a Voice over Internet Protocol (VoIP) provider in the State of Hawaii. As Akimeka has access to these ALI Records, Akimeka researched and verified the VoIP records against an MSAG valid address and the GIS data. This research is a validation of the ALI Record to ensure that the location as provided by the VoIP provider matches the GIS Information utilized by the Public Safety Agencies within their specific County 9-1-1 Service Area. This validation reduces the potential of address or location dispute during a 9-1-1 call.

The analysis of the database records indicates that there were invalid MSAG addresses utilized by the VoIP Provider. These records were identified, and sent back to Bandwidth for corrective action.

Akimeka will update the chart below as we receive updated ALI records from Bandwidth.

*Bandwidth									
9-1-1	9-1-1 VoIP Database Verification Project **(Updated)								
	TOTAL TOTAL NEW TOTAL NON PERCENT								
	RECORDS	RECORDS	RECORDS	MATCHING	COMPLETED				
PSAP	SUBMITTED BY	VERIFIED WITH	NOT	RECORDS					
PSAP	BANDWIDTH	911 DATABASES	MATCHING	CORRECTED					
	(A)	(B)		BY AKIMEKA					
				(C)					
HAWAII County	545	85	0	0	100.00%				
KAUAI County	306	41	0	0	100.00%				
MAUI County	914	222	1	1	100.00%				
OAHU Cilivian	4,065	888	1	1	100.00%				
OAHU Military	56	7	0	0	100.00%				
TOTAL	5,886	1,243	2	2	100.00%				

^{*}Bandwidth VoIP Database received on April 5th, 2018

(A)	VoIP Database records submitted by Bandwidth to Akimeka for research and MSAG address validation.
	Akimeka has researched and verified the VoIP record against an MSAG valid address and GIS data. Akimeka is tracking corrections needed to be performed by Bandwidth. Addressing data will be updated or added in the GIS if the VoIP record is determined to be valid.
(C)	Verifcation Process Completed.

^{**}Updated Bandwidth VoIP Database received on September 6th, 2018

July 1, 2019 – July 31, 2019

3. GEOGRAPHIC INFORMATION SYSTEM (GIS) – JULY 2019

MAPPING LAYERS UPDATED (PART I)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

HAWAII COUNTY							
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	GIS Delivery Dates/Remarks					
	CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE						
		(Listed Alphabetically)					
		Next Delivery 8/13/2019					
		Corrected TMK for one (1) record in Mountain View					
	7/30/19	Corrected spatial for one (1) record in Honokaa					
	7/30/19 To	Corrected spatial and corrected TMK for two (2) records in Honokaa					
	7/31/19	Corrected spatial for one (1) record in Kailua Kona					
		Corrected spatial for four (4) records in Pahoa					
		Corrected spatial for five (5) records in Mountain View					
		Corrected spatial for four (4) records in Pahala					
		Delivered 7/30/2019					
		Corrected spatial for forty-one (41) records in Pahoa					
		Corrected spatial for one (1) record in Waikoloa					
		Corrected spatial for twenty-two (22) records in Kurtistown					
		Updated location namecorrected routingID for one (1) record in Holualoa					
		Corrected TMK for one (1) record in Pahoa					
		Corrected TMK for one (1) record in Volcano					
Address Points		Corrected spatial for one (1) record in Honokaa					
Address Folits		Updated address for two (2) records in Kealakekua					
		Corrected spatial for ten (10) records in Kailua Kona					
	7/40/40	Updated location name for one (1) record in Pahoa					
	7/16/19 To	Updated routingID for one (1) record in Hilo					
	7/29/19	Corrected spatial for nine (9) records in Pepeekeo					
	1.20.10	Corrected spatial, updated location name and corrected TMK for one (1) record in Honokaa					
		Corrected spatial for four (4) records in Kealakekua					
		Corrected spatial and corrected TMK for one (1) record in Honokaa					
		Corrected TMK and corrected spatial for two (2) records in Pahoa					
		Added address point for one (1) record in Pahoa					
		Corrected prefix for one (1) record in Hilo					
		Corrected spatial for two (2) records in Keaau					
		Added address point for one (1) record in Volcano					
		Corrected TMK for one (1) record in Kurtistown					
		Corrected spatial for thirty-nine (39) records in Kamuela					
		Corrected spatial for six (6) records in Honaunau					

Page **15** of **25**

Hawaii County

July 1, 2019 – July 31, 2019

MAPPING LAYERS UPDATED (PART II)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

	HAWAII COUNTY						
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	GIS Delivery Dates/Remarks					
	CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE						
		(Listed Alphabetically)					
	7/16/19 To	Corrected spatial for four (4) records in Hilo					
	7/29/19	Corrected spatial and corrected TMK for one (1) record in Kurtistown					
		Delivered 7/16/2019					
		Corrected spatial for six (6) records in Hawi					
		Added address for two (2) records in Honokaa					
		Corrected spatial for two (2) records in Volcano					
		Updated alias address for one (1) record in Keaau					
		Added address for one (1) record in Pepeekeo					
		Corrected spatial for three (3) records in Pahoa					
		Corrected spatial for eleven (11) records in Paauilo					
		Corrected TMK for one (1) record in Volcano					
		Corrected TMK for one (1) record in Captain Cook					
		Added address for four (4) records in Pahoa					
		Corrected spatial for three (3) records in Ninole					
		Corrected spatial for nineteen (19) records in Kailua Kona					
Address Points	7/0/40	Corrected TMK for one (1) record in Hawi					
Address Folits	7/2/19 To	Added address for one (1) record in Hawi					
	7/15/19	Corrected TMK for one (1) record in Kamuela					
	1,10,10	Added address for five (5) records in Ocean View					
		Corrected spatial for ten (10) records in Pepeekeo					
		Added address for two (2) records in Hilo					
		Corrected TMK for two (2) records in Kailua Kona					
		Corrected spatial for twenty (20) records in Honokaa					
		Corrected spatial for ten (10) records in Captain Cook					
		Corrected TMK, corrected spatial, added new address point for one (1) record in Kamuela					
		Added address for three (3) records in Kailua Kona					
		Added address point for two (2) records in Naalehu					
		Corrected spatial for seven (7) records in Pahala					
		Added address for one (1) record in Laupahoehoe					
		Corrected TMK and corrected spatial for one (1) record in Pahala					
		Added address for one (1) record in Holualoa					
		Corrected TMK for one (1) record in Kurtistown					

Page 16 of 25

Hawaii County



July 1, 2019 – July 31, 2019

MAPPING LAYERS UPDATED (PART III)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

HAWAII COUNTY					
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	GIS Delivery Dates/Remarks			
	CRITICAL 9-1	-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE			
	024220222	(Listed Alphabetically)			
		Corrected spatial for seven (7) records in Kamuela			
		Corrected spatial for four (4) records in Honomu			
		Added address for one (1) record in Hakalau			
		Corrected spatial for one (1) record in Keauhou			
	7/2/19 To	Added address for four (4) records in Keaau			
Address Points	7/15/19	Added address for five (5) records in Mountain View			
Address Folits	1,10,10	Verified address for two (2) records in Kailua Kona			
		Added address for one (1) record in Paauilo			
		Corrected spatial for three (3) records in Hilo			
		Added address for one (1) record in Kurtistown			
	7/1/19	Delivered 7/2/2019			
	7/1/19	Corrected spatial for one (1) record in Volcano			
Airports					
Bridges					
Building Footprints					
Bus Stops					
Churches					
Coastal Names					
Coastline					
Common Places					
Correctional Facilities					
Emergency Callboxes					
Emergency Operation					
Centers					
Emergency Shelters					
ESZ/ESN					
Fire Beats					
Fire Districts					
Fire Response Areas					
Fire Stations					
Food & Beverage					
Gas Stations					
Gate Codes					

Page 17 of 25

July 1, 2019 – July 31, 2019

MAPPING LAYERS UPDATED (PART IV)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

HAWAII COUNTY				
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	GIS Delivery Dates/Remarks		
		-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE		
	CRITICAL 3-1	(Listed Alphabetically)		
Government Buildings				
Harbors				
Helipads				
Hiking Trails				
Hospitals				
Hydrants				
Hyrdology Layers				
Incident Response Areas				
Lodging				
Major Roads				
Medic Beats				
Medic Districts				
Medic Response Areas				
Medic Stations				
Medical Facilities				
Milepost Markers				
MSAG Communities				
Net Junctions				
Ocean Rescue Boundaries				
Ocean Safety				
Parcels				
Parks				
Parks Polygon				
Points of Interest				
Police Beats				
Police Districts				
Police Response Areas				
Police Stations				
Post Offices				
Schools				

July 1, 2019 – July 31, 2019

MAPPING LAYERS UPDATED (PART V)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

HAWAII COUNTY				
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	GIS Delivery Dates/Remarks		
	CRITICAL 9-1	1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE		
		(Listed Alphabetically)		
	7/00/40	Next Delivery 8/13/2019		
	7/30/19 To	Added segment for three (3) records in Kailua Kona		
	7/31/19	Split segment and updated range for one (1) record in Holualoa		
		Split segment and updated range for one (1) record in Kailua Kona		
	7/16/19	Delivered 7/30/2019		
	To 7/29/19 7/2/19 To	Updated range for one (1) record in Laupahoehoe		
Street Centerlines		Updated range for two (2) records in Keaau		
		Split segment and updated range for four (4) records in Kailua Kona		
		Delivered 7/16/2019		
		Added street extension for one (1) record in Keauhou		
		Updated range for two (2) records in Holualoa		
	7/15/19	Split segment and updated range for one (1) record in Keauhou		
		Split segment and updated range for one (1) record in Kailua Kona		
Subdivisions				
Tow Jurisdictions				
Tsunami Evacuation Zones				
Tsunami Heights				
Waste Water Plants				
WSP Cell Sectors	7/16/19 To	Delivered 7/30/2019		
	7/29/19	Added three (3) sectors per AT&T CRS		
WSP Cell Towers	7/30/19 To 7/31/19	Delivered 7/30/2019		
war cen rowers		Added one (1) tower per AT&T CRS		



July 1, 2019 – July 31, 2019

GEOGRAPHIC INFORMATION SYSTEM (GIS) NARRATIVES

GIS KEY ACTIVITIES/UPDATES

GIS Key activities include the events such as GIS deliverables, meetings, agreements, etc.

Date	Key Activities/Updates
7/2/2019	Delivered Address Points, Cell Sectors, Cell Towers, Points of Interest, Street
	Centerlines, ESN, and Common Places for Mapflex in Hawaii County.
7/2/2019	Delivered Address Points, City, Common Names Alt Table, Display Streets, Fire
	EMS Zone, First In, Points of Interest, POI Alt Names, Police Zones, Street
	Centerlines, Street Alt Names, Street Routes for Spillman for Hawaii County.
7/16/2019	Delivered Address Points, Cell Sectors, Cell Towers, Points of Interest, Street
	Centerlines, ESN, and Common Places for Mapflex in Hawaii County.
7/16/2019	Delivered Address Points, City, Common Names Alt Table, Display Streets, Fire
	EMS Zone, First In, Points of Interest, POI Alt Names, Police Zones, Street
	Centerlines, Street Alt Names, Street Routes for Spillman for Hawaii County.
7/30/2019	Delivered Address Points, Cell Sectors, Cell Towers, Points of Interest, Street
	Centerlines, ESN, and Common Places for Mapflex in Hawaii County.
7/30/2019	Delivered Address Points, City, Common Names Alt Table, Display Streets, Fire
	EMS Zone, First In, Points of Interest, POI Alt Names, Police Zones, Street
	Centerlines, Street Alt Names, Street Routes for Hawaii County Spillman.

LAVA FLOW AND ALTERNATE ROUTES

Historical events are archived in the 2018 Monthly Status Reports.

Akimeka will resume to deliver updates should the event start up again.

FIRE DEPARTMENT IMT (INCIDENT MANAGEMENT TEAM) MAP

Historical events are archived in the 2018 Monthly Status Reports.

Akimeka will update these GIS layers upon request by the Hilo Fire Department.

Page 20 of 25



July 1, 2019 – July 31, 2019

ADDRESS POINTS AND STREET CENTERLINES UPDATE COMPARISON

On a routine basis, upon receipt of Hawai'i County Planning Department's Address Points and Street Centerlines layer updates, Akimeka compares and incorporates any of the County's additions, changes, and deletions into the Akimeka Address Points and Street Centerlines layers that appear necessary for the dispatch and response of 911 personnel.

The new Address Points and Street Centerlines geodatabase comparative analysis was received from the Hawai'i County Planning Department on **July 17, 2019**. A new compare process was developed by Akimeka to perform this analysis.

HAWAII COUNTY	Address Points Layer	Street Centerlines Layer
New Addresses Added	31	
Addresses Removed	0	
Address Street Name Changes	2	
Address Street Number Changes	0	
New Street Segments Added		3
Street Segments Removed		0
Street Segment Range Changes		4
Street Segment Name Changes		0

NOTE:

Some Address Points have multiple updates that are required, including Street Name and Street Number. These updates are counted as separate actions since the changes are required in order to make the GIS layers "9-1-1 capable" for CAD system recommendations affecting public safety dispatch and response operations.

CAD SYSTEM DEPLOYMENT

On September 18th, 2018, the Hawaii Police and Fire Department went live on the new Spillman CAD and mapping systems. There have been no major GIS data configuration changes requested. Historical events are archived in the 2018 Monthly Status Reports.

MAPFLEX SYSTEM

Akimeka delivered GIS data to the MapFlex system on the following dates in July 2019

Hawaii County – July 2nd, 2019, July 16th, and July 30th, 2019 **Maui County** – July 3rd, 2019, July 17th, 2019, and July 31st, 2019 **Kauai County** – July 3rd, 2019, and July 18th, 2019 **Honolulu** – July 3rd, 2019, and July 19th, 2019



July 1, 2019 – July 31, 2019

MAPFLEX ISSUES

Below is a detailed list of issues regarding the MapFlex systems throughout the State of Hawaii.

DATE	ISSUE	DESCRIPTION	STATUS
8/2016	Wireless Addresses	MapFlex system began displaying wireless information incorrectly. MapFlex system is doing a reverse query for additional information in the GIS and this is overriding the ALI information with the closest address in the GIS.	Partially Resolved (Nov 2016) The overriding ALI with updated Lat/Longs from the GIS is still occurring
11/2016	Phase I Display	Wireless Phase I calls plotting at centroid of coverage area and landing in the ocean. After installation of new MapFlex version to correct other issues, the configurations for Wireless Phase I were not set up properly by West, in which the mapping did not point to the correct information in MapFlex.	Partially Resolved (Dec 2016) According to PSAPs, it's not fully resolved. The icon of the tower still doesn't plot for Phase I.
11/2016	Wireless Confidence	Sprint calls coming across with unusually high confidence. Coordination is taking place with Sprint and West. West provides the PDE services for Sprint.	Pending
3/22/2017	ArcGIS Address Locator	The locators in MapFlex have a configurations which does not include ESNs. A reported issue has occurred with the Sheraton in Waikiki. The address locator does not differentiate between the Sheraton hotel and the surf break and plots on the surf break. The bigger issue is that this same issue will occur with complexes that have same primary address.	Pending A new SP 5.4 update by West is aimed to correct this issue.
5/17/2017	VoIP Calls Plotting Incorrectly	Recognized in late April and early May 2017, the PSAPs have been receiving several VoIP calls which are plotting in the incorrect locations. After further research it was determined that it is because MapFlex is configured to plot the received Lat/Long. The problem is that these are not always maintained properly and that ideally the system should first choose to match with the GIS data based on the provided address. During the September 20, 2017 PSAP conference call, HT relayed there was confirmation that the Time Warner records were in fact passing through the West FMCC.	Partially Resolved – the Lat/Longs are no longer being plotted in MapFlex due to a software release.
5/17/2017	Landline Calls Producing X/Y on calls	It was determined that for normal landline calls, the X/Y coordinates are being sent. The PSAPs have asked where these are being generated and why would they be sent for landline calls.	West is looking into this (May - June 2017)
5/23/2018	Phase I & Phase II coverage area	Phase I calls received at the Kihei Maui PSAP are displaying a circular circumference area rather than a cone shaped directional coverage. Phase II calls are not plotting the COF meters correctly.	Pending
5/24/2018	Incorrect Addresses	MapFlex system began displaying incorrect addresses in the bubble display when an Address Point is right mouse clicked to see information by the PSAPs. However, the address in the data is still correct as shown on the left hand side.	Pending



July 1, 2019 – July 31, 2019

6/27/2018	Moving Labels	It was brought up during the PSAP teleconference with	Pending
		Hawaiian Tel and West that the Hawaii Fire Department	
		submitted a trouble ticket regarding the parcel labels. When	
		the base map is checked on for viewing the owner's names	
		on the parcel layer, the names of some of the parcels will	
		follow and leave their parcel as the map is panned following	
		streets. This problem was also recreated at the Hawaii	
		Police Department.	

July 1, 2019 – July 31, 2019

4. SERVICE REQUESTS TRANSACTIONS

OPEN SERVICE REQUESTS – JULY 2019

#	Date	Ticket #	Description	PSAP	Urgency	Comments
1	01/23/19	1007	Incorrect Address	Hawaii Fire	Normal	Confirmation pending from Ineiquent.com 7/31/2019 RS

Note* There is one (1) opened service request pending for July 2019.


SERVICE REQUEST YEAR-TO-DATE (YTD) SUMMARY – 2019

HAWAII COUNTY				MSAG SERVICE REQUEST CATEGORIES					
2040	TOTAL		0	WIRELINE		WIRELESS		VoIP	
2019	Created	Closed	Open	Created	Closed	Created	Closed	Created	Closed
2018 Carryover*			0						
January	6	5	1	2	2	0	0	3	2
February	6	4	3	3	3	0	0	3	1
March	1	1	3	1	1	0	0	0	0
April	1	3	1	1	1	0	0	0	2
May	3	3	1	3	3	0	0	0	0
June	1	1	1	1	1	0	0	0	0
July	1	1	1	1	1	0	0	0	0
August									
September									
October									
November									
December									
TOTAL	19	18	1	12	12	0	0	6	5

* The 2018 Carryover row indicated the number of Service Requests that were opened in 2018 and brought Note: forward into 2019 in an effort to track the service request until completion. Detailed information on service tickets are available upon request.

	Category	Description	
<u>Definitions:</u>	Wireline	Telephone Number (ALI) Discrepancies from land line phones that have been submitted to West Safety Services via 9-1-1 Net for correction.	
	Wireless	Telephone Number (ALI) Discrepancies from phones that were land lines at one time, and were ported out to a wireless carrier. However, the phone number was never removed from the MSAG database.	
	VoIP	Telephone Number (ALI) Discrepancies from VoIP phones that have been submitted to Time Warner Cable (TWCBL) or other VoIP providers for correction	

Page 24 of 25



July 2019

Hawaii County E9-1-1 Status Report

July 1, 2019 – July 31, 2019

5. E9-1-1 DATABASE SYNCHRONIZATION

(<u>Reference:</u> NENA 71-501, Version 1.1 – NENA Information Document for Synchronizing Geographic Information System databases with MSAG & ALI)

Next Scheduled Database Synchronization – August 2019

AUDIT SUMMARY RESULTS - AUGUST 2019 - TBA

AUDIT SUMMARY RESULTS COMPARISION - AUGUST 1, 2019 VS MAY 1, 2019 - TBA

AUDIT SUMMARY RESULTS - TBA

INVALID MSAG STREETS AND ADDRESS RANGES - ESN X99 RECORDS - TBA

AUTOMATIC LOCATION IDENTIFICATION (ALI) DISCREPANCY REPORT - TBA