August 1, 2019 – August 31, 2019



August 1, 2019 - August 31, 2019

TABLE OF CONTENTS

1. PSAP Operations	5
9-1-1 Call Volume Maui PSAP – August 2019	5
Call Volume Maui PSAP Notes:	5
9-1-1 Call Volume Maui PSAP – Calendar Year 2019	5
9-1-1 Call Volume Molokai PSAP – August 2019	6
Call Volume Molokai PSAP Notes:	6
9-1-1 Call Volume Molokai PSAP – Calendar Year 2019	6
9-1-1 Call Volume (Combined Maui & Molokai PSAPS) – August 2019	7
9-1-1 Call Volume (Combined Maui & Molokai PSAPS) – Calendar Year 2019	7
PSAP Operation Notes:	7
For Your Information	8
Text To 911 – Current Month – August 2019	8
Note:	8
Wireless PSAP Testing – August 2019	9
Notes:	9
2. MSAG (Master Street Address Guide)	10
MSAG Transactions Current Month/Year – August 2019	10
MSAG Current Month Notes:	11
Telephone Record (ALI) Transactions Current Month Notes:	11
Open Telephone Record (ALI) Discrepancy Status:	11
TNCR (Telephone Number Change Request) Current Status – August, 2019	12

August 1, 2019 - August 31, 2019

NOTE:	12
Dispatchable Location – Status As Of – August 2019	13
Narrative:	13
Spectrum (Charter) 9-1-1 VoIP Database Verification Project – August 2019	14
Bandwidth 9-1-1 VoIP Database Verification Project – August 2019	15
3. Geographic Information System (GIS) – August 2019	16
Mapping Layers Updated (Part I)	16
Mapping Layers Updated (Part II)	17
Mapping Layers Updated (Part III)	18
Mapping Layers Updated (Part IV)	19
Mapping Layers Updated (Part V)	20
Note:	20
Geographic Information System (GIS) Narratives	21
GIS Key Activities/Updates	21
Intergraph CAD Upgrade	22
MapFlex System	22
MapFlex Issues	23
DATE	23
ISSUE	23
DESCRIPTION	23
STATUS	23
4. Service Requests Transactions	25
Open Service Requests – Maui County PSAPS - August 2019	25
	25
Note:	25
Maui PSAP Service Requests Year-To-Date (YTD) Summary – 2019	25



August 1, 2019 - August 31, 2019

5.	E9-1-1 Database Synchronization	2e
	Audit Summary Results – 2018 – 2019 TBA	
	MSAG Audit Summary Results – September 1, 2019 vs June 1, 2019 TBA	26
	Invalid MSAG Streets and Address Ranges – ESN X99 Records TBA	26
	Automatic Location Identification (ALI) Discrepancy Report TBA	2 <i>€</i>

August 1, 2019 - August 31, 2019

1. PSAP OPERATIONS

9-1-1 CALL VOLUME MAUI PSAP – AUGUST 2019

Source: Intrado Viper system

(*) Totals are based on calls to Primary PSAP.

							9-1-	-1 Call V	olume								
MAU	JI PSAP	Wir	eline		Wir	eless		vo	IP	Calls W		Admir	n Calls		doned Ils	Other	Calls
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls		No. of Calls with No ALI		No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls
AUG	13,669	1,517	11.10%	10,423	76.25%	58.43%	41.57%	310	2.27%	3	0.02%	0	0.00%	1,416	10.36%	0	0.00%

CALL VOLUME MAUI PSAP NOTES:

*Calls with No ALI for August 2019 = 0.02% - Statewide average for 2018 = 0.09%

9-1-1 CALL VOLUME MAUI PSAP – CALENDAR YEAR 2019

							9-1-	-1 Call V	olume/								
MAU	JI PSAP	Wir	eline		Wir	eless		VO	IP	Calls w		Admir	n Calls		doned Ills	Other	Calls
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Total Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls
JAN	11,085	1,607	14.50%	8,204	74.01%	60.68%	39.32%	295	2.66%	3	0.03%	0	0.00%	976	8.80%	0	0.00%
FEB	10,875	1,606	14.77%	7,841	72.10%	59.60%	40.40%	312	2.87%	4	0.04%	0	0.00%	1,112	10.23%	0	0.00%
MAR	12,403	1,626	13.11%	9,022	72.74%	58.93%	41.07%	360	2.90%	6	0.05%	0	0.00%	1,389	11.20%	0	0.00%
APR	12,358	1,495	12.10%	9,186	74.33%	57.72%	42.28%	338	2.74%	7	0.06%	0	0.00%	1,332	10.78%	0	0.00%
MAY	12,440	1,491	11.99%	9,277	74.57%	59.12%	40.88%	319	2.56%	3	0.02%	0	0.00%	1,350	10.85%	0	0.00%
JUNE	12,512	1,448	11.57%	9,460	75.61%	60.17%	39.83%	304	2.43%	5	0.04%	0	0.00%	1,295	10.35%	0	0.00%
JULY	13,746	1,604	11.67%	10,360	75.37%	56.18%	43.82%	376	2.74%	16	0.12%	0	0.00%	1,390	10.11%	0	0.00%
AUG	13,669	1,517	11.10%	10,423	76.25%	58.43%	41.57%	310	2.27%	3	0.02%	0	0.00%	1,416	10.36%	0	0.00%
SEPT																	
ОСТ																	
NOV																	
DEC																	
YTD	99,088	12,394		73,773				2,614		47		0		10,260		0	
MON AVG	12,386	1,549	12.60%	9,222	74.37%	58.85%	41.15%	327	2.65%	6	0.05%	0	0.00%	1,283	10.34%	0.00	0.00%

Page 5 of 26

August 1, 2019 - August 31, 2019

9-1-1 CALL VOLUME MOLOKAI PSAP – AUGUST 2019

							9-1-	-1 Call V	olume								
_	MOLOKAI Wireline Wireless								IP	Calls W		Admin Calls		Abandoned Calls		Other Calls	
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls		No. of Calls with No ALI		No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls
AUG	591	106	17.94%	394	66.67%	56.60%	43.40%	5	0.85%	0	0.00%	0	0.00%	86	14.55%	0	0.00%

CALL VOLUME MOLOKAI PSAP NOTES:

Calls with No ALI for August 2019 = 0.00% - Statewide average for 2018 = 0.09%

9-1-1 CALL VOLUME MOLOKAI PSAP – CALENDAR YEAR 2019

							9-1	-1 Call V	olume								
1110	LOKAI PSAP	Wir	eline		Wir	eless		VO	IP	Calls v	LI	Admir	n Calls	- 110 01111	doned Ills	Other	Calls
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Total Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls
JAN	474	145	30.59%	285	60.13%	55.79%	44.21%	1	0.21%	0	0.00%	0	0.00%	43	9.07%	0	0.00%
FEB	574	222	38.68%	266	46.34%	62.03%	37.97%	5	0.87%	0	0.00%	0	0.00%	81	14.11%	0	0.00%
MAR	484	135	27.89%	279	57.64%	62.72%	37.28%	2	0.41%	2	0.41%	0	0.00%	66	13.64%	0	0.00%
APR	514	109	21.21%	331	64.40%	63.44%	36.56%	0	0.00%	1	0.19%	0	0.00%	73	14.20%	0	0.00%
MAY	550	132	24.00%	353	64.18%	64.59%	35.41%	2	0.36%	0	0.00%	0	0.00%	63	11.45%	0	0.00%
JUNE	632	159	25.16%	399	63.13%	56.89%	43.11%	0	0.00%	0	0.00%	0	0.00%	74	11.71%	0	0.00%
JULY	578	126	21.80%	357	61.76%	54.90%	45.10%	22	3.81%	7	1.21%	0	0.00%	66	11.42%	0	0.00%
AUG	591	106	17.94%	394	66.67%	56.60%	43.40%	5	0.85%	0	0.00%	0	0.00%	86	14.55%	0	0.00%
SEPT																	
ОСТ																	
NOV																	
DEC																	
YTD	4,397	1,134		2,664				37		10		0		552		0	
MON AVG	550	142	25.91%	333	60.53%	59.62%	40.38%	4.63	0.81%	1	0.23%	0	0.00%	69	12.52%	0	0.00%

August 1, 2019 - August 31, 2019

9-1-1 CALL VOLUME (COMBINED MAUI & MOLOKAI PSAPS) - AUGUST 2019

	9-1-1 Call Volume																
	COUNTY SAPs	Wir	eline		Wir	eless		VOIP	Calls	Calls V		Admir	n Calls		doned Ils	Other	Calls
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls		No. of Calls with No ALI		No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls
AUG	14,260	1,623	11.38%	10,817	75.86%	58.36%	41.64%	315	2.21%	3	0.02%	0	0.00%	1,502	10.53%	0	0.00%

9-1-1 CALL VOLUME (COMBINED MAUI & MOLOKAI PSAPS) - CALENDAR YEAR 2019

							9-1-	-1 Call V	olume								
	COUNTY SAPs	Wir	eline		Wir	eless		VO	IP	Calls w		Admir	n Calls	- 110 0111	doned Ills	Other	Calls
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Total Calls	No. of Calls with No ALI		No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls
JAN	11,559	1,752	15.16%	8,489	73.44%	60.51%	39.49%	296	2.56%	3	0.03%	0	0.00%	1,019	8.82%	0	0.00%
FEB	11,449	1,828	15.97%	8,107	70.81%	59.68%	40.32%	317	2.77%	4	0.03%	0	0.00%	1,193	10.42%	0	0.00%
MAR	12,887	1,761	13.66%	9,301	72.17%	59.05%	40.95%	362	2.81%	8	0.06%	0	0.00%	1,455	11.29%	0	0.00%
APR	12,872	1,604	12.46%	9,517	73.94%	57.92%	42.08%	338	2.63%	8	0.06%	0	0.00%	1,405	10.92%	0	0.00%
MAY	12,990	1,623	12.49%	9,630	74.13%	59.33%	40.67%	321	2.47%	3	0.02%	0	0.00%	1,413	10.88%	0	0.00%
JUNE	13,144	1,607	12.23%	9,859	75.01%	60.04%	39.96%	304	2.31%	5	0.04%	0	0.00%	1,369	10.42%	0	0.00%
JULY	14,324	1,730	12.08%	10,717	74.82%	56.14%	43.86%	398	2.78%	23	0.16%	0	0.00%	1,456	10.16%	0	0.00%
AUG	14,260	1,623	11.38%	10,817	75.86%	58.36%	41.64%	315	2.21%	3	0.02%	0	0.00%	1,502	10.53%	0	0.00%
SEPT																	
ОСТ																	
NOV																	
DEC																	
YTD	103,485	13,528		76,437				2,651		57		0		10,812		0	
MON AVG	12,936	1,691	13.18%	9,555	73.77%	58.88%	41.12%	331	2.57%	7	0.05%	0.00	0.00%	1,352	10.43%	0	0.00%

PSAP OPERATION NOTES:

- Abandoned Calls represent the number of incoming 9-1-1 calls for which the caller had hung up before a call-taker answered. Dropped Calls are hang ups after transfers.
- Abandoned Calls are included in the Wireline and Wireless total counts respectively.
- All VoIP (Voice over Internet Protocol) 911 calls are combined in the Call Volume statistic.
- Outgoing 911 calls are included in the totals. These are ringback or callback 911 calls made from the Viper System.

August 1, 2019 - August 31, 2019

FOR YOUR INFORMATION

	FYIFor Your Information													
			PSAP C	perations	5									
		Ç	Statewide 9	11 Call Volս	umes									
PSAP	PSAP 2018 2017 2016 2015													
Oahu Civilian 1,034,190 70.62% 1,022,818 72.16% 1,009,059 71.93% 1,019,402 70.94%														
RDC Pearl Harbor	RDC Pearl Harbor 37,068 2.53% 27,916 1.97% N/A N/A N/A N/A													
Hawaii County	206,648	14.11%	193,166	13.62%	205,412	14.64%	217,768	15.15%						
Maui County	Maui County 133,869 9.14% 123,685 8.73% 137,333 9.80% 142,952 9.95%													
Kauai County	Kauai County 52,623 3.60% 49,902 3.52% 50,955 3.63% 56,874 3.96%													
Total	1,464,398	100.00%	1,417,487	100.00%	1,402,759	100.00%	1,436,996	100.00%						
*2016 & 2015 Statewide avera	2016 & 2015 Statewide average does not include Military 911 calls													

TEXT TO 911 - CURRENT MONTH - AUGUST 2019

NOTE:

• Although there is a "Text to 911" plot on the MapFlex, the location of the plot is not reliable. Text to 911 Dispatchers should use their skills to ascertain the exact location of the emergency response.

TEXT TO 911 M	aui County I	PSAPs 2019
Month	Received	Received
WIOTILIT	at Maui	at Molokai
January	25	4
February	29	5
March	16	0
April	10	4
May	10	2
June	12	0
July	14	4
August	17	0
September		
October		
November		
December		
YTD	133	19
Monthly Avg.	17	2

August 1, 2019 - August 31, 2019

WIRELESS PSAP TESTING - AUGUST 2019

			MAUI COUNT	Y - AUGUST 20:	19	
Date	WSP	Sites Tested	Sectors Tested	Tested By:	Test Pass/Fail	Comments:
8/14/2019	Sprint	1	4	Maui PSAP	Fail	Sprint No-Show
8/22/2019	Sprint	1	4	Maui PSAP	Pass	test from previous no-show

NOTES:

- There were two (2) scheduled Wireless 911 tests conducted in August 2019 for the Maui and Molokai PSAPs.
- Verizon Wireless has completed migrating their Wireless network database from Intrado to ComTech.
- During the 4th quarter of 2018, there was an increasing amount of "MOBL" class of service type of 911 calls delivered to the State of Hawaii PSAPs. On January 15th, 2019, Intrado completed the position source mapping for ComTech which appears to have resolved this issue.

August 1, 2019 - August 31, 2019

2. MSAG (MASTER STREET ADDRESS GUIDE)

MSAG TRANSACTIONS CURRENT MONTH/YEAR - AUGUST 2019

	9-1-1 TRANSACTIONS								
MAUI COUNTY	Total	Dispatchable Location Transactions Submitted	MSAG	ALI Suk	ALI Submitted Open ALI Discrepancy Records		ords	Customer Addresses	
2019		DL (A)	MSAG (B)	TN CR (C)	ALI DR (D)	TNCR	ALI DR	VoIP DR	Affected
JANUARY	65	46	7	6	6	18	0	0	122
FEBRUARY	20	0	5	11	4	18	0	0	98
MARCH	248	224	15	8	1	209	0	0	58
APRIL	258	250	5	1	2	309	0	0	224
MAY	116	102	13	1	0	334	0	0	61
JUNE	126	119	3	1	3	347	0	0	245
JULY	184	166	7	9	2	34	0	0	39
AUGUST	150	137	6	6	1	64	0	0	55
SEPTEMBER									
OCTOBER									
NOVEMBER									
DECEMBER									
TOTAL YTD	1,167	1,044	61	43	19	1,333	0	0	902
AVG PER MONTH	146	131	8	5	2	167	0	0	113

Definitions

- (A) **D**ispatchable **L**ocation is defined in the FCC 15-9 Docket as the verified or corroborated street address of the calling party plus additional information such as floor, suite, apartment or similar information that may be needed to adequately identify the location of the calling party. Please see Dispatchable Location Section for more information.
- (B) **M**aster **S**treet **A**ddress **G**uide Represents corrections made to street records including, street names, address ranges, MSAG Communities and ESNs.
- (C) **T**elephone **N**umber **C**hange **R**equest Represents address corrections on a specific TN or group of TNs. These "invalid" TNs usually have an associated ESN 399 attached to them which indicates the need for validation.
- (D) **A**utomatic **L**ocation **I**nformation **D**iscrepancy **R**ecord Represents an address discrepancy discovered during a live 9-1-1 call, from a landline OR a VoIP phone. These record corrections are treated with a higher priority and should be processed within 48 hours if wireline, and 72 hours if a VoIP phone, as a general guideline.

Page 10 of 26

_



August 1, 2019 - August 31, 2019

MSAG CURRENT MONTH NOTES:

A total of **150** MSAG transactions were processed in 9-1-1 Net during the current month. Six (6) requests were processed relating to the MSAG database. Changes include: changes to high – low street ranges, combining street records, deletion of invalid records, splitting street records to align with Police, Fire, EMS, and inserting new MSAG records.

55 customer ANI/ALI (telephone number/address) records updated as a direct result.

TELEPHONE RECORD (ALI) TRANSACTIONS CURRENT MONTH NOTES:

Six (6) Telephone Number Change Requests (TN CR) transactions were processed in 9-1-1 Net with valid MSAG addresses, as a result of the ESN 399 clean-up effort. ESN 399 TN CRs must be validated against HT records and approved by the end user Hawaiian Telcom customer before updating the ALI record.

One (1) ALI DR was submitted as the result of 9-1-1 call from a resident in Paia.

Akimeka processed one hundred thirty seven (137) TN CRs related to the Dispatchable Location Project during the current month.

OPEN TELEPHONE RECORD (ALI) DISCREPANCY STATUS:

• There are currently 64 Open TN CRs.

64 Open TN CR transactions are a result of the Dispatchable Location project. Akimeka continues to monitor and track the progress of the Referred records. Once a telephone number is submitted to Intrado for correction, it must be verified against HT records and/or approved by the customer. Intrado's internal process requires calling each telephone customer individually for approval to update an address in the 9-1-1 database.

- There are no open VoIP DRs as of August 31, 2019
- There are no open ALI DRs as of August 31, 2019

August 1, 2019 - August 31, 2019

TNCR (TELEPHONE NUMBER CHANGE REQUEST) CURRENT STATUS - AUGUST, 2019

NOTE:

- 9-1-1 NET is a secure web-based application that provides access to request changes to the MSAG, ALI, TN, and ESN/ELT data supported and maintained by Intrado for the Telephone Company (TelCo).
- TNCRs are not requests to change Telephone Numbers (TNs); however, it is a corrective process within 9-1-1 NET to modify location information associated with an Automatic Location Identification (ALI) record to a valid MSAG address for 9-1-1 purposes.

	PSAP 9-1-1 Telephone Number Location Change Request						
	(Telephone Number Change Request (TNCR) Status)						
County	TOTAL TNCR RECORDS SUBMITTED BY AKIMEKA OPENED TNCRS PENDING FURTHER ACTION BY INTRADO OPENED TNCRS REFERRED TO TELCO BY INTRADO TOTAL UNOPENED TNCR RECORDS						
MAUI	64	5	59	0			
MOLOKAI	0	0	0	0			
TOTAL	64	5	59	0			

STATUS

TOTAL TNCRs SUBMITTED - The total number of TNCR requests for modification that have been submitted in 9-1-1 **PENDING STATUS** - TNCRs assigned this status are requests which have been reviewed by the 9-1-1 Database Service

Provider Data Analyst, and are pending investigation whether the request is valid or invalid, and/or whether the request requires additional information to validate.

REFERRED STATUS - TNCRs assigned this status are requests which have been reviewed by the 9-1-1 Database Service Provider Data Analyst, and the request requires additional information to validate. The Intrado Data Analysts assigns this status to a TNCR and the request is referred to the telephone service providers for further research.

<u>TOTAL UNOPENED TNCR RECORDS STATUS</u> - The request is submitted by Akimeka on behalf the PSAP; however, processing by the 9-1-1 Database Service Provider Data Analyst has not begun.

August 1, 2019 - August 31, 2019

DISPATCHABLE LOCATION - STATUS AS OF - AUGUST 2019

NARRATIVE:

During the August 2015 State of Hawaii 911 Board meeting, Akimeka provided a "State of Hawaii PSAPs Proposed ALI Compliancy with FCC 15-9" presentation. Based on the 9-1-1 Board's confirmation to add the "Dispatchable Location" information into the ALI database, Akimeka researched the format standards of each pertinent field, and tested the delivery of the data to the PSAP. After a few configuration adjustments (eliminating the TelCo comments field from appearing on the ALI Screen), Akimeka standardized an additional information data format to proceed with this project.

During the month of August 2015, Akimeka started a pilot project, entering additional location information to a verified MSAG address with multiple telephone numbers. Specifically the Queen Kaahumanu Shopping Center at 275 Kaahumanu Ave. The "Dispatchable Location" data is entered into the "Driving Directions" field in the 9-1-1 Net system, and will display on the Viper Power 911 ALI Screen in the "Exact" field should a 911 call be received from that telephone number. Screen shots of the "Before" ALI screen, and the "After" ALI screen with the updated "Dispatchable Location" information visible, were presented to the Dispatch Supervisors. Akimeka received positive feedback from the 911 Dispatch Personnel because the information that the 911 Call Takers will receive, will certainly cut down on the process of determining the exact location of the 911 caller. In addition to this, Akimeka was informed that the Mobile Dispatch Terminals (MDTs) in the Police Vehicles, also are able to view this "Dispatchable Location" information which will reduce the response times for Public Safety. There were 137 Dispatchable Locations submitted in August 2019 and 76 were processed by Intrado.

Dispatchable Location							
2019	Common Name Place	TNCR* Transactions	Transactions				
Quarter 3	MSAG Address	Submitted	Processed**				
Quarter 2 Carryover		3,435	3,119				
	Piilani Village, Piikea Ave, Kihei	0	24				
July	Wailea Beach Resort 3700 Wailea Alanui Dr, Wailea	166	166				
	Makena Beach Resort, 5400 Makena Alauni Rd, Wailea	0	119				
August	Wailea Gateway Center, Wailea Gateway Pl, Wailea	106	76				
August	Wailuku Town Center, 790 Eha St, Wailuku	31	0				
September							
Quarter 3 Total		303	385				
Total		3738	3504				

August 1, 2019 - August 31, 2019

SPECTRUM (CHARTER) 9-1-1 VOIP DATABASE VERIFICATION PROJECT - AUGUST 2019

Akimeka received the Automatic Location Identification (ALI) records from Spectrum (formally known as Charter Communications) which is the predominant Voice over Internet Protocol (VoIP) provider in the State of Hawaii. As Akimeka has access to these ALI Records, Akimeka is researching and verifying the VoIP records against an MSAG valid address and the GIS data. This research is a validation of the ALI Record to ensure that the location as provided by the VoIP provider matches the GIS Information utilized by the Public Safety Agencies within their specific County 9-1-1 Service Area. This validation reduces the potential of address or location dispute during a 9-1-1 call.

The analysis of the database records indicates that there are invalid MSAG addresses utilized by the VoIP Provider. These records are being identified, and will be sent back to Spectrum for corrective action.

*Spectrum (Charter) 9-1-1 VoIP Database Verification Project					
	TOTAL	TOTAL RECORDS	TOTAL	NON	PERCENT
	RECORDS	MATCHING &	RECORDS	MATCHING	COMPLETED
PSAP	SUBMITTED BY	VERIFIED WITH	NOT	RECORDS	
FSAF	SPECTRUM	911 DATABASES	MATCHING	CORRECTED	
	(A)	(B)		BY AKIMEKA	
				(C)	
HAWAII County	22,044	21,638 (98%)	406	406	100.00%
KAUAI County	8,936	8,695 (97%)	241	241	100.00%
MAUI County	18,256	17,517 (96%)	739	739	100.00%
OAHU Cilivian	87,414	85,329 (98%)	2,085	2,085	100.00%
OAHU Military	3,663	710 (19%)	2,953	2,953	100.00%
TOTAL	140,313	**133,889	6,424	6,424	100.00%

^{*} Spectrum VoIP Database received on June 21st, 2017

^{**} Akimeka provided VoIP Records with Latitude/Longitude coordinates

(A)	VoIP Database records submitted by Spectrum to Akimeka for research and MSAG address validation.
	Akimeka has researched and verified the VoIP record against an MSAG valid address and GIS data. Akimeka is tracking corrections needed to be performed by Spectrum. Addressing data will be updated or added in the GIS if the VoIP record is determined to be valid.
(C)	Verifcation Process Completed.

August 1, 2019 - August 31, 2019

BANDWIDTH 9-1-1 VOIP DATABASE VERIFICATION PROJECT - AUGUST 2019

Akimeka received the Automatic Location Identification (ALI) records from Bandwidth which is a Voice over Internet Protocol (VoIP) provider in the State of Hawaii. As Akimeka has access to these ALI Records, Akimeka researched and verified the VoIP records against an MSAG valid address and the GIS data. This research is a validation of the ALI Record to ensure that the location as provided by the VoIP provider matches the GIS Information utilized by the Public Safety Agencies within their specific County 9-1-1 Service Area. This validation reduces the potential of address or location dispute during a 9-1-1 call.

The analysis of the database records indicates that there were invalid MSAG addresses utilized by the VoIP Provider. These records were identified, and sent back to Bandwidth for corrective action.

Akimeka will update the chart below as we receive updated ALI records from Bandwidth.

*Bandwidth							
9-1-1	9-1-1 VoIP Database Verification Project **(Updated)						
	TOTAL	TOTAL NEW	TOTAL	NON	PERCENT		
	RECORDS	RECORDS	RECORDS	MATCHING	COMPLETED		
PSAP	SUBMITTED BY	VERIFIED WITH	NOT	RECORDS			
FSAF	BANDWIDTH	911 DATABASES	MATCHING	CORRECTED			
	(A)	(B)		BY AKIMEKA			
				(C)			
HAWAII County	545	85	0	0	100.00%		
KAUAI County	306	41	0	0	100.00%		
MAUI County	914	222	1	1	100.00%		
OAHU Cilivian	4,065	888	1	1	100.00%		
OAHU Military	56	7	0	0	100.00%		
TOTAL	5,886	1,243	2	2	100.00%		

^{*}Bandwidth VoIP Database received on April 5th, 2018

(A)	VoIP Database records submitted by Bandwidth to Akimeka for research and MSAG address validation.
	Akimeka has researched and verified the VoIP record against an MSAG valid address and GIS data. Akimeka is tracking corrections needed to be performed by Bandwidth. Addressing data will be updated or added in the GIS if the VoIP record is determined to be valid.
(C)	Verifcation Process Completed.

^{**}Updated Bandwidth VoIP Database received on September 6th, 2018

August 1, 2019 - August 31, 2019

3. GEOGRAPHIC INFORMATION SYSTEM (GIS) – AUGUST 2019

MAPPING LAYERS UPDATED (PART I)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

	MAUI COUNTY					
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	GIS Delivery Dates/Remarks				
	CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE					
		(Listed Alphabetically)				
		Next Delivery 9/11/2019				
	8/28/19	Spatially corrected one (1) record in Lanai				
	То	Added address for twenty-five (25) records in Kahului				
	8/31/19	Verified address for sixteen (16) records in Lanai				
		Added address for one (1) record in Lanai				
		Delivered 8/28/2019				
		Spatially corrected one (1) record in Paia				
		Added address for two (2) records in Kula				
		Added address for one (1) record in Haiku				
		Verified address for one hundred and seventeen (117) records in Lanai				
		Verified address for forty-eight (48) records in Kihei				
		Verified address for one hundred and twenty-one (121) records in Lahaina				
		Added address for two (2) records in Kaunakakai				
		Spatially corrected twenty-six (26) records in Lanai				
		Removed bldg info & label for seventeen (17) records in Kihei				
Address Points		Verified address for four (4) records in Kaunakakai				
Address Points	8/14/19 To	Verified address for one (1) record in Pukalani				
	2/27/19	Added new address for two (2) records in Lahaina				
		Added address for twenty-two (22) records in Lahaina				
		Added address for thirty-one (31) records in Kihei				
		Verified address for five (5) records in Haiku				
		Updated full address for one (1) record in Lahaina				
		Added address for two (2) records in Hana				
		Added TMK for two (2) records in Lanai				
		Verified address for one (1) record in Kula				
		Added address for one (1) record in Kualapuu				
		Updated label per mpd for eighty-seven (87) records in Lahaina				
		Added address for two (2) records in Pukalani				
		Spatially corrected thirty (30) records in Lahaina				
	8/1/19	Delivered 8/14/2019				
	То	Added address for thirty-seven (37) records in Lahaina				
	8/13/19	Updated location name for one (1) record in Haiku				

Page 16 of 26

August 2019

Maui County E9-1-1 Status Report

August 1, 2019 - August 31, 2019

MAPPING LAYERS UPDATED (PART II)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

MAUI COUNTY					
	Akimeka GIS Server				
Type of Layer	Date Created/	GIS Delivery Dates/Remarks			
	Edits Performed				
	CRITICAL 9-1	-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE			
		(Listed Alphabetically)			
		Added address for three (3) records in Kihei			
		Verified address for twenty (20) records in Kihei			
		Added location name for one (1) record in Kihei			
		Spatially corrected two (2) records in Paia			
		Verified address for one (1) record in Waiehu			
		Add address one (1) record in Kihei			
	8/1/19	Added TMK for one (1) record in Kihei			
Address Points	То	Added address for one (1) record in Waiehu			
	8/13/19	Spatially corrected nine (9) records in Kihei			
		Updated label per MPD for one hundred and forty-three (143) records in Lahaina			
		Added loc name, spatially corrected one (1) record in Kihei			
		Updated location name per MPD for one (1) record in Kahului			
		Spatially corrected thirty-eight (38) records in Wailea			
		Added new address for one (1) record in Makawao			
		Spatially corrected twenty-six (26) records in Wailuku			
Airports					
Bridges					
Building Footprints					
Bus Stops					
Churches					
Coastal Names					
Coastline					
Common Places					
Correctional Facilities					
Emergency Callboxes					
Emergency Operation					
Centers					
Emergency Shelters					
ESZ/ESN					
Fire Beats					
Fire Districts					
Fire Response Areas					
Fire Stations					

Maui County



August 1, 2019 - August 31, 2019

MAPPING LAYERS UPDATED (PART III)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

		MAUI COUNTY		
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	GIS Delivery Dates/Remarks		
	CRITICAL 9-1	1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE		
		(Listed Alphabetically)		
Food & Beverage				
Gas Stations				
Gate Codes				
Government Buildings				
Harbors				
Helipads				
Hiking Trails				
Hospitals				
Hydrants				
Hyrdology Layers				
Incident Response Areas				
Lodging				
Major Roads				
Medic Beats				
Medic Districts				
Medic Response Areas				
Medic Stations				
Medical Facilities				
Milepost Markers				
MSAG Communities				
Net Junctions				
Ocean Rescue Boundaries				
Ocean Safety				
Parcels				
	8/14/19	Delivered 8/28/2019		
Parks	То	Added address for one (1) record in Lahaina		
	2/27/19	Added park for one (1) record in Lahaina		
	8/14/19	Delivered 8/28/2019		
	То	Added address for one (1) record in Lahaina		
Parks Polygon	2/27/19	Added Alias1 for one (1) record in Lahaina		
	8/1/19 To	Delivered 8/14/2019		
	8/13/19	Added address for one (1) record in Kualapuu		

August 1, 2019 - August 31, 2019

MAPPING LAYERS UPDATED (PART IV)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

	MAUI COUNTY						
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	GIS Delivery Dates/Remarks					
	CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE						
	(Listed Alphabetically)						
		Delivered 8/28/2019					
		Corrected street name for one (1) record in Kaunakakai					
		Corrected street name for one (1) record in Napili					
		Corrected streetname for one (1) record in Kapalua					
	044440	Corrected streetname for one (1) record in Hana					
	8/14/19 To	Corrected streetname for three (3) records in Kahului					
	2/27/19	Corrected street name for one (1) record in Lanai					
	2,2,7,10	Corrected streetname for three (3) records in Kula					
		Added POI for one (1) record in Lahaina					
		Spatially corrected, added address for one (1) record in Lahaina					
		Corrected street name for one (1) record in Kaunakakai					
		Corrected street name for one (1) record in Paia					
Points of Interest		Delivered 8/14/2019					
		Verified address for one (1) record in Wailuku					
		Added address for one (1) record in Kahului					
		Added POI for one (1) record in Kihei					
		Updated POI name for one (1) record in Kula					
	8/1/19	Updated POI name for one (1) record in Maunaloa					
	То	Updated address for one (1) record in Kualapuu					
	8/13/19	Updated POI name for two (2) records in Kahului					
		Verified address for one (1) record in Pukalani					
		Spatially corrected three (3) records in Kihei					
		Updated POI name for two (2) records in Haiku					
		Verified address for three (3) records in Waihee					
		Updated POI name for one (1) record in Hana					
Police Beats							
Police Districts							
Police Response Areas							
Police Stations							
Post Offices							
Schools	8/1/19 To	Delivered 8/14/2019					
Schools	8/13/19	Added school for one (1) record in Kihei					

Page 19 of 26

August 1, 2019 - August 31, 2019

MAPPING LAYERS UPDATED (PART V)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

	MAUI COUNTY					
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	GIS Delivery Dates/Remarks				
	CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)					
Street Centerlines	8/28/19 To 8/31/19	Next Delivery 9/11/2019 Added centerline for one (1) record in Kahului				
Subdivisions						
Tow Jurisdictions						
Tsunami Evacuation Zones						
Tsunami Heights						
Waste Water Plants						
WSP Cell Sectors	8/1/19 To	Delivered 8/14/2019				
war Cen Sectors	8/13/19	Added three (3) sectors per AT&T CRS				
WCD Call Toward	8/1/19 To	Delivered 8/14/2019				
WSP Cell Towers	8/13/19	Updated two (2) towers per AT&T CRS				

NOTE:

The Parcels layer is provided by Maui County. Akimeka performs edits on the spatial information of the layer for 9-1-1 purposes. Changes to the attribute table are made when needed. The Parcels layer uploaded to the PSAP GIS server is intended for 9-1-1 purposes only and should not be disseminated to other county agencies.

August 1, 2019 - August 31, 2019

GEOGRAPHIC INFORMATION SYSTEM (GIS) NARRATIVES

GIS KEY ACTIVITIES/UPDATES

• GIS Key activities include the events such as GIS deliverables, meetings, agreements, etc.

Date	Key Activities/Updates
8/28/2019	Delivered .map, .str, .rte, Maui Cell Coverage.csv, and database files, which
	included updated Address Points, Common Name Lookup Table, Parks, Points
	Of Interest, and WSP Cell Towers for Intergraph.
8/28/2019	Delivered updated data for MapFlex which included Address Points, Parks,
	Parks Polygon, WSP Cell Sectors and WSP Cell Towers.
8/14/2019	Delivered .map, .str, .rte, Maui Cell Coverage.csv, and database files, which
	included updated Address Points, Common Name Lookup Table, Parks, Points
	Of Interest, Street Centerlines, and WSP Cell Towers for Intergraph.
8/14/2019	Delivered updated data for MapFlex which included Address Points, Parks,
	Parks Polygon, Street Centerlines, WSP Cell Sectors and WSP Cell Towers.

Maui County

August 1, 2019 - August 31, 2019

INTERGRAPH CAD UPGRADE

From April through June 2014, the Maui Police Department worked to upgrade their Intergraph CAD system to the more recent 2014 version. Through this upgrade process, new improvements were identified and the overall functionality of the system from the Map Build process to the Production workstation made significant enhancements in order to streamline the deliverables and continue providing accurate data to the PSAP.

- 1. Akimeka delivered an updated Intergraph CAD map August 14th, 2019 which included:
 - a. Address Points, Common Name Lookup Table, Parks, Points of Interest, Street Centerlines, and WSP Cell Towers.
 - b. .map, .str, .rte, CAD Map Build database and Cell Coverage.csv
 - c. Edited Street Centerline and Park labels
- 2. On August 28th, 2019 Akimeka delivered an updated Intergraph CAD map which included:
 - a. Address Points, Common Name Lookup Table, Parks, Points Of Interest, and WSP Cell Towers
 - b. .map, .str, .rte, CAD Map Build database and Cell Coverage.csv
 - c. Edited Street Centerline and Park labels

During September 2019, the Intergraph CAD map will continue to be delivered every other week, which has been coordinated with all mapping system updates and synchronizations with other 911 databases.

MAPFLEX SYSTEM

Akimeka delivered GIS data to the MapFlex system on the following dates in August 2019

Hawaii County – August 13th, 2019 and August 27thth, 2019 Maui County – August 14th, 2019, and August 28th, 2019 Kauai County – August 1s^t, 2019, August 15th, 2019, and August 29th, 2019 Honolulu – August 2nd, 2019, August 16th, 2019 and August 30th, 2019

Page 22 of 26



August 1, 2019 - August 31, 2019

MAPFLEX ISSUES

Below is a detailed list of issues regarding the MapFlex systems throughout the State of Hawaii.

DATE	ISSUE	DESCRIPTION	STATUS
8/2016	Wireless Addresses	MapFlex system began displaying wireless information incorrectly. MapFlex system is doing a reverse query for additional information in the GIS and this is overriding the ALI information with the closest address in the GIS.	Partially Resolved (Nov 2016) The overriding ALI with updated Lat/Longs from the GIS is still occurring
11/2016	Phase I Display	Wireless Phase I calls plotting at centroid of coverage area and landing in the ocean. After installation of new MapFlex version to correct other issues, the configurations for Wireless Phase I were not set up properly by Intrado, in which the mapping did not point to the correct information in MapFlex.	Partially Resolved (Dec 2016) According to PSAPs, it's not fully resolved. The icon of the tower still doesn't plot for Phase I.
11/2016	Wireless Confidence	Sprint calls coming across with unusually high confidence. Coordination is taking place with Sprint and Intrado. Intrado provides the PDE services for Sprint.	Pending
3/22/2017	ArcGIS Address Locator	The locators in MapFlex have a configurations which does not include ESNs. A reported issue has occurred with the Sheraton in Waikiki. The address locator does not differentiate between the Sheraton hotel and the surf break and plots on the surf break. The bigger issue is that this same issue will occur with complexes that have same primary address.	Pending A new SP 5.4 update by Intrado is aimed to correct this issue.
5/17/2017	VoIP Calls Plotting Incorrectly	Recognized in late April and early May 2017, the PSAPs have been receiving several VoIP calls which are plotting in the incorrect locations. After further research it was determined that it is because MapFlex is configured to plot the received Lat/Long. The problem is that these are not always maintained properly and that ideally the system should first choose to match with the GIS data based on the provided address. During the September 20, 2017 PSAP conference call, HT relayed there was confirmation that the Time Warner records were in fact passing through the Intrado FMCC.	Partially Resolved – the Lat/Longs are no longer being plotted in MapFlex due to a software release.
5/17/2017	Landline Calls Producing X/Y on calls	It was determined that for normal landline calls, the X/Y coordinates are being sent. The PSAPs have asked where these are being generated and why would they be sent for landline calls.	Intrado is looking into this (May - June 2017)
5/23/2018	Phase I & Phase II coverage area	Phase I calls received at the Kihei Maui PSAP are displaying a circular circumference area rather than a cone shaped directional coverage. Phase II calls are not plotting the COF meters correctly.	Pending
5/24/2018	Incorrect Addresses	MapFlex system began displaying incorrect addresses in the bubble display when an Address Point is right mouse clicked to see information by the PSAPs. However, the address in the data is still correct as shown on the left hand side.	Pending

Page 23 of 26



August 1, 2019 - August 31, 2019

6/27/2018	Moving Labels	It was brought up during the PSAP teleconference with	Pending
		Hawaiian Tel and Intrado that the Hawaii Fire Department	
		submitted a trouble ticket regarding the parcel labels. When	
		the base map is checked on for viewing the owner's names	
		on the parcel layer, the names of some of the parcels will	
		follow and leave their parcel as the map is panned following	
		streets. This problem was also recreated at the Hawaii	
		Police Department.	

August 1, 2019 - August 31, 2019

4. SERVICE REQUESTS TRANSACTIONS

OPEN SERVICE REQUESTS – MAUI COUNTY PSAPS - AUGUST 2019

MAUI COUNTY						
#	Date	Ticket #	Description	PSAP	Urgency	Comments
			None			

NOTE:

There are no (0) Open Service Request for the Maui County PSAPs for August, 2019.

MAUI PSAP SERVICE REQUESTS YEAR-TO-DATE (YTD) SUMMARY – 2019

MAUI COUNTY				MSAG SERVICE REQUEST CATEGORIES					
2019	TOTAL		0	WIRELINE		WIRELESS		VoIP	
2019	Created	Closed	Open	Created	Closed	Created	Closed	Created	Closed
2018 Carryover*			1						
January	5	5	1	5	5	0	0	0	0
February	4	3	2	4	3	0	0	0	0
March	1	3	1	1	3	0	0	0	0
April	1	1	0	1	1	0	0	0	0
Мау	0	0	0	0	0	0	0	0	0
June	3	3	0	3	3	0	0	0	0
July	2	2	0	2	2	0	0	0	0
August	1	1	0	1	1	0	0	0	0
September									
October									
November									
December									
TOTAL	17	18	0	17	18	0	0	0	0

Note:	*The 2018 Carry Over row indicates the number of Service Requests that were opened in 2018;
	however, were brought forward into 2019 in an effort to track the service request until completion.

	Category	Description
	Wireline	Telephone Number (ALI) Discrepancies from land line phones that have been submitted to Intrado via 9-1-1 Net for correction.
<u>Definitions:</u>	Wireless	Telephone Number (ALI) Discrepancies from phones that were land lines at one time, and were ported out to a wireless carrier. However, the phone number was never removed from the MSAG database.
	VoIP	Telephone Number (ALI) Discrepancies from VoIP phones that have been submitted to Time Warner Cable (TWCBL) or other VoIP providers for correction

August 1, 2019 - August 31, 2019

5. E9-1-1 DATABASE SYNCHRONIZATION

(<u>Reference:</u> NENA 71-501, Version 1.1 – NENA Information Document for Synchronizing Geographic Information System databases with MSAG & ALI)

Next Scheduled Database Synchronization – September 2019

AUDIT SUMMARY RESULTS - 2018 - 2019 -- TBA

MSAG AUDIT SUMMARY RESULTS – SEPTEMBER 1, 2019 VS JUNE 1, 2019 -- TBA

INVALID MSAG STREETS AND ADDRESS RANGES - ESN X99 RECORDS -- TBA

AUTOMATIC LOCATION IDENTIFICATION (ALI) DISCREPANCY REPORT -- TBA