September 1, 2019 – September 30, 2019



September 1, 2019 – September 30, 2019

AKIMEKA | HIGH PRIORITY, HIGH IMPACT.

TABLE OF CONTENTS

1.	PSAP Operations	5
	9-1-1 Call Volume Hawaii County PSAPS – September 2019	5
	Call Volume Hawaii County PSAP Notes:	5
	9-1-1 Call Volume – Calendar Year 2019	5
	9-1-1 Call Volume by Agency – September 2019	6
	9-1-1 Call Volume by Agency – Calendar Year 2019	6
	PSAP Operation Notes:	6
	For your Information	7
	Text to 911 – Current Month – September 2019	7
	Note:	7
	Wireless PSAP Testing – September 2019	8
	Notes:	8
2.	MSAG (Master Street Address Guide)	9
	MSAG Transactions Current Month/Year – September 2019	9
	MSAG Current Month Notes:	10
	Telephone Record (ALI) Transactions current month notes:	10
	Open Telephone Record (ALI) discrepancy Status:	10
	TNCR (Telephone Number Change Request) Current Status – September 2019	11
	Note:	11
	Dispatchable Location – Status as of – September 2019	12



September 1, 2019 – September 30, 2019

	Narrative:	12
	Spectrum (Charter) 9-1-1 VoIP Database Verification Project - September 2019	13
	Bandwidth 9-1-1 VoIP Database Verification Project – September 2019	14
3.	. Geographic Information System (GIS) – September 2019	15
	Mapping Layers Updated (Part I)	15
	Mapping Layers Updated (Part II)	16
	Mapping Layers Updated (Part III)	17
	Mapping Layers Updated (Part IV)	18
	Mapping Layers Updated (Part V)	19
	Mapping Layers Updated (Part VI)	20
	Geographic Information System (GIS) Narratives	21
	GIS Key Activities/Updates	21
	Lava Flow and Alternate Routes	21
	Fire Department IMT (Incident Management Team) Map	21
	Address Points and Street Centerlines Update Comparison	22
	Note:	22
	CAD System Deployment	22
	MapFlex System	22
	MapFlex Issues	23
	DATE	23
	ISSUE	23
	DESCRIPTION	23
	STATUS	23
4.	. Service Requests Transactions	25
	Open Service Requests – September 2019	25
	Note* There are six (6) opened service request pending for September 2019.	25



September 1, 2019 – September 30, 2019

Service Request Year-to-Date (YTD) Summary – 2019	25
5. E9-1-1 Database Synchronization	
Audit Summary Results – November 2019 - TBA	
Audit Summary Results Comparision – November 1, 2019 vs August 1, 2019 - TBA	
Audit Summary Results - TBA	26
Invalid MSAG Streets and Address Ranges – ESN x99 Records - TBA	26
Automatic Location Identification (ALI) Discrepancy Report - TBA	26

September 1, 2019 – September 30, 2019

1. PSAP OPERATIONS

9-1-1 CALL VOLUME HAWAII COUNTY PSAPS – SEPTEMBER 2019

Source: Intrado Viper system

(*) Totals are based on calls to Primary PSAP.

	9-1-1 Call Volume																
HAWAII COUNTY PSAPs		Wire	eline		Wire	less		VC)IP	Calls No		Admir	n Calls	Aband Ca			Calls
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Total Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	No. of Other Calls	% of Total Calls
SEPT	16,820	2,703	16.07%	12,300	73.13%	41.43%	58.57%	700	4.16%	13	0.08%	0	0.00%	1,104	6.56%	0	0.00%

CALL VOLUME HAWAII COUNTY PSAP NOTES:

The percentage of Wireless Phase 2 calls (58.57%) has surpassed the number of Wireless Phase 1 calls (41.43%) in September 2019.

911 Calls with No ALI in September 2019 = 0.08% - Statewide average for 2018 = 0.09%

9-1-1 CALL VOLUME - CALENDAR YEAR 2019

								Call Vo	lume								
HAWAII COUNTY PSAPs		Wireline		Wireless			VC	VOIP Calls with No Admin Calls Calls Calls		lls	Other	Calls					
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Total Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	No. of Other Calls	% of Total Calls
JAN	16,913	3,148	18.61%	12,155	71.87%	42.34%	57.66%	746	4.41%	14	0.08%	0	0.00%	850	5.03%	0	0.00%
FEB	16,724	2,829	16.92%	11,899	71.15%	41.31%	58.69%	765	4.57%	13	0.08%	0	0.00%	1,218	7.28%	0	0.00%
MAR	18,089	2,946	16.29%	12,950	71.59%	42.12%	57.88%	861	4.76%	10	0.06%	0	0.00%	1,322	7.31%	0	0.00%
APR	17,257	3,049	17.67%	12,166	70.50%	43.28%	56.72%	787	4.56%	13	0.08%	0	0.00%	1,242	7.20%	0	0.00%
MAY	17,912	2,768	15.45%	12,996	72.55%	43.80%	56.20%	816	4.56%	17	0.09%	0	0.00%	1,315	7.34%	0	0.00%
JUNE	17,668	2,638	14.93%	12,986	73.50%	43.21%	56.79%	774	4.38%	18	0.10%	0	0.00%	1,252	7.09%	0	0.00%
JULY	18,817	2,901	15.42%	13,724	72.93%	44.58%	55.42%	761	4.04%	58	0.31%	0	0.00%	1,373	7.30%	0	0.00%
AUG	18,258	2,714	14.86%	13,522	74.06%	41.94%	58.06%	775	4.24%	12	0.07%	0	0.00%	1,235	6.76%	0	0.00%
SEPT	16,820	2,703	16.07%	12,300	73.13%	41.43%	58.57%	700	4.16%	13	0.08%	0	0.00%	1,104	6.56%	0	0.00%
ОСТ																	
NOV																	
DEC																	
YTD	158,458	25,696		114,698				6,985		168		0		10,911		0	
MON AVG	17,606	2,855	16.25%	12,744	72.36%	42.67%	57.33%	776	4.41%	19	0.10%	0	0.00%	1,212	6.87%	0	0.00%

September 1, 2019 – September 30, 2019

9-1-1 CALL VOLUME BY AGENCY - SEPTEMBER 2019

		9-1-1 Call Volume by Agency														
2019		Hawaii	Police Dep	artment		Hawaii Fire Department										
2013	Number of	% of Total	Number of	Number of	Number of	Number of	% of Total	Number of	Number of	Number of						
	Total Calls	Calls	Admin Calls	Abandoned	Other Calls	Total Calls	Calls	Admin Calls	Abandoned	Other Calls						
	Received			Dropped Calls		Received			Dropped Calls							
September	13,410	79.73%	0	1,089	0	2,306	13.71%	0	15	0						

9-1-1 CALL VOLUME BY AGENCY - CALENDAR YEAR 2019

				9-1-1	Call Volui	me by Agency						
2040		Hawaii	Police Dep	partment		Hawaii Fire Department						
2019	Number of Total Calls Received	% of Total Calls	Number of Admin Calls	Number of Abandoned Dropped Calls	Number of Other Calls	Number of Total Calls Received	% of Total Calls	Number of Admin Calls	Number of Abandoned Dropped Calls	Number of Other Calls		
January	13,504	79.84%	0	825	0	2,559	15.13%	0	25	0		
February	12,962	77.51%	0	1,178	0	2,544	15.21%	0	40	0		
March	15,426	85.28%	0	1,291	0	2,663	14.72%	0	31	0		
April	13,670	79.21%	0	1,219	0	2,345	13.59%	0	23	0		
Мау	14,041	78.39%	0	1,284	0	2,556	14.27%	0	31	0		
June	13,908	78.72%	0	1,226	0	2,508	14.20%	0	26	0		
July	14,731	78.29%	0	1,340	0	2,713	14.42%	0	33	0		
August	14,573	79.82%	0	1,216	0	2,450	13.42%	0	19	0		
September	13,410	79.73%	0	1,089	0	2,306	13.71%	0	15	0		
October												
November												
December												
YTD	126,225		0	10,668	0	22,644		0	243	0		
MON AVG	14,025	79.64%	0	1,185	0	2,516	14.30%	0	27	0		

PSAP OPERATION NOTES:

- Abandoned Calls represent the number of incoming 9-1-1 calls for which the caller had hung up before a call-taker answered. Abandoned Calls are **not** included in the % of Total Calls.
- All VoIP (Voice over Internet Protocol) types of 911 calls are combined in the Call Volume statistic.



September 1, 2019 – September 30, 2019

FOR YOUR INFORMATION

	FYIFor Your Information											
	PSAP Operations											
		Ç	Statewide 9	<mark>11 Call Vol</mark> ւ	umes							
PSAP	20	18	20	17	20	16	20	15				
Oahu Civilian	Oahu Civilian 1,034,190 70.62% 1,022,818 72.16% 1,009,059 71.93% 1,019,402 70.94%											
RDC Pearl Harbor	37,068	2.53%	27,916	1.97%	N/A	N/A	N/A	N/A				
Hawaii County	206,648	14.11%	193,166	13.62%	205,412	14.64%	217,768	15.15%				
Maui County	133,869	9.14%	123,685	8.73%	137,333	9.80%	142,952	9.95%				
Kauai County	Kauai County 52,623 3.60% 49,902 3.52% 50,955 3.63% 56,874 3.96%											
Total	Total 1,464,398 100.00% 1,417,487 100.00% 1,402,759 100.00% 1,436,996 100.00%											
*2016 & 2015 Statewide avera	2016 & 2015 Statewide average does not include Military 911 calls											

TEXT TO 911 - CURRENT MONTH - SEPTEMBER 2019

NOTE:

- 911 Text messages received at the Fire Department are transfers from the Police Department.
- Although there is a "Text to 911" plot on the MapFlex, the location of the plot is not reliable. Text to 911 Dispatchers should use their skills to ascertain the exact location of the emergency response.

TEXT TO 911 Hawaii County PSAPs 2019										
Month	Received	Received at								
Month	at Police	Fire								
January	29	2								
February	29	3								
March	27	2								
April	20	7								
May	20	2								
June	18	0								
July	21	0								
August	26	4								
September	18	3								
October										
November										
December										
YTD	208	23								
Monthly Avg.	23.11	2.56								

Page 7 of 26



September 1, 2019 – September 30, 2019

WIRELESS PSAP TESTING - SEPTEMBER 2019

	HAWAII COUNTY - SEPTEMBER 2019										
Date	WSP	Sites Tested	Sectors Tested	Tested By:	Test Pass/Fail	Comments:					
09/27/19	Verizon	1	1	Hawaii PSAP	Pass						

NOTES:

- There was one (1) scheduled Wireless 911 Test for the month of September 2019.
- Verizon Wireless has completed migrating their Wireless network database from Intrado to ComTech.
- During the 4th quarter of 2018, there was an increasing amount of "MOBL" class of service type of 911 calls delivered to the State of Hawaii PSAPs. On January 15th, 2019, Intrado completed the position source mapping for ComTech which appears to have resolved this issue.



September 1, 2019 – September 30, 2019

2. MSAG (MASTER STREET ADDRESS GUIDE)

MSAG TRANSACTIONS CURRENT MONTH/YEAR – SEPTEMBER 2019

			9	-1-1 TR	ANSACT	IONS			
HAWAII COUNTY	Total	Dispatchable Location Transactions Submitted	MSAG ALI Submitted			Open ALI Discrepancy Records			Customer Addresses
2019		DL (A)	MSAG (B)	TN CR (C)	ALI DR (D)	TNCR	ALI DR	VoIP DR	Affected
JANUARY	184	157	12	9	6	322	0	0	82
FEBRUARY	61	12	26	17	6	193	0	0	12
MARCH	145	92	22	30	1	359	0	0	370
APRIL	60	25	21	13	1	254	0	0	24
MAY	305	278	17	7	3	473	0	0	37
JUNE	129	113	13	2	1	318	0	0	87
JULY	140	112	17	10	1	232	0	0	17
AUGUST	92	70	11	7	4	213	0	0	181
SEPTEMBER	229	138	27	60	4	165	0	0	2
OCTOBER									
NOVEMBER						•			
DECEMBER									
TOTAL YTD	1,345	997	166	155	27	2,529	0	0	812
AVG PER MONTH	149	111	18	17	3	281	0	0	90

Definitions

- (A) **D**ispatchable **L**ocation is defined in the FCC 15-9 Docket as the verified or corroborated street address of the calling party plus additional information such as floor, suite, apartment or similar information that may be needed to adequately identify the location of the calling party. Please see Dispatchable Location Section for more information.
- (B) **M**aster **S**treet **A**ddress **G**uide Represents corrections made to street records including, street names, address ranges, MSAG Communities and ESNs.
- (C) **T**elephone **N**umber **C**hange **R**equest Represents address corrections on a specific TN or group of TNs. These "invalid" TNs usually have an associated ESN 299 attached to them which indicates the need for validation.
- (D) **A**utomatic **L**ocation **I**nformation **D**iscrepancy **R**ecord Represents an address discrepancy discovered during a live 9-1-1 call, from a landline OR a VoIP phone. These record corrections are treated with a higher priority and should be processed within 48 hours if wireline, and 72 hours if a VoIP phone, as a general guideline.



September 1, 2019 – September 30, 2019

MSAG CURRENT MONTH NOTES:

A total of **229** MSAG transactions were processed in 9-1-1 Net during the current month. Twenty-seven (**27**) requests were processed relating to the MSAG database. Changes include: changes to high – low street ranges, combining street records, deletion of invalid records, splitting street records to align with Police, Fire, EMS and Military response areas, and inserting new MSAG records.

There were 2 customer ANI/ALI (telephone number/address) records updated as a direct result.

TELEPHONE RECORD (ALI) TRANSACTIONS CURRENT MONTH NOTES:

60 Telephone Number Change Requests (TN CR) transactions were processed in 9-1-1 Net with valid MSAG addresses, as a result of the ESN 299 clean-up effort and the Dispatchable Location Project. ESN 299 TN CRs must be validated against HT records and approved by the end user Hawaiian Telcom customer before updating the ALI record.

One (1) ALI DRs were submitted as the result of a 9-1-1 call from a business in Kailua-Kona. Three (3) VoIP Dr were submitted as a result of 9-1-1 calls, two (2) from residents in Keaau and Ainaloa and one (1) from a business in Hilo.

Akimeka submitted one hundred thirty eight (138) TN CRs related to the Dispatchable Location Project during the current month

OPEN TELEPHONE RECORD (ALI) DISCREPANCY STATUS:

- There are currently 165 Open TN CR Transactions.
- Refer to chart in the next section "TNCR Current Status"

165 Open TN CR transactions are a direct result of the ESN 299 clean-up and are awaiting approval from Hawaiian Telcom, Inc. Once a telephone number is submitted to West for correction, it is verified against HT records and/or by the customer. West's internal process requires calling each telephone customer individually for verification to update an address in the 9-1-1 database. Akimeka continues to monitor and track the progress of the remaining 165 Referred records.

- There are currently no Open ALI-DRs as of September 30, 2019.
- There is currently no Open VoIP DRs as of September 30, 2019.

September 1, 2019 – September 30, 2019

TNCR (TELEPHONE NUMBER CHANGE REQUEST) CURRENT STATUS – SEPTEMBER 2019

NOTE:

- 9-1-1 NET is a secure web-based application that provides access to request changes to the MSAG, ALI, TN, and ESN/ELT data supported and maintained by Intrado for the Telephone Company (TelCo).
- TNCRs are not requests to change Telephone Numbers (TNs); however, it is a corrective process within 9-1-1 NET to modify location information associated with an Automatic Location Identification (ALI) record to a valid MSAG address for 9-1-1 purposes.

	PSAP 9-1-1 Telephone Number Location Change Request (Telephone Number Change Request (TNCR) Status)										
County	TOTAL TNCR RECORDS SUBMITTED BY AKIMEKA	OPENED TNCRS PENDING FURTHER ACTION BY INTRADO	OPENED TNCRS REFERRED TO TELCO BY INTRADO	TOTAL UNOPENED TNCR RECORDS							
HAWAII	165	51	90	24							

STATUS

TOTAL TNCRs SUBMITTED - The total number of TNCR requests for modification that have been submitted in 9-1-1 NET.

PENDING STATUS - TNCRs assigned this status are requests which have been reviewed by the 9-1-1 Database Service Provider Data Analyst, and are pending investigation whether the request is valid or invalid, and/or whether the request requires additional information to validate.

REFERRED STATUS - TNCRs assigned this status are requests which have been reviewed by the 9-1-1 Database Service Provider Data Analyst, and the request requires additional information to validate. The Intrado Data Analysts assigns this status to a TNCR and the request is referred to the telephone service providers for further research.

TOTAL UNOPENED TNCR RECORDS STATUS - The request is submitted by Akimeka on behalf the PSAP; however, processing by the 9-1-1 Database Service Provider Data Analyst has not begun.



September 1, 2019 – September 30, 2019

DISPATCHABLE LOCATION - STATUS AS OF - SEPTEMBER 2019

NARRATIVE:

During the August 2015 State of Hawaii 911 Board meeting, Akimeka provided a "State of Hawaii PSAPs Proposed ALI Compliancy with FCC 15-9" presentation. Based on the 9-1-1 Board's confirmation to add the "Dispatchable Location" information into the ALI database, Akimeka researched the format standards of each pertinent field, and tested the delivery of the data to the PSAP. After a few configuration adjustments (eliminating the TelCo comments field from appearing on the ALI Screen), Akimeka standardized an additional information data format to proceed with this project.

During the month of September 2015, Akimeka started a pilot project, entering additional location information to a verified MSAG address with multiple telephone numbers. Specifically the Kings Shops at 690250 Waikoloa Beach Dr., Waikoloa. The "Dispatchable Location" data is entered into the "Driving Directions" field in the 9-1-1 Net system, and will display on the Viper Power 911 ALI Screen in the "Exact" field should a 911 call be received from that telephone number. There are a total of 5,171 Dispatchable Locations processed to date. There were 138 Dispatchable locations submitted and 96 were processed in September 2019.

Dispatchable Location					
2019	Common Name Place	TNCR* Transactions	Transactions		
Quarter 3	MSAG Address	Submitted	Processed**		
Quarter 2 Carryover		5,421	4,893		
	Kona Inn Shopping Village, 755744 Alii Dr, Kailua Kona	0	101		
	Kona Baptist Church, 787156 Puuloa Rd, Keauhou	0	3		
	Holualoa Inn, 765932 Mamalahoa Hwy, Holualoa	0	5		
July	Kona Hotel, 765908 Mamalahoa Hwy, Holualoa	0	2		
	The Kona Billfisher, 755841 Alii Dr, Kailua Kona	1	1		
	Coconut Grove Marketplace, 755819 Alii Dr, Kailua Kona	7	0		
	Alii Sunset Plaza, 755799 Alii Dr, Kailua Kona	17	0		
	Hale Kui Plaza, 734976 Kamanu St, N Bldg, Kailua Kona	42	41		
August	Hale Kui Plaza, 735619 Kauhola St, S Bldg, Kailua Kona	25	25		
	Ilima Court, 755629 Kuakini Hwy, Kailua Kona	14	4		
	Pottery Terrace, 755995 Kuakini Hwy, Kailua Kona	103	83		
September	Ilima Court, 755629 Kuakini Hwy, Kailua Kona	0	13		
	Four Seasons Hualalai, 720100 Kaupulehu Dr, Kailua Kona	35	0		
Q3 Total		244	278		
Total		5,665	5,171		

September 1, 2019 – September 30, 2019

SPECTRUM (CHARTER) 9-1-1 VOIP DATABASE VERIFICATION PROJECT - SEPTEMBER 2019

Akimeka received the Automatic Location Identification (ALI) records from Spectrum (formally known as Charter Communications) which is the predominant Voice over Internet Protocol (VoIP) provider in the State of Hawaii. As Akimeka has access to these ALI Records, Akimeka is researching and verifying the VoIP records against an MSAG valid address and the GIS data. This research is a validation of the ALI Record to ensure that the location as provided by the VoIP provider matches the GIS Information utilized by the Public Safety Agencies within their specific County 9-1-1 Service Area. This validation reduces the potential of address or location dispute during a 9-1-1 call.

The analysis of the database records indicates that there are invalid MSAG addresses utilized by the VoIP Provider. These records are being identified, and will be sent back to Spectrum for corrective action.

*Spectrum (Charter)							
	9-1-1 VoIP Database Verification Project						
	TOTAL	TOTAL RECORDS	TOTAL	NON	PERCENT		
	RECORDS	MATCHING &	RECORDS	MATCHING	COMPLETED		
PSAP	SUBMITTED BY	VERIFIED WITH	NOT	RECORDS			
ISAI	SPECTRUM	911 DATABASES	MATCHING	CORRECTED			
	(A)	(B)		BY AKIMEKA			
				(C)			
HAWAII County	22,044	21,638 (98%)	406	406	100.00%		
KAUAI County	8,936	8,695 (97%)	241	241	100.00%		
MAUI County	18,256	17,517 (96%)	739	739	100.00%		
OAHU Cilivian	87,414	85,329 (98%)	2,085	2,085	100.00%		
OAHU Military	3,663	710 (19%)	2,953	2,953	100.00%		
TOTAL	140,313	**133,889	6,424	6,424	100.00%		

^{*} Spectrum VoIP Database received on June 21st, 2017

^{**} Akimeka provided VoIP Records with Latitude/Longitude coordinates

(A)	VoIP Database records submitted by Spectrum to Akimeka for research and MSAG address validation.
(B)	Akimeka has researched and verified the VoIP record against an MSAG valid address and GIS data. Akimeka is tracking corrections needed to be performed by Spectrum. Addressing data will be updated or added in the GIS if the VoIP record is determined to be valid.
(C)	Verifcation Process Completed.

September 1, 2019 – September 30, 2019

BANDWIDTH 9-1-1 VOIP DATABASE VERIFICATION PROJECT - SEPTEMBER 2019

Akimeka received the Automatic Location Identification (ALI) records from Bandwidth which is a Voice over Internet Protocol (VoIP) provider in the State of Hawaii. As Akimeka has access to these ALI Records, Akimeka researched and verified the VoIP records against an MSAG valid address and the GIS data. This research is a validation of the ALI Record to ensure that the location as provided by the VoIP provider matches the GIS Information utilized by the Public Safety Agencies within their specific County 9-1-1 Service Area. This validation reduces the potential of address or location dispute during a 9-1-1 call.

The analysis of the database records indicates that there were invalid MSAG addresses utilized by the VoIP Provider. These records were identified, and sent back to Bandwidth for corrective action.

Akimeka will update the chart below as we receive updated ALI records from Bandwidth.

*Bandwidth						
9-1-1 VoIP Database Verification Project **(Updated)						
	TOTAL	TOTAL NEW	TOTAL	NON	PERCENT	
	RECORDS	RECORDS	RECORDS	MATCHING	COMPLETED	
PSAP	SUBMITTED BY	VERIFIED WITH	NOT	RECORDS		
ISAI	BANDWIDTH	911 DATABASES	MATCHING	CORRECTED		
	(A)	(B)		BY AKIMEKA		
				(C)		
HAWAII County	545	85	0	0	100.00%	
KAUAI County	306	41	0	0	100.00%	
MAUI County	914	222	1	1	100.00%	
OAHU Cilivian	4,065	888	1	1	100.00%	
OAHU Military	56	7	0	0	100.00%	
TOTAL	5,886	1,243	2	2	100.00%	

^{*}Bandwidth VoIP Database received on April 5th, 2018

(A)	VoIP Database records submitted by Bandwidth to Akimeka for research and MSAG address validation.
	Akimeka has researched and verified the VoIP record against an MSAG valid address and GIS data. Akimeka is tracking corrections needed to be performed by Bandwidth. Addressing data will be updated or added in the GIS if the VoIP record is determined to be valid.
(C)	Verifcation Process Completed.

^{**}Updated Bandwidth VoIP Database received on September 6th, 2018

Hawaii County E9-1-1 Status Report

September 1, 2019 – September 30, 2019

3. GEOGRAPHIC INFORMATION SYSTEM (GIS) – SEPTEMBER 2019

MAPPING LAYERS UPDATED (PART I)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

		HAWAII COUNTY
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	GIS Delivery Dates/Remarks
		1 DUDI IC CA FETY I A VEDC FOD DICDATOU & DECDONCE
	CKITICAL 9-1	-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)
		Next Delivery 10/8/2019
		Corrected spatial for two (2) records in Hawi
		Corrected spatial for two (2) records in Kamuela
		Updated address for one (1) record in Kurtistown
		Corrected spatial for one (1) record in Naalehu
		Corrected spatial for twenty-five (25) records in Pahoa
	9/24/19	Corrected spatial for one (1) record in Ocean View
	То	Corrected TMK for one (1) record in Hilo
	9/30/19	Added address point for one (1) record in Pahoa
		Corrected spatial for two (2) records in Kailua Kona
		Corrected zipcode, for one (1) record in Ocean View
		Corrected TMK for one (1) record in Pahoa
		Corrected spatial for fourteen (14) records in Hilo
		Updated routingid for one (1) record in Hilo
		Corrected spatial and corrected TMK for eleven (11) records in Pahoa
Address Points		Delivered 9/24/2019
Address Follits		Added address for two (2) records in Honokaa
		Added address for five (5) records in Naalehu
		Added address for twenty (20) records in Pahoa
		Added address for two (2) records in Pepeekeo
		Corrected spatial for seventeen (17) records in Pahoa
		Added address for one (1) record in Waikoloa
	9/10/19	Added address for four (4) records in Captain Cook
	То	Updated street name for three (3) records in Kurtistown
	9/23/19	Added address for one (1) record in Keauhou
		Updated street name for two (2) records in Pahoa
		Corrected TMK for seven (7) records in Pahoa
		Added address for one (1) record in Papaikou
		Added address for sixteen (16) records in Volcano
		Updated address for one (1) record in Pahoa
		Updated street name for one (1) record in Mountain View
		Added address point for one (1) record in Kurtistown

Hawaii County E9-1-1 Status Report

September 1, 2019 – September 30, 2019

MAPPING LAYERS UPDATED (PART II)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

	HAWAII COUNTY						
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	GIS Delivery Dates/Remarks					
	CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE						
	(Listed Alphabetically)						
		Updated street name for one (1) record in Waikoloa					
		Added address for one (1) record in Holualoa					
		Updated street name for one (1) record in Kamuela					
		Updated street name for one (1) record in Keauhou					
		Updated street name for six (6) records in Hilo					
		Corrected spatial for two (2) records in Kailua Kona					
		Updated location name for one (1) record in Pahoa					
		Updated building for four (4) records in Hilo					
		Updated address for one (1) record in Hilo					
		Updated street name for one (1) record in Paauilo					
		Corrected prefix for two (2) records in Pahoa					
		Added address for eighteen (18) records in Ocean View					
		Updated location name for one (1) record in Kailua Kona					
		Added address for five (5) records in Hilo					
	9/10/19	Corrected spatial and corrected TMK for one (1) record in Hilo					
Address Points	9/10/19 To	Added address for one (1) record in Ookala					
Address Folits	9/23/19	Updated street name for one (1) record in Kailua Kona					
		Added address for one (1) record in Hawi					
		Added POI for one (1) record in Pahoa					
		Updated street name for one (1) record in Paauhau					
		Added address for three (3) records in Kailua Kona					
		Updated street name for one (1) record in Captain Cook					
		Corrected spatial for twelve (12) records in Paauilo					
		Updated TMK for one (1) record in Volcano					
		Corrected spatial and corrected TMK for three (3) records in Pahoa					
		Added address for one (1) record in Pahala					
		Updated street name for three (3) records in Holualoa					
		Updated street name for two (2) records in Volcano					
		Added address for one (1) record in Hakalau					
		Updated civic street for two (2) records in Kurtistown					
		Added address for twenty-eight (28) records in Keaau					
		Corrected spatial for one (1) record in Naalehu					



Hawaii County E9-1-1 Status Report

September 1, 2019 – September 30, 2019

MAPPING LAYERS UPDATED (PART III)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

	HAWAII COUNTY					
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	GIS Delivery Dates/Remarks				
	CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE					
		(Listed Alphabetically)				
		Added address for ten (10) records in Mountain View				
		Added new address for one (1) record in Mountain View				
		Updated street name for twenty-four (24) records in Keaau				
		Updated street name for three (3) records in Ocean View				
	9/10/19	Added address for two (2) records in Papaaloa				
	То	Added address for eight (8) records in Kamuela				
	9/23/19	Added address for one (1) record in Paauilo				
		Corrected spatial for seventeen (17) records in Hilo				
		Added address for six (6) records in Kurtistown				
		Corrected spatial for one (1) record in Captain Cook				
		Corrected spatial for six (6) records in Kurtistown				
		Delivered 9/10/2019				
		Corrected spatial for three (3) records in Holualoa				
		Corrected spatial for three (3) records in Kamuela				
Address Points		Corrected spatial and corrected TMK for one (1) record in Mountain View				
riddiess i onits		Corrected TMK for one (1) record in Mountain View				
		Added address point for one (1) record in Hilo				
		Corrected spatial for three (3) records in Captain Cook				
		Corrected spatial for one (1) record in Naalehu				
	9/1/2019	Corrected spatial for seventy-two (72) records in Mountain View				
	То	Corrected spatial for one (1) record in Ocean View				
	9/9/19	Verified address for one (1) record in Paauilo				
		Corrected spatial for twenty-three (23) records in Paauilo				
		Updated address and updated routingid for one (1) record in Hawi				
		Corrected spatial for seven (7) records in Kailua Kona				
		Corrected spatial and corrected TMK for one (1) record in Paauilo				
		Updated location name for one (1) record in Kapaau				
		Corrected spatial for two (2) records in Hilo				
		Updated location name and corrected spatial for one (1) record in Kailua Kona				
		Corrected spatial for one (1) record in Keaau				
Airports						
Bridges						



September 1, 2019 – September 30, 2019

MAPPING LAYERS UPDATED (PART IV)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

HAWAII COUNTY			
	Akimeka GIS		
Type of Layer	Server	GIS Delivery Dates/Remarks	
31	Date Created/ Edits Performed		
	CRITICAL 9-1	-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)	
Building Footprints			
Bus Stops			
Churches			
Coastal Names			
Coastline			
Common Places			
Correctional Facilities			
Emergency Callboxes			
Emergency Operation			
Centers			
Emergency Shelters			
ESZ/ESN			
Fire Beats			
Fire Districts			
Fire Response Areas			
Fire Stations			
Food & Beverage			
Gas Stations			
Gate Codes			
Government Buildings			
Harbors			
Helipads			
Hiking Trails			
Hospitals			
Hydrants			
Hyrdology Layers			
Incident Response Areas			
Lodging			
Major Roads			
Medic Beats			
Medic Districts			
Medic Response Areas			
Medic Stations			

Page 18 of 26



Hawaii County E9-1-1 Status Report

September 1, 2019 – September 30, 2019

MAPPING LAYERS UPDATED (PART V)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

HAWAII COUNTY				
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	GIS Delivery Dates/Remarks		
	CRITICAL 9-1	-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE		
	T	(Listed Alphabetically)		
Medical Facilities				
Milepost Markers				
MSAG Communities				
Net Junctions				
Ocean Rescue Boundaries				
Ocean Safety				
Parcels				
Parks				
Parks Polygon				
		Delivered 9/24/2019		
		Updated street name for one (1) record in Waikoloa		
	9/10/19 To	Updated street name for one (1) record in Volcano		
		Updated street name for one (1) record in Kailua Kona		
Points of Interest		Updated street name for one (1) record in Holualoa		
Points of Interest	9/23/19	Updated street name for five (5) records in Hilo		
	0,20,10	Updated street name for one (1) record in Kurtistown		
		Updated street name for three (3) records in Kapaau		
		Updated street name for three (3) records in Pahoa		
		Updated street name for two (2) records in Paauilo		
Police Beats				
Police Districts				
Police Response Areas				
Police Stations				
Post Offices				
Schools				
		Next Delivery 10/8/2019		
		Added segment for two (2) records in Hilo		
0 0	9/24/19 To 9/30/19	Split segment for and updated range for four (4) records in Hilo		
Street Centerlines		Added segment for one (1) record in Kurtistown		
	3/30/13	Corrected spatial, assigned range & split street segment, corrected ESN for two (2) records in		
		Kurtistown		

Page 19 of 26



Hawaii County E9-1-1 Status Report

September 1, 2019 – September 30, 2019

MAPPING LAYERS UPDATED (PART VI)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

	HAWAII COUNTY				
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	GIS Delivery Dates/Remarks			
	CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE				
		(Listed Alphabetically)			
		Delivered 9/24/2019			
		Split segment for one (1) record in Pahala			
		Corrected spatial, corrected ESN for one (1) record in Pahala			
		Updated range for one (1) record in Keaau			
		Added segment for four (4) records in Paauilo			
		Split segment for and updated range for two (2) records in Pahala			
	9/10/19	Added segment for one (1) record in Hilo			
	То	Split segment for and updated range for two (2) records in Pahoa			
Street Centerlines	9/23/19	Updated street name for one (1) record in Pahala			
		Added segment for one (1) record in Pahoa			
		Updated range for one (1) record in Hilo			
		Corrected spatial, corrected street name, updated ESN, corrected ESN for one (1) record in Kailua			
		Kona			
		Updated range for two (2) records in Volcano			
		Updated range for one (1) record in Pahoa			
	9/1/19 To	Delivered 9/10/2019			
	9/9/19	Extended segment one (1) record in Captain Cook			
Subdivisions					
Tow Jurisdictions					
Tsunami Evacuation Zones					
Tsunami Heights					
Waste Water Plants					
	9/10/19	Delivered 9/24/2019			
WSP Cell Sectors	То	Added three (3) sectors per Verizon Wireless CRS			
	9/23/19	Updated twelve (12) sectors per Verizon Wireless CRS			
WSP Cell Towers	9/10/19 To	Delivered 9/24/2019			
WSP Cell Towers	9/23/19	Updated two (2) towers per Verizon Wireless CRS			



September 1, 2019 – September 30, 2019

GEOGRAPHIC INFORMATION SYSTEM (GIS) NARRATIVES

GIS KEY ACTIVITIES/UPDATES

GIS Key activities include the events such as GIS deliverables, meetings, agreements, etc.

Date	Key Activities/Updates
9/10/2019	Delivered Address Points, Cell Sectors, Cell Towers, Points of Interest, Street
	Centerlines, ESN, and Common Places for Mapflex in Hawaii County
9/10/2019	Delivered Address Points, City, Common Names Alt Table, Display Streets, Fire
	EMS Zone, First In, Points of Interest, POI Alt Names, Police Zones, Street
	Centerlines, Street Alt Names, Street Routes for Spillman for Hawaii County
9/24/2019	Delivered Address Points, Cell Sectors, Cell Towers, Points of Interest, Street
	Centerlines, ESN, and Common Places for Mapflex in Hawaii County
9/24/2019	Delivered Address Points, City, Common Names Alt Table, Display Streets, Fire
	EMS Zone, First In, Points of Interest, POI Alt Names, Police Zones, Street
	Centerlines, Street Alt Names, Street Routes for Spillman for Hawaii County

LAVA FLOW AND ALTERNATE ROUTES

Historical events are archived in the 2018 Monthly Status Reports.

Akimeka will resume to deliver updates should the event start up again.

FIRE DEPARTMENT IMT (INCIDENT MANAGEMENT TEAM) MAP

Historical events are archived in the 2018 Monthly Status Reports.

Akimeka will update these GIS layers upon request by the Hilo Fire Department.

Page 21 of 26

September 1, 2019 – September 30, 2019

ADDRESS POINTS AND STREET CENTERLINES UPDATE COMPARISON

On a routine basis, upon receipt of Hawai'i County Planning Department's Address Points and Street Centerlines layer updates, Akimeka compares and incorporates any of the County's additions, changes, and deletions into the Akimeka Address Points and Street Centerlines layers that appear necessary for the dispatch and response of 911 personnel.

The new Address Points and Street Centerlines geodatabase comparative analysis was received from the Hawai'i County Planning Department on **September 17, 2019**. A new compare process was developed by Akimeka to perform this analysis.

HAWAII COUNTY	Address Points Layer	Street Centerlines Layer		
New Addresses Added	137			
Addresses Removed	0			
Address Street Name Changes	1			
Address Street Number Changes	1			
New Street Segments Added		3		
Street Segments Removed		0		
Street Segment Range Changes		5		
Street Segment Name Changes		0		

NOTE:

Some Address Points have multiple updates that are required, including Street Name and Street Number. These updates are counted as separate actions since the changes are required in order to make the GIS layers "9-1-1 capable" for CAD system recommendations affecting public safety dispatch and response operations.

CAD SYSTEM DEPLOYMENT

On September 18th, 2018, the Hawaii Police and Fire Department went live on the new Spillman CAD and mapping systems. There have been no major GIS data configuration changes requested. Historical events are archived in the 2018 Monthly Status Reports.

MAPFLEX SYSTEM

Akimeka delivered GIS data to the MapFlex system on the following dates in September 2019

Hawaii County – September 10th, 2019 and September 24th, 2019 **Maui County** – September 11th, 2019 and September 25th, 2019 **Kauai County** – September 12th, 2019, and September 26th, 2019 **Honolulu** – September 13th, 2019, and September 27th, 2019



September 1, 2019 – September 30, 2019

MAPFLEX ISSUES

Below is a detailed list of issues regarding the MapFlex systems throughout the State of Hawaii.

DATE	ISSUE	DESCRIPTION	STATUS
8/2016	Wireless Addresses	MapFlex system began displaying wireless information incorrectly. MapFlex system is doing a reverse query for additional information in the GIS and this is overriding the ALI information with the closest address in the GIS.	Partially Resolved (Nov 2016) The overriding ALI with updated Lat/Longs from the GIS is still occurring
11/2016	Phase I Display	Wireless Phase I calls plotting at centroid of coverage area and landing in the ocean. After installation of new MapFlex version to correct other issues, the configurations for Wireless Phase I were not set up properly by Intrado, in which the mapping did not point to the correct information in MapFlex.	Partially Resolved (Dec 2016) According to PSAPs, it's not fully resolved. The icon of the tower still doesn't plot for Phase I.
11/2016	Wireless Confidence	Sprint calls coming across with unusually high confidence. Coordination is taking place with Sprint and Intrado. Intrado provides the PDE services for Sprint.	Pending
3/22/2017	ArcGIS Address Locator	The locators in MapFlex have a configurations which does not include ESNs. A reported issue has occurred with the Sheraton in Waikiki. The address locator does not differentiate between the Sheraton hotel and the surf break and plots on the surf break. The bigger issue is that this same issue will occur with complexes that have same primary address.	Pending A new SP 5.4 update by Intrado is aimed to correct this issue.
5/17/2017	VoIP Calls Plotting Incorrectly	Recognized in late April and early May 2017, the PSAPs have been receiving several VoIP calls which are plotting in the incorrect locations. After further research it was determined that it is because MapFlex is configured to plot the received Lat/Long. The problem is that these are not always maintained properly and that ideally the system should first choose to match with the GIS data based on the provided address. During the September 20, 2017 PSAP conference call, HT relayed there was confirmation that the Time Warner records were in fact passing through the Intrado FMCC.	Partially Resolved – the Lat/Longs are no longer being plotted in MapFlex due to a software release.
5/17/2017	Landline Calls Producing X/Y on calls	It was determined that for normal landline calls, the X/Y coordinates are being sent. The PSAPs have asked where these are being generated and why would they be sent for landline calls.	Intrado is looking into this (May - June 2017)
5/23/2018	Phase I & Phase II coverage area	Phase I calls received at the Kihei Maui PSAP are displaying a circular circumference area rather than a cone shaped directional coverage. Phase II calls are not plotting the COF meters correctly.	Pending
5/24/2018	Incorrect Addresses	MapFlex system began displaying incorrect addresses in the bubble display when an Address Point is right mouse clicked to see information by the PSAPs. However, the address in the data is still correct as shown on the left hand side.	Pending

Page 23 of 26



September 1, 2019 – September 30, 2019

6/27/2018	Moving Labels	It was brought up during the PSAP teleconference with	Pending
		Hawaiian Tel and Intrado that the Hawaii Fire Department	
		submitted a trouble ticket regarding the parcel labels. When	
		the base map is checked on for viewing the owner's names	
		on the parcel layer, the names of some of the parcels will	
		follow and leave their parcel as the map is panned following	
		streets. This problem was also recreated at the Hawaii	
		Police Department.	



September 1, 2019 – September 30, 2019

4. SERVICE REQUESTS TRANSACTIONS

OPEN SERVICE REQUESTS – SEPTEMBER 2019

#	Date	Ticket #	Description	PSAP	Urgency	Comments
1	01/23/19	1007	Incorrect Address	Hawaii Fire	Normal	Confirmation pending from Inteliquent.com 8/31/2019 JBC
2	08/12/19	1008	Incorrect Address	Incorrect Address Hawaii Fire Normal Confirmation per		Confirmation pending from Inteliquent.com 8/31/2019 JBC
3	8/12/19	1009	Incorrect Address	Hawaii Fire	Normal	Confirmation pending from Inteliquent.com 8/31/2019 JBC
4	09/18/19	1010	Incorrect Address Hawaii Fire Normal Confirmation pending from Time Warr		Confirmation pending from Time Warner Cable 9/30/2019 JBC	
5	9/27/2019	1011	Incorrect Address Hawaii Fire Normal Confirmation pending from Time Warner Cable 9/30/20		Confirmation pending from Time Warner Cable 9/30/2019 JBC	
6	9/29/2019	1012	Incorrect Address	Hawaii Fire	Normal	Confirmation pending from Time Warner Cable 9/30/2019 JBC

Note* There are six (6) opened service request pending for September 2019.


SERVICE REQUEST YEAR-TO-DATE (YTD) SUMMARY – 2019

HAWAII COUNTY				MSAG SERVICE REQUEST CATEGORIES					
2019	TOTAL		Onon	WIRELINE		WIRELESS		VoIP	
2019	Created	Closed	Open	Created	Closed	Created	Closed	Created	Closed
2018 Carryover*			0						
January	6	5	1	2	2	0	0	3	2
February	6	4	3	3	3	0	0	3	1
March	1	1	3	1	1	0	0	0	0
April	1	3	1	1	1	0	0	0	2
May	3	3	1	3	3	0	0	0	0
June	1	1	1	1	1	0	0	0	0
July	1	1	1	1	1	0	0	0	0
August	4	2	3	1	1	0	0	3	1
September	4	1	6	1	1	0	0	3	0
October									
November									
December									
TOTAL	27	21	6	14	14	0	0	12	6

* The 2018 Carryover row indicated the number of Service Requests that were opened in 2018 and brought forward into 2019 in an effort to track the service request until completion.

Detailed information on service tickets are available upon request.

	Category	Description					
	Telephone Number (ALI) Discrepancies from land line phones that have been submitted to Intrado via 9-1-1 Net for correction.						
<u>Definitions:</u>	Wireless	Telephone Number (ALI) Discrepancies from phones that were land lines at one time, and were ported out to a wireless carrier. However, the phone number was never removed from the MSAG database.					
	VoIP	Telephone Number (ALI) Discrepancies from VoIP phones that have been submitted to Time Warner Cable (TWCBL) or other VoIP providers for correction					



Hawaii County E9-1-1 Status Report

September 1, 2019 – September 30, 2019

5. E9-1-1 DATABASE SYNCHRONIZATION

(<u>Reference:</u> NENA 71-501, Version 1.1 – NENA Information Document for Synchronizing Geographic Information System databases with MSAG & ALI)

Next scheduled Database Synchronization – November 2019

AUDIT SUMMARY RESULTS - NOVEMBER 2019 - TBA

AUDIT SUMMARY RESULTS COMPARISION - NOVEMBER 1, 2019 VS AUGUST 1, 2019 - TBA

AUDIT SUMMARY RESULTS - TBA

INVALID MSAG STREETS AND ADDRESS RANGES – ESN X99 RECORDS - TBA

AUTOMATIC LOCATION IDENTIFICATION (ALI) DISCREPANCY REPORT - TBA