September 1, 2019 – September 30, 2019





## **September 1, 2019 - September 30, 2019**

# TABLE OF CONTENTS

1.	PSAP Operations	5
	9-1-1 Call Volume Maui PSAP – September 2019	5
	Call Volume Maui PSAP Notes:	5
	9-1-1 Call Volume Maui PSAP – Calendar Year 2019	5
	9-1-1 Call Volume Molokai PSAP – September 2019	6
	Call Volume Molokai PSAP Notes:	6
	9-1-1 Call Volume Molokai PSAP – Calendar Year 2019	6
	9-1-1 Call Volume (Combined Maui & Molokai PSAPS) – September 2019	7
	9-1-1 Call Volume (Combined Maui & Molokai PSAPS) – Calendar Year 2019	7
	PSAP Operation Notes:	7
	For Your Information	8
	Text To 911 – Current Month – September 2019	8
	Note:	8
	Wireless PSAP Testing – September 2019	9
	Notes:	9
2.	MSAG (Master Street Address Guide)	10
	MSAG Transactions Current Month/Year – September 2019	10
	MSAG Current Month Notes:	11
	Telephone Record (ALI) Transactions Current Month Notes:	11
	Open Telephone Record (ALI) Discrepancy Status:	11
	TNCR (Telephone Number Change Request) Current Status – September, 2019	12



## **September 1, 2019 - September 30, 2019**

NOTE:	12
Dispatchable Location – Status As Of – September 2019	13
Narrative:	13
Spectrum (Charter) 9-1-1 VoIP Database Verification Project – September 2019	14
Bandwidth 9-1-1 VoIP Database Verification Project – September 2019	15
3. Geographic Information System (GIS) – September 2019	16
Mapping Layers Updated (Part I)	16
Mapping Layers Updated (Part II)	17
Mapping Layers Updated (Part III)	18
Mapping Layers Updated (Part IV)	19
Mapping Layers Updated (Part V)	20
Mapping Layers Updated (Part VI)	21
Note:	21
Geographic Information System (GIS) Narratives	21
GIS Key Activities/Updates	21
Intergraph CAD Upgrade	22
MapFlex System	22
MapFlex Issues	23
DATE	23
ISSUE	23
DESCRIPTION	23
STATUS	23
4. Service Requests Transactions	25
Open Service Requests – Maui County PSAPS - September 2019	25
	25
Note:	25



## **September 1, 2019 - September 30, 2019**

Maui PSAP Service Requests Year-To-Date (YTD) Summary – 2019	25
5. E9-1-1 Database Synchronization	26
Audit Summary Results – 2018 – 2019	27
Audit Summary Notes:	27
MSAG Audit Summary Results – September 1, 2019 vs June 1, 2019	28
Msag Audit Summary Results Notes:	28
Invalid MSAG Streets and Address Ranges – ESN X99 Records	29
Automatic Location Identification (ALI) Discrepancy Report	30



## September 1, 2019 - September 30, 2019

#### 1. PSAP OPERATIONS

#### 9-1-1 CALL VOLUME MAUI PSAP - SEPTEMBER 2019

**Source:** Intrado Viper system

(\*) Totals are based on calls to Primary PSAP.

							9-1-	-1 Call V	olume								
MAU	JI PSAP	Wir	eline		Wir	eless		vo	IP	Calls V		Admir	Calls		doned alls	Other	Calls
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls		No. of Calls with No ALI		No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls
SEPT	12,122	1,190	9.82%	9,207	75.95%	59.79%	40.21%	315	2.60%	4	0.03%	0	0.00%	1,406	11.60%	0	0.00%

#### CALL VOLUME MAUI PSAP NOTES:

\*Calls with No ALI for September 2019 = 0.03% - Statewide average for 2018 = 0.09%

#### 9-1-1 CALL VOLUME MAUI PSAP – CALENDAR YEAR 2019

							9-1	-1 Call V	olume/								
MAU	JI PSAP	Wir	eline		Wir	eless		VO	IP	Calls w	LI	Admir	n Calls		doned Ills	Other	Calls
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Total Calls	No. of Calls with No ALI		No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls
JAN	11,085	1,607	14.50%	8,204	74.01%	60.68%	39.32%	295	2.66%	3	0.03%	0	0.00%	976	8.80%	0	0.00%
FEB	10,875	1,606	14.77%	7,841	72.10%	59.60%	40.40%	312	2.87%	4	0.04%	0	0.00%	1,112	10.23%	0	0.00%
MAR	12,403	1,626	13.11%	9,022	72.74%	58.93%	41.07%	360	2.90%	6	0.05%	0	0.00%	1,389	11.20%	0	0.00%
APR	12,358	1,495	12.10%	9,186	74.33%	57.72%	42.28%	338	2.74%	7	0.06%	0	0.00%	1,332	10.78%	0	0.00%
MAY	12,440	1,491	11.99%	9,277	74.57%	59.12%	40.88%	319	2.56%	3	0.02%	0	0.00%	1,350	10.85%	0	0.00%
JUNE	12,512	1,448	11.57%	9,460	75.61%	60.17%	39.83%	304	2.43%	5	0.04%	0	0.00%	1,295	10.35%	0	0.00%
JULY	13,746	1,604	11.67%	10,360	75.37%	56.18%	43.82%	376	2.74%	16	0.12%	0	0.00%	1,390	10.11%	0	0.00%
AUG	13,669	1,517	11.10%	10,423	76.25%	58.43%	41.57%	310	2.27%	3	0.02%	0	0.00%	1,416	10.36%	0	0.00%
SEPT	12,122	1,190	9.82%	9,207	75.95%	59.79%	40.21%	315	2.60%	4	0.03%	0	0.00%	1,406	11.60%	0	0.00%
ОСТ																	
NOV																	
DEC																	
YTD	111,210	13,584		82,980				2,929		51		0		11,666		0	
MON AVG	12,357	1,509	12.29%	9,220	74.55%	58.96%	41.04%	325	2.64%	6	0.04%	0	0.00%	1,296	10.48%	0.00	0.00%

Page 5 of 30

## **September 1, 2019 - September 30, 2019**

#### 9-1-1 CALL VOLUME MOLOKAI PSAP – SEPTEMBER 2019

							9-1	-1 Call V	olume								
_	LOKAI PSAP	Wir	eline		Wir	eless		VO	IP	Calls W		Admir	n Calls		doned alls	Other	Calls
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls		No. of Calls with No ALI		No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls
SEPT	492	88	17.89%	340	69.11%	57.35%	42.65%	4	0.81%	0	0.00%	0	0.00%	60	12.20%	0	0.00%

#### CALL VOLUME MOLOKAI PSAP NOTES:

Calls with No ALI for September 2019 = 0.00% - Statewide average for 2018 = 0.09%

#### 9-1-1 CALL VOLUME MOLOKAI PSAP – CALENDAR YEAR 2019

							9-1-	-1 Call V	olume'								
	LOKAI PSAP	Wir	eline		Wir	eless		vo	IP	Calls v		Admir	n Calls		doned Ills	Other	Calls
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Total Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls
JAN	474	145	30.59%	285	60.13%	55.79%	44.21%	1	0.21%	0	0.00%	0	0.00%	43	9.07%	0	0.00%
FEB	574	222	38.68%	266	46.34%	62.03%	37.97%	5	0.87%	0	0.00%	0	0.00%	81	14.11%	0	0.00%
MAR	484	135	27.89%	279	57.64%	62.72%	37.28%	2	0.41%	2	0.41%	0	0.00%	66	13.64%	0	0.00%
APR	514	109	21.21%	331	64.40%	63.44%	36.56%	0	0.00%	1	0.19%	0	0.00%	73	14.20%	0	0.00%
MAY	550	132	24.00%	353	64.18%	64.59%	35.41%	2	0.36%	0	0.00%	0	0.00%	63	11.45%	0	0.00%
JUNE	632	159	25.16%	399	63.13%	56.89%	43.11%	0	0.00%	0	0.00%	0	0.00%	74	11.71%	0	0.00%
JULY	578	126	21.80%	357	61.76%	54.90%	45.10%	22	3.81%	7	1.21%	0	0.00%	66	11.42%	0	0.00%
AUG	591	106	17.94%	394	66.67%	56.60%	43.40%	5	0.85%	0	0.00%	0	0.00%	86	14.55%	0	0.00%
SEPT	492	88	17.89%	340	69.11%	57.35%	42.65%	4	0.81%	0	0.00%	0	0.00%	60	12.20%	0	0.00%
ОСТ																	
NOV																	
DEC																	
YTD	4,889	1,222		3,004				41		10		0		612		0	
MON AVG	543	136	25.02%	334	61.48%	59.37%	40.63%	4.56	0.81%	1	0.20%	0	0.00%	68	12.48%	0	0.00%



## September 1, 2019 - September 30, 2019

#### 9-1-1 CALL VOLUME (COMBINED MAUI & MOLOKAI PSAPS) - SEPTEMBER 2019

							9-1-	-1 Call V	olume								
_	COUNTY SAPs	Wir	eline		Wir	eless		VOIP	Calls	Calls V	/ith No LI	Admir	n Calls		doned alls	Other	Calls
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls		No. of Calls with No ALI		No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls
SEPT	12,614	1,278	10.13%	9,547	75.69%	59.70%	40.30%	319	2.53%	4	0.03%	0	0.00%	1,466	11.62%	0	0.00%

#### 9-1-1 CALL VOLUME (COMBINED MAUI & MOLOKAI PSAPS) - CALENDAR YEAR 2019

							9-1	-1 Call V	olume'								
	COUNTY SAPs	Wir	eline		Wir	eless		vo	IP	Calls w		Admir	n Calls		doned Ills	Other	Calls
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Total Calls	No. of Calls with No ALI		No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls
JAN	11,559	1,752	15.16%	8,489	73.44%	60.51%	39.49%	296	2.56%	3	0.03%	0	0.00%	1,019	8.82%	0	0.00%
FEB	11,449	1,828	15.97%	8,107	70.81%	59.68%	40.32%	317	2.77%	4	0.03%	0	0.00%	1,193	10.42%	0	0.00%
MAR	12,887	1,761	13.66%	9,301	72.17%	59.05%	40.95%	362	2.81%	8	0.06%	0	0.00%	1,455	11.29%	0	0.00%
APR	12,872	1,604	12.46%	9,517	73.94%	57.92%	42.08%	338	2.63%	8	0.06%	0	0.00%	1,405	10.92%	0	0.00%
MAY	12,990	1,623	12.49%	9,630	74.13%	59.33%	40.67%	321	2.47%	3	0.02%	0	0.00%	1,413	10.88%	0	0.00%
JUNE	13,144	1,607	12.23%	9,859	75.01%	60.04%	39.96%	304	2.31%	5	0.04%	0	0.00%	1,369	10.42%	0	0.00%
JULY	14,324	1,730	12.08%	10,717	74.82%	56.14%	43.86%	398	2.78%	23	0.16%	0	0.00%	1,456	10.16%	0	0.00%
AUG	14,260	1,623	11.38%	10,817	75.86%	58.36%	41.64%	315	2.21%	3	0.02%	0	0.00%	1,502	10.53%	0	0.00%
SEPT	12,614	1,278	10.13%	9,547	75.69%	59.70%	40.30%	319	2.53%	4	0.03%	0	0.00%	1,466	11.62%	0	0.00%
ост																	
NOV																	
DEC																	
YTD	116,099	14,806		85,984				2,970		61		0		12,278		0	
MON AVG	12,900	1,645	12.84%	9,554	73.98%	58.97%	41.03%	330	2.56%	7	0.05%	0.00	0.00%	1,364	10.56%	0	0.00%

#### **PSAP OPERATION NOTES:**

- Abandoned Calls represent the number of incoming 9-1-1 calls for which the caller had hung up before a call-taker answered. Dropped Calls are hang ups after transfers.
- Abandoned Calls are included in the Wireline and Wireless total counts respectively.
- All VoIP (Voice over Internet Protocol) 911 calls are combined in the Call Volume statistic.
- Outgoing 911 calls are included in the totals. These are ringback or callback 911 calls made from the Viper System.

## September 1, 2019 - September 30, 2019

#### FOR YOUR INFORMATION

		FYI	For	Your Info	rmation									
			PSAP C	perations	5									
	Statewide 911 Call Volumes													
PSAP 2018 2017 2016 2015														
Oahu Civilian	Oahu Civilian 1,034,190 70.62% 1,022,818 72.16% 1,009,059 71.93% 1,019,402 70.94%													
RDC Pearl Harbor	37,068	2.53%	27,916	1.97%	N/A	N/A	N/A	N/A						
Hawaii County	206,648	14.11%	193,166	13.62%	205,412	14.64%	217,768	15.15%						
Maui County	133,869	9.14%	123,685	8.73%	137,333	9.80%	142,952	9.95%						
Kauai County 52,623 3.60% 49,902 3.52% 50,955 3.63% 56,874 3.96%														
Total	1,464,398	100.00%	1,417,487	100.00%	1,402,759	100.00%	1,436,996	100.00%						
*2016 & 2015 Statewide avera	2016 & 2015 Statewide average does not include Military 911 calls													

#### TEXT TO 911 - CURRENT MONTH - SEPTEMBER 2019

#### NOTE:

• Although there is a "Text to 911" plot on the MapFlex, the location of the plot is not reliable. Text to 911 Dispatchers should use their skills to ascertain the exact location of the emergency response.

<b>TEXT TO 911 M</b>	aui County I	PSAPs 2019
Month	Received	Received
WOTH	at Maui	at Molokai
January	25	4
February	29	5
March	16	0
April	10	4
May	10	2
June	12	0
July	14	4
August	17	0
September	16	0
October		
November		
December		
YTD	149	19
Monthly Avg.	17	2



## September 1, 2019 - September 30, 2019

#### WIRELESS PSAP TESTING - SEPTEMBER 2019

		N	AUI COUNTY	SEPTEMBER 2	2019	
Date	WSP	Sites Tested	Sectors Tested	Tested By:	Test Pass/Fail	Comments:

#### NOTES:

- There were no (0) scheduled Wireless 911 tests conducted in September 2019 for the Maui and Molokai PSAPs.
- Verizon Wireless has completed migrating their Wireless network database from Intrado to ComTech.
- During the 4<sup>th</sup> quarter of 2018, there was an increasing amount of "MOBL" class of service type of 911 calls delivered to the State of Hawaii PSAPs. On January 15<sup>th</sup>, 2019, Intrado completed the position source mapping for ComTech which appears to have resolved this issue.

## September 1, 2019 - September 30, 2019

#### 2. MSAG (MASTER STREET ADDRESS GUIDE)

#### MSAG TRANSACTIONS CURRENT MONTH/YEAR – SEPTEMBER 2019

	9-1-1 TRANSACTIONS								
MAUI COUNTY	Total	Dispatchable Location Transactions Submitted	MSAG	ALI Submitted		Open ALI repancy Rec	ords	Customer Addresses	
2019		DL (A)	MSAG (B)	TN CR (C)	ALI DR (D)	TNCR	ALI DR	VoIP DR	Affected
JANUARY	65	46	7	6	6	18	0	0	122
FEBRUARY	20	0	5	11	4	18	0	0	98
MARCH	248	224	15	8	1	209	0	0	58
APRIL	258	250	5	1	2	309	0	0	224
MAY	116	102	13	1	0	334	0	0	61
JUNE	126	119	3	1	3	347	0	0	245
JULY	184	166	7	9	2	34	0	0	39
AUGUST	150	137	6	6	1	64	0	0	55
SEPTEMBER	106	77	1	27	1	94	0	0	0
OCTOBER									
NOVEMBER									
DECEMBER									
TOTAL YTD	1,273	1,121	62	70	20	1,427	0	0	902
AVG PER MONTH	141	125	7	8	2	159	0	0	100

#### **Definitions**

- (A) **D**ispatchable **L**ocation is defined in the FCC 15-9 Docket as the verified or corroborated street address of the calling party plus additional information such as floor, suite, apartment or similar information that may be needed to adequately identify the location of the calling party. Please see Dispatchable Location Section for more information.
- (B) **M**aster **S**treet **A**ddress **G**uide Represents corrections made to street records including, street names, address ranges, MSAG Communities and ESNs.
- (C) **T**elephone **N**umber **C**hange **R**equest Represents address corrections on a specific TN or group of TNs. These "invalid" TNs usually have an associated ESN 399 attached to them which indicates the need for validation.
- (D) **A**utomatic **L**ocation **I**nformation **D**iscrepancy **R**ecord Represents an address discrepancy discovered during a live 9-1-1 call, from a landline OR a VoIP phone. These record corrections are treated with a higher priority and should be processed within 48 hours if wireline, and 72 hours if a VoIP phone, as a general guideline.



## September 1, 2019 - September 30, 2019

#### MSAG CURRENT MONTH NOTES:

A total of **106** MSAG transactions were processed in 9-1-1 Net during the current month. One (**1**) request was processed relating to the MSAG database. Changes include: changes to high – low street ranges, combining street records, deletion of invalid records, splitting street records to align with Police, Fire, EMS, and inserting new MSAG records.

0 customer ANI/ALI (telephone number/address) records updated as a direct result.

#### TELEPHONE RECORD (ALI) TRANSACTIONS CURRENT MONTH NOTES:

Twenty-seven (27) Telephone Number Change Requests (TN CR) transactions were processed in 9-1-1 Net with valid MSAG addresses, as a result of the ESN 399 clean-up effort. ESN 399 TN CRs must be validated against HT records and approved by the end user Hawaiian Telcom customer before updating the ALI record.

One (1) ALI DR was submitted as the result of 9-1-1 call from a business in Hana.

Akimeka submitted seventy-seven (77) TN CRs related to the Dispatchable Location Project during the current month.

#### OPEN TELEPHONE RECORD (ALI) DISCREPANCY STATUS:

• There are currently 94 Open TN CRs.

Maui County

- 94 Open TN CR transactions are a result of the Dispatchable Location project. Akimeka continues to monitor and track the progress of the Referred records. Once a telephone number is submitted to West for correction, it must be verified against HT records and/or approved by the customer. West's internal process requires calling each telephone customer individually for approval to update an address in the 9-1-1 database.
  - There are no open VoIP DRs as of September 30, 2019
  - There are no open ALI DRs as of September 30, 2019

## September 1, 2019 - September 30, 2019

#### TNCR (TELEPHONE NUMBER CHANGE REQUEST) CURRENT STATUS - SEPTEMBER, 2019

#### NOTE:

- 9-1-1 NET is a secure web-based application that provides access to request changes to the MSAG, ALI, TN, and ESN/ELT data supported and maintained by Intrado for the Telephone Company (TelCo).
- TNCRs are not requests to change Telephone Numbers (TNs); however, it is a corrective process within 9-1-1 NET to modify location information associated with an Automatic Location Identification (ALI) record to a valid MSAG address for 9-1-1 purposes.

	PSAP 9-1-1 Telephone Number Location Change Request						
	(Telephone Number Change Request (TNCR) Status)						
County	TOTAL TNCR RECORDS SUBMITTED BY AKIMEKA  OPENED TNCRS PENDING FURTHER ACTION BY INTRADO  OPENED TNCRS REFERRED TO TELCO BY INTRADO  TNCR RECORDS						
MAUI	94	4	32	58			
MOLOKAI	0	0	0	0			
TOTAL	94	4	32	58			

#### **STATUS**

**TOTAL TNCRs SUBMITTED** - The total number of TNCR requests for modification that have been submitted in 9-1-1 **PENDING STATUS** - TNCRs assigned this status are requests which have been reviewed by the 9-1-1 Database Service

Provider Data Analyst, and are pending investigation whether the request is valid or invalid, and/or whether the request requires additional information to validate.

<u>REFERRED STATUS</u> - TNCRs assigned this status are requests which have been reviewed by the 9-1-1 Database Service Provider Data Analyst, and the request requires additional information to validate. The Intrado Data Analysts assigns this status to a TNCR and the request is referred to the telephone service providers for further research.

**TOTAL UNOPENED TNCR RECORDS STATUS** - The request is submitted by Akimeka on behalf the PSAP; however, processing by the 9-1-1 Database Service Provider Data Analyst has not begun.

September 2019

## Maui County E9-1-1 Status Report

## September 1, 2019 - September 30, 2019

#### DISPATCHABLE LOCATION - STATUS AS OF - SEPTEMBER 2019

#### NARRATIVE:

During the August 2015 State of Hawaii 911 Board meeting, Akimeka provided a "State of Hawaii PSAPs Proposed ALI Compliancy with FCC 15-9" presentation. Based on the 9-1-1 Board's confirmation to add the "Dispatchable Location" information into the ALI database, Akimeka researched the format standards of each pertinent field, and tested the delivery of the data to the PSAP. After a few configuration adjustments (eliminating the TelCo comments field from appearing on the ALI Screen), Akimeka standardized an additional information data format to proceed with this project.

During the month of August 2015, Akimeka started a pilot project, entering additional location information to a verified MSAG address with multiple telephone numbers. Specifically the Queen Kaahumanu Shopping Center at 275 Kaahumanu Ave. The "Dispatchable Location" data is entered into the "Driving Directions" field in the 9-1-1 Net system, and will display on the Viper Power 911 ALI Screen in the "Exact" field should a 911 call be received from that telephone number. Screen shots of the "Before" ALI screen, and the "After" ALI screen with the updated "Dispatchable Location" information visible, were presented to the Dispatch Supervisors. Akimeka received positive feedback from the 911 Dispatch Personnel because the information that the 911 Call Takers will receive, will certainly cut down on the process of determining the exact location of the 911 caller. In addition to this, Akimeka was informed that the Mobile Dispatch Terminals (MDTs) in the Police Vehicles, also are able to view this "Dispatchable Location" information which will reduce the response times for Public Safety. There were 77 Dispatchable Locations submitted in September 2019 and 99 were processed by Intrado.

Dispatchable Location							
2019	Common Name Place	TNCR*	Transactions				
Quarter 3	MSAG Address	Transactions Submitted	Processed**				
Quarter 2 Carryover		3,435	3,119				
	Piilani Village, Piikea Ave, Kihei	0	24				
July	Wailea Beach Resort 3700 Wailea Alanui Dr, Wailea	166	166				
	Makena Beach Resort, 5400 Makena Alauni Rd, Wailea	0	119				
August	Wailea Gateway Center, Wailea Gateway Pl, Wailea	106	76				
	Wailuku Town Center, 790 Eha St, Wailuku	31	0				
	Wailea Gateway Center, Wailea Gateway Pl, Wailea	0	28				
Santambar	Wailuku Town Center, 790 Eha St, Wailuku	0	31				
September	Haiku Market Place, 810 Haiku Rd, Haiku	44	8				
	Pauwela Cannery Center, 375 W Kuiaha Rd, Haiku	33	32				
Quarter 3 Total		380	484				
Total		3815	3603				

Maui County

## September 1, 2019 - September 30, 2019

#### SPECTRUM (CHARTER) 9-1-1 VOIP DATABASE VERIFICATION PROJECT - SEPTEMBER 2019

Akimeka received the Automatic Location Identification (ALI) records from Spectrum (formally known as Charter Communications) which is the predominant Voice over Internet Protocol (VoIP) provider in the State of Hawaii. As Akimeka has access to these ALI Records, Akimeka is researching and verifying the VoIP records against an MSAG valid address and the GIS data. This research is a validation of the ALI Record to ensure that the location as provided by the VoIP provider matches the GIS Information utilized by the Public Safety Agencies within their specific County 9-1-1 Service Area. This validation reduces the potential of address or location dispute during a 9-1-1 call.

The analysis of the database records indicates that there are invalid MSAG addresses utilized by the VoIP Provider. These records are being identified, and will be sent back to Spectrum for corrective action.

*Spectrum (Charter) 9-1-1 VoIP Database Verification Project					
	TOTAL	TOTAL RECORDS	TOTAL	NON	PERCENT
	RECORDS	MATCHING &	RECORDS	MATCHING	COMPLETED
PSAP	SUBMITTED BY	VERIFIED WITH	NOT	RECORDS	
FSAF	SPECTRUM	911 DATABASES	MATCHING	CORRECTED	
	(A)	<b>(B)</b>		<b>BY AKIMEKA</b>	
				(C)	
HAWAII County	22,044	21,638 (98%)	406	406	100.00%
KAUAI County	8,936	8,695 (97%)	241	241	100.00%
MAUI County	18,256	17,517 (96%)	739	739	100.00%
OAHU Cilivian	87,414	85,329 (98%)	2,085	2,085	100.00%
OAHU Military	3,663	710 (19%)	2,953	2,953	100.00%
TOTAL	140,313	**133,889	6,424	6,424	100.00%

<sup>\*</sup> Spectrum VoIP Database received on June 21st, 2017

<sup>\*\*</sup> Akimeka provided VoIP Records with Latitude/Longitude coordinates

(A)	VoIP Database records submitted by Spectrum to Akimeka for research and MSAG address validation.
<b>(B)</b>	Akimeka has researched and verified the VoIP record against an MSAG valid address and GIS data. Akimeka is tracking corrections needed to be performed by Spectrum. Addressing data will be updated or added in the GIS if the VoIP record is determined to be valid.
(C)	Verifcation Process Completed.

## September 1, 2019 - September 30, 2019

#### BANDWIDTH 9-1-1 VOIP DATABASE VERIFICATION PROJECT - SEPTEMBER 2019

Akimeka received the Automatic Location Identification (ALI) records from Bandwidth which is a Voice over Internet Protocol (VoIP) provider in the State of Hawaii. As Akimeka has access to these ALI Records, Akimeka researched and verified the VoIP records against an MSAG valid address and the GIS data. This research is a validation of the ALI Record to ensure that the location as provided by the VoIP provider matches the GIS Information utilized by the Public Safety Agencies within their specific County 9-1-1 Service Area. This validation reduces the potential of address or location dispute during a 9-1-1 call.

The analysis of the database records indicates that there were invalid MSAG addresses utilized by the VoIP Provider. These records were identified, and sent back to Bandwidth for corrective action.

Akimeka will update the chart below as we receive updated ALI records from Bandwidth.

*Bandwidth								
9-1-1	9-1-1 VoIP Database Verification Project **(Updated)							
	TOTAL	TOTAL NEW	TOTAL	NON	PERCENT			
	RECORDS	RECORDS	RECORDS	MATCHING	COMPLETED			
PSAP	SUBMITTED BY	VERIFIED WITH	NOT	RECORDS				
FSAF	BANDWIDTH	911 DATABASES	MATCHING	CORRECTED				
	( <b>A</b> )	<b>(B)</b>		<b>BY AKIMEKA</b>				
				(C)				
HAWAII County	545	85	0	0	100.00%			
KAUAI County	306	41	0	0	100.00%			
MAUI County	914	222	1	1	100.00%			
OAHU Cilivian	4,065	888	1	1	100.00%			
OAHU Military	56	7	0	0	100.00%			
TOTAL	5,886	1,243	2	2	100.00%			

<sup>\*</sup>Bandwidth VoIP Database received on April 5th, 2018

(A)	VoIP Database records submitted by Bandwidth to Akimeka for research and MSAG address validation.
	Akimeka has researched and verified the VoIP record against an MSAG valid address and GIS data. Akimeka is tracking corrections needed to be performed by Bandwidth. Addressing data will be updated or added in the GIS if the VoIP record is determined to be valid.
(C)	Verifcation Process Completed.

<sup>\*\*</sup>Updated Bandwidth VoIP Database received on September 6th, 2018

September 2019



# Maui County E9-1-1 Status Report

## September 1, 2019 - September 30, 2019

## 3. GEOGRAPHIC INFORMATION SYSTEM (GIS) – SEPTEMBER 2019

MAPPING LAYERS UPDATED (PART I)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

		MAUI COUNTY			
Type of Layer	Akimeka GIS Server  Date Created/ Edits Performed	GIS Delivery Dates/Remarks			
	CRITICAL 9-1	-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE			
		(Listed Alphabetically)			
		Next Delivery 10/9/2019			
		Added address for three (3) records in Kihei			
		Verified address for one (1) record in Kahului			
	9/25/19	Spatially corrected one (1) record in Waihee			
	9/25/19 To	Verified address for eight (8) records in Waiehu			
	9/30/19	Verified address for forty-six (46) records in Hoolehua			
		Added address for one (1) record in Waihee			
		Added address for four (4) records in Waiehu			
		Spatially corrected two (2) records in Hoolehua			
		Spatially corrected three (3) records in Waiehu			
		Delivered 9/25/2019			
		Spatially corrected two (2) records in Waikapu			
		Added address for seven (7) records in Kula			
		Verified address for twenty-five (25) records in Lanai			
		Added address for fifteen (15) records in Kahului			
Address Points		Exception - driveway before 293 kama st, spatially corrected one (1) record in Waikapu			
Address Folits		Updated full address for twelve (12) records in Waikapu			
		Verified address for forty-one (41) records in Hoolehua			
		Added TMK for nineteen (19) records in Waikapu			
	0/44/40	Added address for two (2) records in Kaunakakai			
	9/11/19 To	Spatially corrected three (3) records in Lanai			
	9/24/19	Verified address for twenty-three (23) records in Kaunakakai			
	3,2 1,7 10	Added address for eight (8) records in Kihei			
		Verified address for twenty-two (22) records in Haiku			
		Updated location name for one (1) record in Kihei			
		Verified address for ninety-four (94) records in Kaluakoi			
		Verified address for one (1) record in Waikapu			
		Updated street name for one (1) record in Pukalani			
		Spatially corrected one (1) record in Kaluakoi			
		Verified address for one hundred and sixty-five (165) records in Wailuku			
		Spatially corrected one (1) record in Kaunakakai			
		Added location name for one (1) record in Kahului			

Maui County

September 2019



# **Maui County E9-1-1 Status Report**

## **September 1, 2019 - September 30, 2019**

## MAPPING LAYERS UPDATED (PART II)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

		MAUI COUNTY		
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	GIS Delivery Dates/Remarks		
	CRITICAL 9-1	-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE		
		(Listed Alphabetically)		
		Spatially corrected three (3) records in Kahului		
	9/11/19	Spatially corrected three (3) records in Kihei		
	То	Added address for four (4) records in Wailuku		
	9/24/19	Verified address for eighty-seven (87) records in Waikapu		
		Spatially corrected thirty-five (35) records in Wailuku		
		Delivered 9/11/2019		
		Added address for twenty-one (21) records in Kula		
		Verified address for eighteen (18) records in Wailea		
		Added address for one (1) record in Kahului		
		Verified address for four (4) records in Lahaina		
		Verified address for four (4) records in Pukalani		
		Spatially corrected one (1) record in Haiku		
		Added address for twenty-five (25) records in Lahaina		
Address Points		Added address for one (1) record in Kihei		
riddress i onits		Verified address for thirteen (13) records in Haiku		
	9/1/19	Updated label for one (1) record in Kula		
	То	Spatially corrected three (3) records in Kula		
	9/10/19	Added address for two (2) records in Hana		
		Verified address for twenty-nine (29) records in Kula		
		Spatially corrected two (2) records in Wailea		
		Added address for one (1) record in Wailuku		
		Verified address for one (1) record in Wailuku		
		Added address for two (2) records in Makawao		
		Updated full address for one (1) record in Kula		
		Spatially corrected twenty-one (21) records in Pukalani		
		Verified address for one (1) record in Hana		
		Added address for one (1) record in Pukalani		
A		Spatially corrected, updated location name for one (1) record in Kula		
Airports				
Bridges Building Footprints				
Bus Stops				

Maui County

## **September 1, 2019 - September 30, 2019**

#### MAPPING LAYERS UPDATED (PART III)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

	MAUI COUNTY				
Type of Layer  Akimeka GIS Server  Date Created/ Edits Performed		GIS Delivery Dates/Remarks			
	CRITICAL 9-1	-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE			
		(Listed Alphabetically)			
Churches					
Coastal Names					
Coastline					
Common Places					
Correctional Facilities					
Emergency Callboxes					
Emergency Operation					
Centers					
Emergency Shelters					
ESZ/ESN					
Fire Beats					
Fire Districts					
Fire Response Areas					
Fire Stations					
Food & Beverage					
Gas Stations	9/11/19 To 9/24/19	Delivered 9/25/2019 Updated name for one (1) record in Kihei			
	9/11/19 To	Delivered 9/25/2019			
Gate Codes	9/24/19	Updated code for one (1) record in Kahului			
Government Buildings					
Harbors					
Helipads					
Hiking Trails					
Hospitals					
Hydrants					
Hyrdology Layers					
Incident Response Areas					
Lodging					
Major Roads					
Medic Beats					
Medic Districts					
Medic Response Areas					
Medic Stations					



## **September 1, 2019 - September 30, 2019**

## MAPPING LAYERS UPDATED (PART IV)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

MAUI COUNTY					
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	GIS Delivery Dates/Remarks			
	CRITICAL 9-1	-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE			
		(Listed Alphabetically)			
Medical Facilities					
Milepost Markers					
MSAG Communities					
Net Junctions					
Ocean Rescue Boundaries					
Ocean Safety					
Parcels					
Parks					
Parks Polygon					
	9/25/19 To 9/30/19	Next Delivery 10/9/2019  Updated name for one (1) record in Kahului  Added POI for two (2) records in Kahului  Updated POI name for two (2) records in Kahului			
		Delivered 9/25/2019			
		Added address for one (1) record in Kaunakakai			
		Corrected street name for one (1) record in Lanai			
		Spatially corrected one (1) record in Lanai			
		Corrected street name for one (1) record in Hana			
		Updated address for one (1) record in Kahului			
		Added street name for two (2) records in Kaunakakai			
Points of Interest		Upated address one (1) record in Paia			
	9/11/19	Verified address for one (1) record in Lahaina			
	То	Added POI for ten (10) records in Kula			
	9/24/19	Corrected subdivision name for one (1) record in Haiku			
		Added POI for eighteen (18) records in Kahului			
		Added POI for five (5) records in Kihei			
		Updated address for one (1) record in Kihei			
		Verified address for one (1) record in Kula			
		Updated POI name for one (1) record in Kihei			
		Updated address, added neighborhood for six (6) records in Kihei			
		Updated street name for one (1) record in Kaunakakai			
		Updated street name for one (1) record in Pukalani			



## **September 1, 2019 - September 30, 2019**

## MAPPING LAYERS UPDATED (PART V)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

		MAUI COUNTY
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	GIS Delivery Dates/Remarks
	CRITICAL 9-1	1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE
		(Listed Alphabetically)
	0440	Delivered 9/11/2019
Points of Interest	9/1/19 To	Spatially corrected, updated POI name for one (1) record in Kula
Tollits of Tittelest	9/10/19	Updated street name for one (1) record in Pukalani
		Added POI for eighteen (18) records in Kula
Police Beats	9/1/19 To	Delivered 9/11/2019
Tonce Demo	9/10/19	Modified boundary for two (2) records
Police Districts		
Police Response Areas		
Police Stations		
Post Offices		
Schools		
	9/11/19	Delivered 9/25/2019
	To 9/24/19	Verified address for thirty-six (36) records in Kaanapali
		Modified range for four (4) records in Kahului
		Delivered 9/11/2019
		Verified address for three (3) records in Haiku
Street Centerlines		Updated range for one (1) record in Wailea
	9/1/19	Spatially corrected two (2) records in Kula
	To	Verified address for two (2) records in Wailea
	9/10/19	Added centerline for one (1) record in Kahului
		Spatially corrected one (1) record in Lahaina
		Spatially corrected two (2) records in Wailea
		Corrected police beat for seven (7) records in Kahului
Subdivisions		
Tow Jurisdictions		
Tsunami Evacuation Zones		
Tsunami Heights		
Waste Water Plants		D. II.   1.0/07/00/10
	9/11/19 To 9/24/19	Delivered 9/25/2019
WSP Cell Sectors		Added twelve (12) sectors per Verizon Wireless CRS
	9/1/19 To	Delivered 9/11/2019
	9/10/19	Added two (2) sectors per AT&T CRS

## September 1, 2019 - September 30, 2019

#### MAPPING LAYERS UPDATED (PART VI)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

MAUI COUNTY								
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	GIS Delivery Dates/Remarks						
	CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)							
	9/11/19 To	Delivered 9/25/2019						
W/CD C-11 'T	9/24/19	Added one (1) tower per Verizon Wireless CRS						
WSP Cell Towers	9/1/19 To	Delivered 9/11/2019						
	9/10/19	Updated one (1) tower per AT&T CRS						

#### NOTE:

The Parcels layer is provided by Maui County. Akimeka performs edits on the spatial information of the layer for 9-1-1 purposes. Changes to the attribute table are made when needed. The Parcels layer uploaded to the PSAP GIS server is intended for 9-1-1 purposes only and should not be disseminated to other county agencies.

#### GEOGRAPHIC INFORMATION SYSTEM (GIS) NARRATIVES

#### GIS KEY ACTIVITIES/UPDATES

• GIS Key activities include the events such as GIS deliverables, meetings, agreements, etc.

Date	Key Activities/Updates
9/11/2019	Delivered .map, .str, .rte, Maui Cell Coverage.csv, and database files, which
	included updated Address Points, Common Name Lookup Table, Points Of
	Interest, and WSP Cell Towers for Intergraph.
9/11/2019	Delivered updated data for MapFlex which included Address Points, Schools,
	Street Centerlines, WSP Cell Sectors and WSP Cell Towers.
9/25/2019	Delivered .map, .str, .rte, Maui Cell Coverage.csv, and database files, which
	included updated Address Points, Common Name Lookup Table, Gate Codes,
	Points Of Interest, and WSP Cell Towers for Intergraph.
9/25/2019	Delivered updated data for MapFlex which included Address Points, Gas
	Stations, Street Centerlines, WSP Cell Sectors and WSP Cell Towers.

Page **21** of **30** 

## September 1, 2019 - September 30, 2019

#### INTERGRAPH CAD UPGRADE

From April through June 2014, the Maui Police Department worked to upgrade their Intergraph CAD system to the more recent 2014 version. Through this upgrade process, new improvements were identified and the overall functionality of the system from the Map Build process to the Production workstation made significant enhancements in order to streamline the deliverables and continue providing accurate data to the PSAP.

- 1. Akimeka delivered an updated Intergraph CAD map September 11<sup>th</sup>, 2019 which included:
  - a. Address Points, Common Places Lookup Table, Points Of Interest, Street Centerlines, and WSP Cell Towers
  - b. .map, .str, .rte, CAD Map Build database and Cell Coverage.csv
- 2. On September 25<sup>th</sup>, 2019– Akimeka delivered an updated Intergraph CAD map which included:
  - a. Address Points, Common Places Lookup Table, Gate Codes, Points Of Interest, Street Centerlines, and WSP Cell Towers
  - b. .map, .str, .rte, CAD Map Build database and Cell Coverage.csv

During October 2019, the Intergraph CAD map will continue to be delivered every other week, which has been coordinated with all mapping system updates and synchronizations with other 911 databases.

#### MAPFLEX SYSTEM

Akimeka delivered GIS data to the MapFlex system on the following dates in September 2019

**Hawaii County** – September 10<sup>th</sup>, 2019 and September 24<sup>th</sup>, 2019 **Maui County** – September 11<sup>th</sup>, 2019 and September 25<sup>th</sup>, 2019 **Kauai County** – September 12<sup>th</sup>, 2019, and September 26<sup>th</sup>, 2019 **Honolulu** – September 13<sup>th</sup>, 2019, and September 27<sup>th</sup>, 2019



## **September 1, 2019 - September 30, 2019**

#### MAPFLEX ISSUES

Below is a detailed list of issues regarding the MapFlex systems throughout the State of Hawaii.

DATE	ISSUE	DESCRIPTION	STATUS
8/2016	Wireless Addresses	MapFlex system began displaying wireless information incorrectly. MapFlex system is doing a reverse query for additional information in the GIS and this is overriding the ALI information with the closest address in the GIS.	Partially Resolved (Nov 2016) The overriding ALI with updated Lat/Longs from the GIS is still occurring
11/2016	Phase I Display	Wireless Phase I calls plotting at centroid of coverage area and landing in the ocean. After installation of new MapFlex version to correct other issues, the configurations for Wireless Phase I were not set up properly by Intrado, in which the mapping did not point to the correct information in MapFlex.	Partially Resolved (Dec 2016) According to PSAPs, it's not fully resolved. The icon of the tower still doesn't plot for Phase I.
11/2016	Wireless Confidence	Sprint calls coming across with unusually high confidence. Coordination is taking place with Sprint and Intrado. Intrado provides the PDE services for Sprint.	Pending
3/22/2017	ArcGIS Address Locator	The locators in MapFlex have a configurations which does not include ESNs. A reported issue has occurred with the Sheraton in Waikiki. The address locator does not differentiate between the Sheraton hotel and the surf break and plots on the surf break. The bigger issue is that this same issue will occur with complexes that have same primary address.	Pending A new SP 5.4 update by Intrado is aimed to correct this issue.
5/17/2017	VoIP Calls Plotting Incorrectly	Recognized in late April and early May 2017, the PSAPs have been receiving several VoIP calls which are plotting in the incorrect locations. After further research it was determined that it is because MapFlex is configured to plot the received Lat/Long. The problem is that these are not always maintained properly and that ideally the system should first choose to match with the GIS data based on the provided address.  During the September 20, 2017 PSAP conference call, HT relayed there was confirmation that the Time Warner records were in fact passing through the Intrado FMCC.	Partially Resolved – the Lat/Longs are no longer being plotted in MapFlex due to a software release.
5/17/2017	Landline Calls Producing X/Y on calls	It was determined that for normal landline calls, the X/Y coordinates are being sent. The PSAPs have asked where these are being generated and why would they be sent for landline calls.	Intrado is looking into this (May - June 2017)
5/23/2018	Phase I & Phase II coverage area	Phase I calls received at the Kihei Maui PSAP are displaying a circular circumference area rather than a cone shaped directional coverage. Phase II calls are not plotting the COF meters correctly.	Pending
5/24/2018	Incorrect Addresses	MapFlex system began displaying incorrect addresses in the bubble display when an Address Point is right mouse clicked to see information by the PSAPs. However, the address in the data is still correct as shown on the left hand side.	Pending

Page 23 of 30



## **September 1, 2019 - September 30, 2019**

6/27/2018	Moving Labels	It was brought up during the PSAP teleconference with	Pending
		Hawaiian Tel and Intrado that the Hawaii Fire Department	
		submitted a trouble ticket regarding the parcel labels. When	
		the base map is checked on for viewing the owner's names	
		on the parcel layer, the names of some of the parcels will	
		follow and leave their parcel as the map is panned following	
		streets. This problem was also recreated at the Hawaii	
		Police Department.	

## September 1, 2019 - September 30, 2019

#### 4. SERVICE REQUESTS TRANSACTIONS

OPEN SERVICE REQUESTS – MAUI COUNTY PSAPS - SEPTEMBER 2019

	MAUI COUNTY								
# Date Ticket # Description PSAP Urgency Comments									
			None						

NOTE:

There are no (0) Open Service Request for the Maui County PSAPs for September, 2019.

#### MAUI PSAP SERVICE REQUESTS YEAR-TO-DATE (YTD) SUMMARY - 2019

	MSAG SERVICE REQUEST CATEGORIES									
2040	TOTAL		0	WIRE	WIRELINE		WIRELESS		VolP	
2019	Created	Closed	Open	Created	Closed	Created	Closed	Created	Closed	
2018 Carryover*			1							
January	5	5	1	5	5	0	0	0	0	
February	4	3	2	4	3	0	0	0	0	
March	1	3	1	1	3	0	0	0	0	
April	1	1	0	1	1	0	0	0	0	
Мау	0	0	0	0	0	0	0	0	0	
June	3	3	0	3	3	0	0	0	0	
July	2	2	0	2	2	0	0	0	0	
August	1	1	0	1	1	0	0	0	0	
September	1	1	0	1	1	0	0	0	0	
October										
November										
December										
TOTAL	18	19	0	18	19	0	0	0	0	

\*The 2018 Carry Over row indicates the number of Service Requests that were opened in 2018; however, were brought forward into 2019 in an effort to track the service request until completion.

<u>Definitions:</u>	Category	Description
	Wireline	Telephone Number (ALI) Discrepancies from land line phones that have been submitted to Intrado via 9-1-1 Net for correction.
	Wireless	Telephone Number (ALI) Discrepancies from phones that were land lines at one time, and were ported out to a wireless carrier. However, the phone number was never removed from the MSAG database.
	VoIP	Telephone Number (ALI) Discrepancies from VoIP phones that have been submitted to Time Warner Cable (TWCBL) or other VoIP providers for correction



## September 1, 2019 - September 30, 2019

#### 5. E9-1-1 DATABASE SYNCHRONIZATION

(<u>Reference:</u> NENA 71-501, Version 1.1 – NENA Information Document for Synchronizing Geographic Information System databases with MSAG & ALI)

As part of Akimeka's value added services, Akimeka conducted the next quarterly database synchronization audit for Maui County in September 2019.

The database synchronization effort included comparing Maui County's 9-1-1 MSAG against its GIS Street Centerline data. A total number of 2,740 9-1-1 MSAG (ESN 300 - 357) records were reviewed in the audit and analyzed. Results of the database synchronization audit completed on September 1, 2019 for Maui County are reported below.

Database synchronization should be part of an ongoing and continuous process to ensure that the databases remain current and synchronized. Since neither database is static in nature, the synchronization process will never remain at a 100 percent match rate. It can be expected that the percentage will fluctuate by a small degree. As such, NENA's recommended minimum match rate is 98%.



## September 1, 2019 - September 30, 2019

#### AUDIT SUMMARY RESULTS - 2018 - 2019

		As of December 1, 2018		As of March 1, 2019		As of June 1, 2019		As of September 1, 2019	
9-1-1 MSAG TO GIS STREET CENTERLINE AUDIT COMPARISON RESULTS	Notes	9-1-1 MSAG Dated 12-01-18		9-1-1 MSAG Dated 3-01-19		9-1-1 MSAG Dated 6-01-19		9-1-1 MSAG Dated 9-01-19	
AGDII GGIIII ARROGNI REGUETO		# of Records	%	# of Records	%	# of Records	%	# of Records	%
Total 9-1-1 MSAG Records Reviewed		2,727		2,730		2,739		2,740	
Less: 9-1-1 MSAG Exception Records	(1)	75	2.7%	64	2.3%	64	2.3%	64	2.3%
Net 9-1-1 MSAG Records Eligible for Comparison		2,652		2,666		2,675		2,676	
Total 9-1-1 MSAG Records Match (9-1-1 MSAG GIS Match No Corrections Required)		2,648	100.00%	2,666	100.00%	2,673	100.00%	2,674	100.00%
9-1-1 MSAG GIS No Match - Minor Correction Required	(2)	3	0.0%	0	0.0%	0	0.0%	2	0.0%
9-1-1 MSAG Record With No GIS Record	(3)	1	0.0%	0	0.0%	2	0.0%	0	0.0%
Total 9-1-1 MSAG Records No Match		4	0.0%	0	0.0%	2	0.0%	2	0.0%


#### **AUDIT SUMMARY NOTES:**


- (1)An MSAG Record that will not have a corresponding GIS Street Centerline Record but is required for the routing of E9-1-1 calls (i.e., Emergency Call Box, Foreign Exchange Records, Wireless Shell Records, etc.). No further action is required.
- (2)An MSAG Record that requires minor MSAG attention in 9-1-1Net to correct MSAG Records (i.e., Reassignment of an MSAG Community, modification of the Site Address Range, assignment of an ESN, performing a combine or insert of an existing MSAG Record, etc.).
- (3)An MSAG Record that does not have a corresponding GIS Record and will require additional research and validation. The GIS Section will assist with this effort.



## September 1, 2019 - September 30, 2019

#### MSAG AUDIT SUMMARY RESULTS - SEPTEMBER 1, 2019 VS JUNE 1, 2019





Maui County's level of accuracy or 9-1-1 Match percentage remained constant at 100% as of September 1, 2019 to 100% on June 1, 2019

NENA Recommended Match Rate = 98%

#### MSAG AUDIT SUMMARY RESULTS NOTES:

- "MSAG GIS Minor Corrections" increased (0 to 2) from June 2019 to September 2019. Minor corrections were primarily the result of edits made to the GIS Street Centerlines layer in order to meet new NG9-1-1 requirements. Low and high address ranges were then adjusted in the MSAG to correspond with the GIS record. Although this is a minor correction, customer telephone numbers (TNs) need to be validated by the service providers prior to adjusting an address range.
- "MSAG Record with No GIS Record" decreased (2 to 0) from June 2019 to September 2019. MSAG Record with No GIS Record were zero due primarily to the verification of the MSAG records against multiple GIS databases to determine if the roads are existing within Maui County records.
- "GIS Record with Minor Corrections" remained constant (0 to 0) from June 2019 to September 2019. Low and high address ranges, street suffix, and MSAG Community were adjusted in the GIS to correspond with the MSAG record.
- Ongoing maintenance is critical to ensure the database synchronized level of address accuracy is maintained each time an MSAG or GIS record is "last modified".

## September 1, 2019 - September 30, 2019

#### INVALID MSAG STREETS AND ADDRESS RANGES - ESN X99 RECORDS

Hawaiian Telcom, Inc. (HTI) provides Maui County and Akimeka, as the PSAP's agent, with access and visibility to the ESN 359/399 MSAG records which are "known" invalid streets and address ranges. Results of the data provided are as follows:

PSAP	_	Invalid MSAG Records							
		9-1-1 MSAG	Dated 03-01-19	9-1-1 MSAG [	Dated 06-01-19	9-1-1 MSAG Dated 09-01-19			
		# of Records	% of Total MSAG Records (Valid and Invalid)	# of Records	% of Total MSAG Records (Valid and Invalid)	# of Records	% of Total MSAG Records (Valid and Invalid)		
MAUI	399	13	0.5%	9	0.4%	5	0.2%		
MOLOKA	359	0	0.0%	0	0.0%	0	0.0%		
TOTAL MAUI		13	0.5%	9	0.4%	5	0.2%		


September 2019

## Maui County E9-1-1 Status Report

## September 1, 2019 - September 30, 2019

#### AUTOMATIC LOCATION IDENTIFICATION (ALI) DISCREPANCY REPORT

As part of Akimeka's ongoing database synchronization efforts, Akimeka reviewed and summarized the ALI discrepancy reports by community for Maui County. As of September 24, 2019, 7 ESN 399 (Maui/Lanai) and ESN 359 (Molokai) records, representing .01% of Maui County's total ALI records, require research and corrective action, if needed.



Maui County