

Hawaii County E9-1-1 Status Report

October 1, 2019 – October 31, 2019



Hawaii County E9-1-1 Status Report

October 1, 2019 – October 31, 2019




TABLE OF CONTENTS

1. PSAP Operations	5
9-1-1 Call Volume Hawaii County PSAPS – October 2019	5
Call Volume Hawaii County PSAP Notes:	5
9-1-1 Call Volume – Calendar Year 2019	5
9-1-1 Call Volume by Agency – October 2019	6
9-1-1 Call Volume by Agency – Calendar Year 2019	6
PSAP Operation Notes:	6
For your Information	7
Text to 911 – Current Month – October 2019	7
Note:	7
Wireless PSAP Testing – October 2019	8
Notes:	8
2. MSAG (Master Street Address Guide)	9
MSAG Transactions Current Month/Year – October 2019	9
MSAG Current Month Notes:	10
Telephone Record (ALI) Transactions current month notes:	10
Open Telephone Record (ALI) discrepancy Status:	10
TNCR (Telephone Number Change Request) Current Status – October 2019	11
Note:	11
Dispatchable Location – Status as of – October 2019	12

Hawaii County E9-1-1 Status Report

October 1, 2019 – October 31, 2019

Narrative:	12
Spectrum (Charter) 9-1-1 VoIP Database Verification Project - October 2019.....	13
Bandwidth 9-1-1 VoIP Database Verification Project – October 2019	14
3. Geographic Information System (GIS) – October 2019	15
Mapping Layers Updated (Part I)	15
Mapping Layers Updated (Part II).....	16
Mapping Layers Updated (Part III).....	17
Mapping Layers Updated (Part IV).....	18
Mapping Layers Updated (Part V).....	19
Mapping Layers Updated (Part VI).....	20
Mapping Layers Updated (Part VII)	21
Geographic Information System (GIS) Narratives	21
GIS Key Activities/Updates.....	21
Lava Flow and Alternate Routes.....	22
Fire Department IMT (Incident Management Team) Map	22
Address Points and Street Centerlines Update Comparison	22
Note:	22
CAD System Deployment.....	23
MapFlex System	23
MapFlex Issues	23
DATE.....	23
ISSUE.....	23
DESCRIPTION	23
STATUS.....	23
4. Service Requests Transactions.....	25
Open Service Requests – October 2019.....	25

Hawaii County E9-1-1 Status Report

October 1, 2019 – October 31, 2019

Note* There are twelve (12) opened service request pending for October 2019.	25
Service Request Year-to-Date (YTD) Summary – 2019.....	25
5. E9-1-1 Database Synchronization.....	26
Audit Summary Results – November 2019 - TBA	26
Audit Summary Results Comparision – November 1, 2019 vs August 1, 2019 - TBA.....	26
Audit Summary Results - TBA.....	26
Invalid MSAG Streets and Address Ranges – ESN x99 Records - TBA.....	26
Automatic Location Identification (ALI) Discrepancy Report - TBA.....	26

Hawaii County E9-1-1 Status Report

October 1, 2019 – October 31, 2019

1. PSAP OPERATIONS

9-1-1 CALL VOLUME HAWAII COUNTY PSAPS – OCTOBER 2019

Source: Intrado Viper system

(*) Totals are based on calls to Primary PSAP.

9-1-1 Call Volume																	
HAWAII COUNTY PSAPs		Wireline		Wireless				VOIP		Calls With No ALI		Admin Calls		Abandoned Calls		Other Calls	
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Total Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	No. of Other Calls	% of Total Calls
OCT	17,510	2,444	13.96%	13,008	74.29%	42.24%	57.76%	798	4.56%	18	0.10%	0	0.00%	1,242	7.09%	0	0.00%

CALL VOLUME HAWAII COUNTY PSAP NOTES:

*The percentage of Wireless Phase 2 calls (57.76%) has surpassed the number of Wireless Phase 1 calls (42.24%) in October 2019.

*911 Calls with No ALI in October 2019 = 0.10% - Statewide average for 2018 = 0.09%

9-1-1 CALL VOLUME – CALENDAR YEAR 2019

9-1-1 Call Volume																	
HAWAII COUNTY PSAPs		Wireline		Wireless				VOIP		Calls with No ALI		Admin Calls		Abandoned Calls		Other Calls	
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Total Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	No. of Other Calls	% of Total Calls
JAN	16,913	3,148	18.61%	12,155	71.87%	42.34%	57.66%	746	4.41%	14	0.08%	0	0.00%	850	5.03%	0	0.00%
FEB	16,724	2,829	16.92%	11,899	71.15%	41.31%	58.69%	765	4.57%	13	0.08%	0	0.00%	1,218	7.28%	0	0.00%
MAR	18,089	2,946	16.29%	12,950	71.59%	42.12%	57.88%	861	4.76%	10	0.06%	0	0.00%	1,322	7.31%	0	0.00%
APR	17,257	3,049	17.67%	12,166	70.50%	43.28%	56.72%	787	4.56%	13	0.08%	0	0.00%	1,242	7.20%	0	0.00%
MAY	17,912	2,768	15.45%	12,996	72.55%	43.80%	56.20%	816	4.56%	17	0.09%	0	0.00%	1,315	7.34%	0	0.00%
JUNE	17,668	2,638	14.93%	12,986	73.50%	43.21%	56.79%	774	4.38%	18	0.10%	0	0.00%	1,252	7.09%	0	0.00%
JULY	18,817	2,901	15.42%	13,724	72.93%	44.58%	55.42%	761	4.04%	58	0.31%	0	0.00%	1,373	7.30%	0	0.00%
AUG	18,258	2,714	14.86%	13,522	74.06%	41.94%	58.06%	775	4.24%	12	0.07%	0	0.00%	1,235	6.76%	0	0.00%
SEPT	16,820	2,703	16.07%	12,300	73.13%	41.43%	58.57%	700	4.16%	13	0.08%	0	0.00%	1,104	6.56%	0	0.00%
OCT	17,510	2,444	13.96%	13,008	74.29%	42.24%	57.76%	798	4.56%	18	0.10%	0	0.00%	1,242	7.09%	0	0.00%
NOV																	
DEC																	
YTD	175,968	28,140		127,706				7,783		186		0		12,153		0	
MON AVG	17,597	2,814	16.02%	12,771	72.56%	42.62%	57.38%	778	4.42%	19	0.10%	0	0.00%	1,215	6.90%	0	0.00%

Hawaii County E9-1-1 Status Report

October 1, 2019 – October 31, 2019

9-1-1 CALL VOLUME BY AGENCY – OCTOBER 2019

2019	9-1-1 Call Volume by Agency									
	Hawaii Police Department					Hawaii Fire Department				
	Number of Total Calls Received	% of Total Calls	Number of Admin Calls	Number of Abandoned Dropped Calls	Number of Other Calls	Number of Total Calls Received	% of Total Calls	Number of Admin Calls	Number of Abandoned Dropped Calls	Number of Other Calls
October	13,732	78.42%	0	1,215	0	2,536	14.48%	0	27	0

9-1-1 CALL VOLUME BY AGENCY – CALENDAR YEAR 2019

2019	9-1-1 Call Volume by Agency									
	Hawaii Police Department					Hawaii Fire Department				
	Number of Total Calls Received	% of Total Calls	Number of Admin Calls	Number of Abandoned Dropped Calls	Number of Other Calls	Number of Total Calls Received	% of Total Calls	Number of Admin Calls	Number of Abandoned Dropped Calls	Number of Other Calls
January	13,504	79.84%	0	825	0	2,559	15.13%	0	25	0
February	12,962	77.51%	0	1,178	0	2,544	15.21%	0	40	0
March	15,426	85.28%	0	1,291	0	2,663	14.72%	0	31	0
April	13,670	79.21%	0	1,219	0	2,345	13.59%	0	23	0
May	14,041	78.39%	0	1,284	0	2,556	14.27%	0	31	0
June	13,908	78.72%	0	1,226	0	2,508	14.20%	0	26	0
July	14,731	78.29%	0	1,340	0	2,713	14.42%	0	33	0
August	14,573	79.82%	0	1,216	0	2,450	13.42%	0	19	0
September	13,410	79.73%	0	1,089	0	2,306	13.71%	0	15	0
October	13,732	78.42%	0	1,215	0	2,536	14.48%	0	27	0
November										
December										
YTD	139,957		0	11,883	0	25,180		0	270	0
MON AVG	13,996	79.52%	0	1,188	0	2,518	14.31%	0	27	0

PSAP OPERATION NOTES:

- Abandoned Calls represent the number of incoming 9-1-1 calls for which the caller had hung up before a call-taker answered. Abandoned Calls are **not** included in the % of Total Calls.
- All VoIP (Voice over Internet Protocol) types of 911 calls are combined in the Call Volume statistic.

Hawaii County E9-1-1 Status Report

October 1, 2019 – October 31, 2019

FOR YOUR INFORMATION

FYI.....For Your Information								
PSAP Operations								
Statewide 911 Call Volumes								
PSAP	2018		2017		2016		2015	
Oahu Civilian	1,034,190	70.62%	1,022,818	72.16%	1,009,059	71.93%	1,019,402	70.94%
RDC Pearl Harbor	37,068	2.53%	27,916	1.97%	N/A	N/A	N/A	N/A
Hawaii County	206,648	14.11%	193,166	13.62%	205,412	14.64%	217,768	15.15%
Maui County	133,869	9.14%	123,685	8.73%	137,333	9.80%	142,952	9.95%
Kauai County	52,623	3.60%	49,902	3.52%	50,955	3.63%	56,874	3.96%
Total	1,464,398	100.00%	1,417,487	100.00%	1,402,759	100.00%	1,436,996	100.00%
*2016 & 2015 Statewide average does not include Military 911 calls								

TEXT TO 911 – CURRENT MONTH – OCTOBER 2019

NOTE:

- 911 Text messages received at the Fire Department are transfers from the Police Department.
- Although there is a “Text to 911” plot on the MapFlex, the location of the plot is not reliable. Text to 911 Dispatchers should use their skills to ascertain the exact location of the emergency response.

TEXT TO 911 Hawaii County PSAPs 2019		
Month	Received at Police	Received at Fire
January	29	2
February	29	3
March	27	2
April	20	7
May	20	2
June	18	0
July	21	0
August	26	4
September	18	3
October	17	3
November		
December		
YTD	225	26
Monthly Avg.	22.50	2.60

Hawaii County E9-1-1 Status Report

October 1, 2019 – October 31, 2019

WIRELESS PSAP TESTING – OCTOBER 2019

HAWAII COUNTY - OCTOBER 2019						
Date	WSP	Sites Tested	Sectors Tested	Tested By:	Test Pass/Fail	Comments:
10/18/19	Sprint	1	1	Hawaii PSAP	Fail	wrong tower info
10/25/19	Sprint	1	1	Hawaii PSAP	Pass	re-test from previous
10/28/19	Sprint	1	1	Hawaii PSAP	Pass	

NOTES:

- There were three (3) scheduled Wireless 911 Test for the month of October 2019.
- Verizon Wireless has completed migrating their Wireless network database from Intrado to ComTech.
- During the 4th quarter of 2018, there was an increasing amount of “MOBL” class of service type of 911 calls delivered to the State of Hawaii PSAPs. On January 15th, 2019, Intrado completed the position source mapping for ComTech which appears to have resolved this issue.

Hawaii County E9-1-1 Status Report

October 1, 2019 – October 31, 2019

2. MSAG (MASTER STREET ADDRESS GUIDE)

MSAG TRANSACTIONS CURRENT MONTH/YEAR – OCTOBER 2019

HAWAII COUNTY	9-1-1 TRANSACTIONS								
	Total	Dispatchable Location Transactions Submitted	MSAG	ALI Submitted		Open ALI Discrepancy Records			Customer Addresses Affected
		DL (A)	MSAG (B)	TN CR (C)	ALI DR (D)	TNCR	ALI DR	VoIP DR	
2019									
JANUARY	184	157	12	9	6	322	0	0	82
FEBRUARY	61	12	26	17	6	193	0	0	12
MARCH	145	92	22	30	1	359	0	0	370
APRIL	60	25	21	13	1	254	0	0	24
MAY	305	278	17	7	3	473	0	0	37
JUNE	129	113	13	2	1	318	0	0	87
JULY	140	112	17	10	1	232	0	0	17
AUGUST	92	70	11	7	4	213	0	0	181
SEPTEMBER	229	138	27	60	4	165	0	0	2
OCTOBER	265	222	22	13	8	313	0	0	335
NOVEMBER									
DECEMBER									
TOTAL YTD	1,610	1,219	188	168	35	2,842	0	0	1,147
AVG PER MONTH	161	122	19	17	4	284	0	0	115

Definitions

- (A) **Dispatchable Location** - is defined in the FCC 15-9 Docket as the verified or corroborated street address of the calling party plus additional information such as floor, suite, apartment or similar information that may be needed to adequately identify the location of the calling party. Please see Dispatchable Location Section for more information.
- (B) **Master Street Address Guide** - Represents corrections made to street records including, street names, address ranges, MSAG Communities and ESNs.
- (C) **Telephone Number Change Request** - Represents address corrections on a specific TN or group of TNs. These "invalid" TNs usually have an associated ESN 299 attached to them which indicates the need for validation.
- (D) **Automatic Location Information Discrepancy Record** - Represents an address discrepancy discovered during a live 9-1-1 call, from a landline OR a VoIP phone. These record corrections are treated with a higher priority and should be processed within 48 hours if wireline, and 72 hours if a VoIP phone, as a general guideline.

Hawaii County E9-1-1 Status Report

October 1, 2019 – October 31, 2019

MSAG CURRENT MONTH NOTES:

A total of **265** MSAG transactions were processed in 9-1-1 Net during the current month. Twenty-two (**22**) requests were processed relating to the MSAG database. Changes include: changes to high – low street ranges, combining street records, deletion of invalid records, splitting street records to align with Police, Fire, EMS and Military response areas, and inserting new MSAG records.

There were **335** customer ANI/ALI (telephone number/address) records updated as a direct result.

TELEPHONE RECORD (ALI) TRANSACTIONS CURRENT MONTH NOTES:

13 Telephone Number Change Requests (TN CR) transactions were processed in 9-1-1 Net with valid MSAG addresses, as a result of the ESN 299 clean-up effort and the Dispatchable Location Project. ESN 299 TN CRs must be validated against HT records and approved by the end user Hawaiian Telcom customer before updating the ALI record.

Two (**2**) ALI DRs were submitted as the result of a 9-1-1 calls from residences in Kealahou and Waikoloa. Six (**6**) VoIP Dr were submitted as a result of 9-1-1 calls, four (**4**) from residents in Kamuela, Honokaa and Kurtistown and two (**2**) from businesses in Hilo.

Akimeka submitted two hundred and twenty-two (**222**) TN CRs related to the Dispatchable Location Project during the current month.

OPEN TELEPHONE RECORD (ALI) DISCREPANCY STATUS:

- **There are currently 313 Open TN CR Transactions.**
- **Refer to chart in the next section “TNCR Current Status”**

313 Open TN CR transactions are a direct result of the ESN 299 clean-up and are awaiting approval from Hawaiian Telcom, Inc. Once a telephone number is submitted to Intrado for correction, it is verified against HT records and/or by the customer. Intrado's internal process requires calling each telephone customer individually for verification to update an address in the 9-1-1 database. Akimeka continues to monitor and track the progress of the remaining 165 Referred records.

- **There are currently no Open ALI-DRs as of October 31, 2019.**
- **There is currently no Open VoIP DRs as of October 31, 2019.**

Hawaii County E9-1-1 Status Report

October 1, 2019 – October 31, 2019

TNCR (TELEPHONE NUMBER CHANGE REQUEST) CURRENT STATUS – OCTOBER 2019

NOTE:

- 9-1-1 NET is a secure web-based application that provides access to request changes to the MSAG, ALI, TN, and ESN/ELT data supported and maintained by Intrado for the Telephone Company (TelCo).
- TNCRs are not requests to change Telephone Numbers (TNs); however, it is a corrective process within 9-1-1 NET to modify location information associated with an Automatic Location Identification (ALI) record to a valid MSAG address for 9-1-1 purposes.

PSAP 9-1-1 Telephone Number Location Change Request (Telephone Number Change Request (TNCR) Status)

County	TOTAL TNCR RECORDS SUBMITTED BY AKIMEKA	OPENED TNCRS PENDING FURTHER ACTION BY INTRADO	OPENED TNCRS REFERRED TO TELCO BY INTRADO	TOTAL UNOPENED TNCR RECORDS
HAWAII	313	121	48	144

STATUS

TOTAL TNCRs SUBMITTED - The total number of TNCR requests for modification that have been submitted in 9-1-1 NET.

PENDING STATUS - TNCRs assigned this status are requests which have been reviewed by the 9-1-1 Database Service Provider Data Analyst, and are pending investigation whether the request is valid or invalid, and/or whether the request requires additional information to validate.

REFERRED STATUS - TNCRs assigned this status are requests which have been reviewed by the 9-1-1 Database Service Provider Data Analyst, and the request requires additional information to validate. The Intrado Data Analysts assigns this status to a TNCR and the request is referred to the telephone service providers for further research.

TOTAL UNOPENED TNCR RECORDS STATUS - The request is submitted by Akimeka on behalf the PSAP; however, processing by the 9-1-1 Database Service Provider Data Analyst has not begun.

Hawaii County E9-1-1 Status Report

October 1, 2019 – October 31, 2019

DISPATCHABLE LOCATION – STATUS AS OF – OCTOBER 2019

NARRATIVE:

During the August 2015 State of Hawaii 911 Board meeting, Akimeka provided a “State of Hawaii PSAPs Proposed ALI Compliancy with FCC 15-9” presentation. Based on the 9-1-1 Board’s confirmation to add the “Dispatchable Location” information into the ALI database, Akimeka researched the format standards of each pertinent field, and tested the delivery of the data to the PSAP. After a few configuration adjustments (eliminating the TelCo comments field from appearing on the ALI Screen), Akimeka standardized an additional information data format to proceed with this project.

During the month of September 2015, Akimeka started a pilot project, entering additional location information to a verified MSAG address with multiple telephone numbers. Specifically the **Kings Shops at 690250 Waikoloa Beach Dr., Waikoloa**. The “Dispatchable Location” data is entered into the “Driving Directions” field in the 9-1-1 Net system, and will display on the Viper Power 911 ALI Screen in the “Exact” field should a 911 call be received from that telephone number. There are a total of **5,887** Dispatchable Locations processed to date. There were **222** Dispatchable locations submitted and **167** were processed in October 2019.

Dispatchable Location			
2019	Common Name Place MSAG Address	TNCR* Transactions Submitted	Transactions Processed**
Quarter 4			
Quarter 3 Carryover		5,665	5,171
October	Four Seasons Hualalai, 720100 Kaupulehu Dr, Kailua Kona	0	35
	Hilton Waikoloa, 690425 Waikoloa Beach Dr, Waikoloa	110	110
	Kings' Shops, 690250 Waikoloa Beach Dr, Waikoloa	23	20
	Queen Market Place, 690201 Waikoloa Beach Dr, Waikoloa	21	0
	Pottery Terrace, 755995 Kuakini Hwy, Kailua Kona	0	2
	Waimea Center, 651158 Mamalahoa Hwy, Kamuela	68	0
November			
December			
Q4 Total		222	167
Total		5,887	5,338

Hawaii County E9-1-1 Status Report

October 1, 2019 – October 31, 2019

SPECTRUM (CHARTER) 9-1-1 VOIP DATABASE VERIFICATION PROJECT - OCTOBER 2019

Akimeka received the Automatic Location Identification (ALI) records from Spectrum (formally known as Charter Communications) which is the predominant Voice over Internet Protocol (VoIP) provider in the State of Hawaii. As Akimeka has access to these ALI Records, Akimeka is researching and verifying the VoIP records against an MSAG valid address and the GIS data. This research is a validation of the ALI Record to ensure that the location as provided by the VoIP provider matches the GIS Information utilized by the Public Safety Agencies within their specific County 9-1-1 Service Area. This validation reduces the potential of address or location dispute during a 9-1-1 call.

The analysis of the database records indicates that there are invalid MSAG addresses utilized by the VoIP Provider. These records are being identified, and will be sent back to Spectrum for corrective action.

*Spectrum (Charter) 9-1-1 VoIP Database Verification Project					
PSAP	TOTAL RECORDS SUBMITTED BY SPECTRUM (A)	TOTAL RECORDS MATCHING & VERIFIED WITH 911 DATABASES (B)	TOTAL RECORDS NOT MATCHING	NON MATCHING RECORDS CORRECTED BY AKIMEKA (C)	PERCENT COMPLETED
HAWAII County	22,044	21,638 (98%)	406	406	100.00%
KAUAI County	8,936	8,695 (97%)	241	241	100.00%
MAUI County	18,256	17,517 (96%)	739	739	100.00%
OAHU Civilian	87,414	85,329 (98%)	2,085	2,085	100.00%
OAHU Military	3,663	710 (19%)	2,953	2,953	100.00%
TOTAL	140,313	**133,889	6,424	6,424	100.00%

* Spectrum VoIP Database received on June 21st, 2017

** Akimeka provided VoIP Records with Latitude/Longitude coordinates

(A)	VoIP Database records submitted by Spectrum to Akimeka for research and MSAG address validation.
(B)	Akimeka has researched and verified the VoIP record against an MSAG valid address and GIS data. Akimeka is tracking corrections needed to be performed by Spectrum. Addressing data will be updated or added in the GIS if the VoIP record is determined to be valid.
(C)	Verification Process Completed.

Hawaii County E9-1-1 Status Report

October 1, 2019 – October 31, 2019

BANDWIDTH 9-1-1 VOIP DATABASE VERIFICATION PROJECT – OCTOBER 2019

Akimeka received the Automatic Location Identification (ALI) records from Bandwidth which is a Voice over Internet Protocol (VoIP) provider in the State of Hawaii. As Akimeka has access to these ALI Records, Akimeka researched and verified the VoIP records against an MSAG valid address and the GIS data. This research is a validation of the ALI Record to ensure that the location as provided by the VoIP provider matches the GIS Information utilized by the Public Safety Agencies within their specific County 9-1-1 Service Area. This validation reduces the potential of address or location dispute during a 9-1-1 call.

The analysis of the database records indicates that there were invalid MSAG addresses utilized by the VoIP Provider. These records were identified, and sent back to Bandwidth for corrective action.

Akimeka will update the chart below as we receive updated ALI records from Bandwidth.

*Bandwidth 9-1-1 VoIP Database Verification Project **(Updated)					
PSAP	TOTAL RECORDS SUBMITTED BY BANDWIDTH (A)	TOTAL NEW RECORDS VERIFIED WITH 911 DATABASES (B)	TOTAL RECORDS NOT MATCHING	NON MATCHING RECORDS CORRECTED BY AKIMEKA (C)	PERCENT COMPLETED
HAWAII County	545	85	0	0	100.00%
KAUAI County	306	41	0	0	100.00%
MAUI County	914	222	1	1	100.00%
OAHU Civilian	4,065	888	1	1	100.00%
OAHU Military	56	7	0	0	100.00%
TOTAL	5,886	1,243	2	2	100.00%

*Bandwidth VoIP Database received on April 5th, 2018

**Updated Bandwidth VoIP Database received on September 6th, 2018

(A)	VoIP Database records submitted by Bandwidth to Akimeka for research and MSAG address validation.
(B)	Akimeka has researched and verified the VoIP record against an MSAG valid address and GIS data. Akimeka is tracking corrections needed to be performed by Bandwidth. Addressing data will be updated or added in the GIS if the VoIP record is determined to be valid.
(C)	Verification Process Completed.

Hawaii County E9-1-1 Status Report

October 1, 2019 – October 31, 2019

3. GEOGRAPHIC INFORMATION SYSTEM (GIS) – OCTOBER 2019

MAPPING LAYERS UPDATED (PART I)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

HAWAII COUNTY		
Type of Layer	Akimeka GIS Server	GIS Delivery Dates/Remarks
	Date Created/ Edits Performed	
CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)		
Address Points	10/22/19 To 10/31/19	Next Delivery 11/5/2019
		Corrected spatial for thirty-six (36) records in Hawi
		Corrected spatial for eight (8) records in Volcano
		Corrected spatial and corrected TMK for three (3) records in Hawi
		Added address point for one (1) record in Kailua Kona
		Verified address for one (1) record in Hawi
		Corrected spatial for one (1) record in Waikoloa
		Corrected TMK for three (3) records in Volcano
		Added address for one (1) record in Volcano
		Corrected TMK for two (2) records in Kailua Kona
		Added new address for one (1) record in Kailua Kona
		Corrected spatial for eighty (80) records in Kailua Kona
		Added address point for one (1) record in Volcano
		Corrected TMK for one (1) record in Hawi
		Corrected TMK for one (1) record in Honokaa
		Corrected spatial for one (1) record in Kealahou
		Corrected spatial for three (3) records in Honokaa
		Corrected spatial and updated location name for one (1) record in Kealahou
		Corrected spatial and corrected TMK for three (3) records in Kailua Kona
		Corrected spatial for sixteen (16) records in Kamuela
		Updated routingid and corrected spatial for one (1) record in Kamuela
		Added address for three (3) records in Kamuela
		Corrected spatial and corrected TMK for one (1) record in Volcano
	10/8/19 To 10/21/19	Delivered 10/22/2019
		Added address for one (1) record in Honokaa
		Added address for one (1) record in Naalehu
		Added address for sixteen (16) records in Pahoa
		Added address for three (3) records in Pepeekeo
		Added address for one (1) record in Honouliuli
		Updated address for one (1) record in Pahala
		Added address for twenty-two (22) records in Mountain View
		Added address for six (6) records in Captain Cook
	Added address for one (1) record in Keauhou	

Hawaii County E9-1-1 Status Report

October 1, 2019 – October 31, 2019

MAPPING LAYERS UPDATED (PART II)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

HAWAII COUNTY		
Type of Layer	Akimeka GIS Server	GIS Delivery Dates/Remarks
	Date Created/ Edits Performed	
CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)		
Address Points	10/8/19 To 10/21/19	Updated address for one (1) record in Volcano
		Corrected TMK for two (2) records in Pahoa
		Corrected TMK for one (1) record in Volcano
		Added address for two (2) records in Papaikou
		Added address for seventeen (17) records in Volcano
		Corrected spatial for sixteen (16) records in Kailua Kona
		Updated ESN for four (4) records in Hilo
		Added address for one (1) record in Pahala
		Corrected TMK for one (1) record in Kamuela
		Added address for fourteen (14) records in Ocean View
		Added address for five (5) records in Hilo
		Corrected spatial for one (1) record in Kealahou
		Added address for five (5) records in Kealahou
		Added address for one (1) record in Hawi
		Updated ESN for five (5) records in Volcano
		Added address for five (5) records in Kailua Kona
		Corrected spatial for ten (10) records in Pahala
		Added address for one (1) record in Laupahoehoe
		Corrected spatial for six (6) records in Kamuela
		Added address for eight (8) records in Keaau
		Added address for one (1) record in Waikoloa
		Updated ESN for fourteen (14) records in Kurtistown
		Added address for five (5) records in Kamuela
		Added address for one (1) record in Paauilo
		Corrected spatial for three (3) records in Hilo
		Added address for twenty-two (22) records in Kurtistown
		Updated ESN for three (3) records in Keaau
		Corrected spatial for one (1) record in Kurtistown
	10/1/19 To 10/7/19	Delivered 10/8/2019
		Corrected spatial for seven (7) records in Hawi
		Corrected spatial for nine (9) records in Pahoa
		Corrected spatial for seven (7) records in Holualoa

Hawaii County E9-1-1 Status Report

October 1, 2019 – October 31, 2019

MAPPING LAYERS UPDATED (PART III)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

HAWAII COUNTY		
Type of Layer	Akimeka GIS Server	GIS Delivery Dates/Remarks
	Date Created/ Edits Performed	
CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)		
Address Points	10/1/19 To 10/7/19	Corrected spatial for two (2) records in Waikoloa
		Corrected TMK for one (1) record in Volcano
		Updated location name and corrected spatial for two (2) records in Hilo
		Corrected spatial for eight (8) records in Kailua Kona
		Corrected spatial for twelve (12) records in Kapaau
		Corrected TMK for one (1) record in Kamuela
		Corrected spatial for one (1) record in Kealahou
		Corrected spatial for nine (9) records in Honokaa
		Corrected spatial for one (1) record in Captain Cook
		Corrected TMK for three (3) records in Holualoa
		Corrected TMK for one (1) record in Hilo
		Corrected spatial for eight (8) records in Pahala
		Updated location name for one (1) record in Hilo
		Corrected spatial for fifty-three (53) records in Kamuela
		Updated address for one (1) record in Kurtistown
		Corrected spatial for eighteen (18) records in Mountain View
		Corrected spatial for two (2) records in Hakalau
		Corrected spatial for six (6) records in Hilo
Airports		
Bridges		
Building Footprints		
Bus Stops		
Churches		
Coastal Names	10/1/19 To 10/7/19	Delivered 10/8/2019
		Verified address for one (1) record in Kapaau
Coastline		
Common Places		
Correctional Facilities		
Emergency Callboxes		
Emergency Operation Centers		
Emergency Shelters		
ESZ/ESN	10/8/19 To 10/21/19	Delivered 10/22/2019
		Corrected boundary for five (5) records

Hawaii County E9-1-1 Status Report

October 1, 2019 – October 31, 2019

MAPPING LAYERS UPDATED (PART IV)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

HAWAII COUNTY		
Type of Layer	Akimeka GIS Server	GIS Delivery Dates/Remarks
	Date Created/ Edits Performed	
CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)		
Fire Beats		
Fire Districts		
Fire Response Areas	10/8/19 To 10/21/19	Delivered 10/22/2019
		Updated medic order and corrected boundary for four (4) records
		Updated medic order for one (1) record
		Corrected boundary for two (2) records
Fire Stations		
Food & Beverage		
Gas Stations		
Gate Codes		
Government Buildings		
Harbors		
Helipads		
Hiking Trails		
Hospitals		
Hydrants		
Hyrdology Layers		
Incident Response Areas		
Lodging		
Major Roads		
Medic Beats		
Medic Districts		
Medic Response Areas	10/8/19 To 10/21/19	Delivered 10/22/2019
		Corrected boundary for six (6) records
Medic Stations		
Medical Facilities		
Milepost Markers		
MSAG Communities		
Net Junctions		
Ocean Rescue Boundaries		
Ocean Safety		
Parcels		
Parks		

Hawaii County E9-1-1 Status Report

October 1, 2019 – October 31, 2019

MAPPING LAYERS UPDATED (PART V)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

HAWAII COUNTY		
Type of Layer	Akimeka GIS Server	GIS Delivery Dates/Remarks
	Date Created/ Edits Performed	
CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)		
Parks Polygon		
Points of Interest		
Police Beats		
Police Districts		
Police Response Areas		
Police Stations		
Post Offices		
Schools		
Street Centerlines	10/8/19 To 10/21/19	Delivered 10/22/2019
		Updated medic, updated fire, updated ESN for two (2) records in Hilo
		Corrected spatial for three (3) records in Holualoa
		Added segment and updated range for one (1) record in Kamuela
		Updated ESN, updated fire and medic for one (1) record in Kurtistown
		Split segment for and updated range for two (2) records in Hilo
		Split segment for and updated range, updated ESN, updated medic and fire for three (3) records in Kurtistown
		Updated range for six (6) records in Kailua Kona
		Split segment for and updated range, upated ESN, updated medic and fire for two (2) records in Keaau
		Updated range for one (1) record in Pahoa
		Split segment for and updated range, upated ESN, updated medic and fire for two (2) records in Volcano
		Updated range for one (1) record in Kamuela
		Split segment for, upated ESN, updated medic and fire for two (2) records in Hilo
		Updated range for five (5) records in Holualoa
		Update range for one (1) record in Pahoa
		Extended segment one (1) record in Holualoa
		Updated street name for one (1) record in Pahala
		Updated ESN for one (1) record in Hilo
		Added segment and updated range for one (1) record in Kailua Kona
		Updated range for one (1) record in Kurtistown
		Edited segment one (1) record in Hilo
		Updated range for four (4) records in Hilo

Hawaii County E9-1-1 Status Report

October 1, 2019 – October 31, 2019

MAPPING LAYERS UPDATED (PART VI)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

HAWAII COUNTY		
Type of Layer	Akimeka GIS Server	GIS Delivery Dates/Remarks
	Date Created/ Edits Performed	
CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)		
Street Centerlines	10/8/19 To 10/21/19	Split segment for and updated range, upated ESN, updated medic and fire for seven (7) records in Kurtistown
		Added segment for three (3) records in Pahala
		Updated medic for seventy-seven (77) records in Kurtistown
		Updated ESN, updated fire and medic for one (1) record in Pahoa
		Updated range for five (5) records in Waikoloa
		Added segment for one (1) record in Hilo
		Corrected spatial, assigned range & split street segment, corrected ESN for two (2) records in Kurtistown
		Updated medic for three hundred and twenty-five (325) records in Keaau
		Split segment for and updated range, updated ESN, updated fire and medic for three (3) records in Kurtistown
		Updated range for one (1) record in Paauilo
		Updated ESN, updated fire and medic for one (1) record in Keaau
		Updated ESN for one (1) record in Keaau
		Updated range for two (2) records in Pahala
	10/1/19 To 10/7/19	Delivered 10/8/2019
		Added segment for one (1) record in Papaikou
Subdivisions		
Tow Jurisdictions		
Tsunami Evacuation Zones		
Tsunami Heights		
Waste Water Plants		
WSP Cell Sectors	10/22/19 To 10/31/19	Next Delivery 11/5/2019
		Updated three (3) sectors per Sprint CRS
		Added fourteen (14) sectors per Verizon Wireless CRS
		Updated ten (10) sectors per Verizon Wireless CRS
		Added two (2) sectors per Sprint CRS
	10/8/19 To 10/21/19	Delivered 10/22/2019
		Added twelve (12) sectors per Verizon Wireless CRS
		Added three (3) sectors per T-Mobile audit
		Updated eighteen (18) sectors per Verizon Wireless CRS
		Updated nine (9) sectors per T-Mobile audit

Hawaii County E9-1-1 Status Report

October 1, 2019 – October 31, 2019

MAPPING LAYERS UPDATED (PART VII)

9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

HAWAII COUNTY		
Type of Layer	Akimeka GIS Server	GIS Delivery Dates/Remarks
	Date Created/ Edits Performed	
CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)		
WSP Cell Sectors	10/1/19 To 10/7/19	Delivered 10/8/2019
		Added nineteen (19) sectors per AT&T CRS
WSP Cell Towers	10/22/19 To 10/31/19	Next Delivery 11/5/2019
		Updated three (3) towers per Verizon Wireless CRS
		Updated two (2) towers per Sprint CRS
	10/8/19 To 10/21/19	Delivered 10/22/2019
		Updated four (4) towers per Verizon Wireless CRS
		Updated nine (9) towers per T-Mobile audit
	10/1/19 To 10/7/19	Delivered 10/8/2019
		Added one (1) tower per AT&T CRS
Updated two (2) towers per AT&T CRS		

GEOGRAPHIC INFORMATION SYSTEM (GIS) NARRATIVES

GIS KEY ACTIVITIES/UPDATES

GIS Key activities include the events such as GIS deliverables, meetings, agreements, etc.

Date	Key Activities/Updates
10/22/2019	Delivered Address Points, Cell Sectors, Cell Towers, Points of Interest, Street Centerlines, ESN, and MSAG Communities, Fire Hydrants, MedicResponseAreas, FireResponseAreas for Hawaii County Mapflex.
10/22/2019	Delivered Address Points, City, Common Names Alt Table, Display Streets, Fire EMS Zone, First In, Points of Interest, POI Alt Names, Police Zones, Street Centerlines, Street Alt Names, Street Routes, Fire Beats, Medic Beats (Medic Response Areas) and FireHydrants for Hawaii County Spillman.
10/8/2019	Delivered Address Points, Cell Sectors, Cell Towers, Points of Interest, Street Centerlines, ESN, and Common Places for Mapflex in Hawaii County
10/8/2019	Delivered Address Points, City, Common Names Alt Table, Display Streets, Fire EMS Zone, First In, Points of Interest, POI Alt Names, Police Zones, Street Centerlines, Street Alt Names, Street Routes for Spillman for Hawaii County

Hawaii County E9-1-1 Status Report

October 1, 2019 – October 31, 2019

LAVA FLOW AND ALTERNATE ROUTES

Historical events are archived in the 2018 Monthly Status Reports.

Akimeka will resume to deliver updates should the event start up again.

FIRE DEPARTMENT IMT (INCIDENT MANAGEMENT TEAM) MAP

Historical events are archived in the 2018 Monthly Status Reports.

Akimeka will update these GIS layers upon request by the Hilo Fire Department.

ADDRESS POINTS AND STREET CENTERLINES UPDATE COMPARISON

On a routine basis, upon receipt of Hawai'i County Planning Department's Address Points and Street Centerlines layer updates, Akimeka compares and incorporates any of the County's additions, changes, and deletions into the Akimeka Address Points and Street Centerlines layers that appear necessary for the dispatch and response of 911 personnel.

The new Address Points and Street Centerlines geodatabase comparative analysis was received from the Hawai'i County Planning Department on **October 17, 2019**. A new compare process was developed by Akimeka to perform this analysis.

HAWAII COUNTY	Address Points Layer	Street Centerlines Layer
New Addresses Added	143	
Addresses Removed	0	
Address Street Name Changes	2	
Address Street Number Changes	1	
New Street Segments Added		1
Street Segments Removed		0
Street Segment Range Changes		14
Street Segment Name Changes		0

NOTE:

Some Address Points have multiple updates that are required, including Street Name and Street Number. These updates are counted as separate actions since the changes are required in order to make the GIS layers "9-1-1 capable" for CAD system recommendations affecting public safety dispatch and response operations.

Hawaii County E9-1-1 Status Report

October 1, 2019 – October 31, 2019

CAD SYSTEM DEPLOYMENT

On September 18th, 2018, the Hawaii Police and Fire Department went live on the new Spillman CAD and mapping systems. There have been no major GIS data configuration changes requested. Historical events are archived in the 2018 Monthly Status Reports.

MAPFLEX SYSTEM

Akimeka delivered GIS data to the MapFlex system on the following dates in October 2019

Hawaii County – October 8th, 2019 and October 22nd, 2019

Maui County – October 9th, 2019 and October 23rd, 2019

Kauai County – October 10th, 2019, and October 24th, 2019

Honolulu – October 11th, 2019, and October 25th, 2019

MAPFLEX ISSUES

Below is a detailed list of issues regarding the MapFlex systems throughout the State of Hawaii.

DATE	ISSUE	DESCRIPTION	STATUS
8/2016	Wireless Addresses	MapFlex system began displaying wireless information incorrectly. MapFlex system is doing a reverse query for additional information in the GIS and this is overriding the ALI information with the closest address in the GIS.	Partially Resolved (Nov 2016) The overriding ALI with updated Lat/Longs from the GIS is still occurring
11/2016	Phase I Display	Wireless Phase I calls plotting at centroid of coverage area and landing in the ocean. After installation of new MapFlex version to correct other issues, the configurations for Wireless Phase I were not set up properly by Intrado, in which the mapping did not point to the correct information in MapFlex.	Partially Resolved (Dec 2016) According to PSAPs, it's not fully resolved. The icon of the tower still doesn't plot for Phase I.
11/2016	Wireless Confidence	Sprint calls coming across with unusually high confidence. Coordination is taking place with Sprint and Intrado. Intrado provides the PDE services for Sprint.	Pending
3/22/2017	ArcGIS Address Locator	The locators in MapFlex have a configurations which does not include ESNs. A reported issue has occurred with the Sheraton in Waikiki. The address locator does not differentiate between the Sheraton hotel and the surf break and plots on the surf break. The bigger issue is that this same issue will occur with complexes that have same primary address.	Pending A new SP 5.4 update by Intrado is aimed to correct this issue.

Hawaii County E9-1-1 Status Report

October 1, 2019 – October 31, 2019

5/17/2017	VoIP Calls Plotting Incorrectly	Recognized in late April and early May 2017, the PSAPs have been receiving several VoIP calls which are plotting in the incorrect locations. After further research it was determined that it is because MapFlex is configured to plot the received Lat/Long. The problem is that these are not always maintained properly and that ideally the system should first choose to match with the GIS data based on the provided address. During the September 20, 2017 PSAP conference call, HT relayed there was confirmation that the Time Warner records were in fact passing through the Intrado FMCC.	Partially Resolved – the Lat/Longs are no longer being plotted in MapFlex due to a software release.
5/17/2017	Landline Calls Producing X/Y on calls	It was determined that for normal landline calls, the X/Y coordinates are being sent. The PSAPs have asked where these are being generated and why would they be sent for landline calls.	Intrado is looking into this (May - June 2017)
5/23/2018	Phase I & Phase II coverage area	Phase I calls received at the Kihei Maui PSAP are displaying a circular circumference area rather than a cone shaped directional coverage. Phase II calls are not plotting the COF meters correctly.	Pending
5/24/2018	Incorrect Addresses	MapFlex system began displaying incorrect addresses in the bubble display when an Address Point is right mouse clicked to see information by the PSAPs. However, the address in the data is still correct as shown on the left hand side.	Pending
6/27/2018	Moving Labels	It was brought up during the PSAP teleconference with Hawaiian Tel and Intrado that the Hawaii Fire Department submitted a trouble ticket regarding the parcel labels. When the base map is checked on for viewing the owner's names on the parcel layer, the names of some of the parcels will follow and leave their parcel as the map is panned following streets. This problem was also recreated at the Hawaii Police Department.	Pending

Hawaii County E9-1-1 Status Report

October 1, 2019 – October 31, 2019

4. SERVICE REQUESTS TRANSACTIONS

OPEN SERVICE REQUESTS – OCTOBER 2019

#	Date	Ticket #	Description	PSAP	Urgency	Comments
1	01/23/19	1007	Incorrect Address	Hawaii Fire	Normal	Confirmation pending from Inteliquent.com 8/31/2019 JBC
2	08/12/19	1008	Incorrect Address	Hawaii Fire	Normal	Confirmation pending from Inteliquent.com 8/31/2019 JBC
3	8/12/19	1009	Incorrect Address	Hawaii Fire	Normal	Confirmation pending from Inteliquent.com 8/31/2019 JBC
4	09/18/19	1010	Incorrect Address	Hawaii Fire	Normal	Confirmation pending from Time Warner Cable 9/30/2019 JBC
5	9/27/2019	1011	Incorrect Address	Hawaii Fire	Normal	Confirmation pending from Time Warner Cable 9/30/2019 JBC
6	9/29/2019	1012	Incorrect Address	Hawaii Fire	Normal	Confirmation pending from Time Warner Cable 9/30/2019 JBC
7	9/30/2019	1013	Incorrect Address	Hawaii Fire	Normal	Confirmation pending from Inteliquent.com 10/31/2019 JBC
8	09/30/19	1014	Incorrect Address	Hawaii Fire	Normal	Confirmation pending from Inteliquent.com 10/31/2019 JBC
9	10/3/2019	1015	Incorrect Address	Hawaii Fire	Normal	Confirmation pending from Inteliquent.com 10/31/2019 JBC
10	10/7/2019	1016	Incorrect Address	Hawaii Fire	Normal	Confirmation pending from Time Warner Cable 10/31/2019 JBC
11	10/15/2019	1017	Incorrect Address	Hawaii Fire	Normal	Confirmation pending from Time Warner Cable 10/31/2019 JBC
12	10/21/2019	1018	Incorrect Address	Hawaii Fire	Normal	Confirmation pending from Time Warner Cable 10/31/2019 JBC

Note* There are twelve (12) opened service request pending for October 2019.

SERVICE REQUEST YEAR-TO-DATE (YTD) SUMMARY – 2019

HAWAII COUNTY				MSAG SERVICE REQUEST CATEGORIES					
2019	TOTAL		Open	WIRELINE		WIRELESS		VoIP	
	Created	Closed		Created	Closed	Created	Closed	Created	Closed
2018 Carryover*			0						
January	6	5	1	2	2	0	0	3	2
February	6	4	3	3	3	0	0	3	1
March	1	1	3	1	1	0	0	0	0
April	1	3	1	1	1	0	0	0	2
May	3	3	1	3	3	0	0	0	0
June	1	1	1	1	1	0	0	0	0
July	1	1	1	1	1	0	0	0	0
August	4	2	3	1	1	0	0	3	1
September	4	1	6	1	1	0	0	3	0
October	8	2	12	2	2	0	0	6	0
November									
December									
TOTAL	35	23	12	16	16	0	0	18	6

Note:

* The 2018 Carryover row indicated the number of Service Requests that were opened in 2018 and brought forward into 2019 in an effort to track the service request until completion. Detailed information on service tickets are available upon request.

Definitions:	Category	Description
	Wireline	Telephone Number (ALI) Discrepancies from land line phones that have been submitted to Intrado via 9-1-1 Net for correction.
	Wireless	Telephone Number (ALI) Discrepancies from phones that were land lines at one time, and were ported out to a wireless carrier. However, the phone number was never removed from the MSAG database.
	VoIP	Telephone Number (ALI) Discrepancies from VoIP phones that have been submitted to Time Warner Cable (TWCBL) or other VoIP providers for correction

Hawaii County E9-1-1 Status Report

October 1, 2019 – October 31, 2019

5. E9-1-1 DATABASE SYNCHRONIZATION

(**Reference:** NENA 71-501, Version 1.1 – NENA Information Document for Synchronizing Geographic Information System databases with MSAG & ALI)

Next scheduled Database Synchronization – November 2019

AUDIT SUMMARY RESULTS – NOVEMBER 2019 - TBA

AUDIT SUMMARY RESULTS COMPARISON – NOVEMBER 1, 2019 VS AUGUST 1, 2019 - TBA

AUDIT SUMMARY RESULTS - TBA

INVALID MSAG STREETS AND ADDRESS RANGES – ESN X99 RECORDS - TBA

AUTOMATIC LOCATION IDENTIFICATION (ALI) DISCREPANCY REPORT - TBA