October 1, 2019 - October 31, 2019



## October 1, 2019 - October 31, 2019

# TABLE OF CONTENTS

1. PSAP Operations	5
9-1-1 Call Volume Maui PSAP – October 2019	5
Call Volume Maui PSAP Notes:	5
9-1-1 Call Volume Maui PSAP – Calendar Year 2019	5
9-1-1 Call Volume Molokai PSAP – October 2019	6
Call Volume Molokai PSAP Notes:	6
9-1-1 Call Volume Molokai PSAP – Calendar Year 2019	6
9-1-1 Call Volume (Combined Maui & Molokai PSAPS) – October 2019	7
9-1-1 Call Volume (Combined Maui & Molokai PSAPS) – Calendar Year 20	197
PSAP Operation Notes:	7
For Your Information	8
Text To 911 – Current Month – October 2019	8
Note:	8
Wireless PSAP Testing – October 2019	9
Notes:	9
2. MSAG (Master Street Address Guide)	10
MSAG Transactions Current Month/Year – October 2019	
MSAG Current Month Notes:	11
Telephone Record (ALI) Transactions Current Month Notes:	11
Open Telephone Record (ALI) Discrepancy Status:	11
TNCR (Telephone Number Change Request) Current Status – October, 2019	12

## October 1, 2019 - October 31, 2019

	NOTE:	12
	Dispatchable Location – Status As Of – October 2019	13
	Narrative:	13
	Spectrum (Charter) 9-1-1 VoIP Database Verification Project – October 2019	14
	Bandwidth 9-1-1 VoIP Database Verification Project – October 2019	15
3	. Geographic Information System (GIS) – October 2019	16
	Mapping Layers Updated (Part I)	16
	Mapping Layers Updated (Part II)	17
	Mapping Layers Updated (Part III)	18
	Mapping Layers Updated (Part IV)	19
	Mapping Layers Updated (Part V)	20
	Note:	20
	Geographic Information System (GIS) Narratives	21
	GIS Key Activities/Updates	21
	Intergraph CAD Upgrade	21
	MapFlex System	22
	MapFlex Issues	22
	DATE	22
	ISSUE	22
	DESCRIPTION	22
	STATUS	22
4	. Service Requests Transactions	24
	Open Service Requests – Maui County PSAPS - October 2019	24
		24
	Note:	24
	Maui PSAP Service Requests Year-To-Date (YTD) Summary – 2019	24



## October 1, 2019 - October 31, 2019

5. E9-1-1 Database Synchronization	25
Audit Summary Results – 2018 – 2019 TBA	25
MSAG Audit Summary Results – December 1, 2019 vs September 1, 2019 TBA	25
Invalid MSAG Streets and Address Ranges – ESN X99 Records TBA	25
invalid 1457 to Streets and Address Ranges	
Automatic Location Identification (ALI) Discrepancy Report TBA	25

## October 1, 2019 - October 31, 2019

#### 1. PSAP OPERATIONS

#### 9-1-1 CALL VOLUME MAUI PSAP - OCTOBER 2019

**Source:** Intrado Viper system

(\*) Totals are based on calls to Primary PSAP.

							9-1	-1 Call V	olume								
MAU	JI PSAP	Wir	eline		Wir	eless		vo	IP	Calls V		Admir	n Calls		doned Ills	Other	Calls
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls		No. of Calls with No ALI		No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls
ОСТ	13,535	1,173	8.67%	10,361	76.55%	59.17%	40.83%	331	2.45%	8	0.06%	0	0.00%	1,662	12.28%	0	0.00%

#### CALL VOLUME MAUI PSAP NOTES:

\*Calls with No ALI for October 2019 = 0.06% - Statewide average for 2018 = 0.09%

#### 9-1-1 CALL VOLUME MAUI PSAP – CALENDAR YEAR 2019

							9-1	-1 Call V	olume/								
MAU	JI PSAP	Wir	eline		Wir	eless		VO	IP	Calls v	vith No LI	Admii	n Calls		doned Ills	Other	Calls
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Total Calls	No. of Calls with No ALI		No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls
JAN	11,085	1,607	14.50%	8,204	74.01%	60.68%	39.32%	295	2.66%	3	0.03%	0	0.00%	976	8.80%	0	0.00%
FEB	10,875	1,606	14.77%	7,841	72.10%	59.60%	40.40%	312	2.87%	4	0.04%	0	0.00%	1,112	10.23%	0	0.00%
MAR	12,403	1,626	13.11%	9,022	72.74%	58.93%	41.07%	360	2.90%	6	0.05%	0	0.00%	1,389	11.20%	0	0.00%
APR	12,358	1,495	12.10%	9,186	74.33%	57.72%	42.28%	338	2.74%	7	0.06%	0	0.00%	1,332	10.78%	0	0.00%
MAY	12,440	1,491	11.99%	9,277	74.57%	59.12%	40.88%	319	2.56%	3	0.02%	0	0.00%	1,350	10.85%	0	0.00%
JUNE	12,512	1,448	11.57%	9,460	75.61%	60.17%	39.83%	304	2.43%	5	0.04%	0	0.00%	1,295	10.35%	0	0.00%
JULY	13,746	1,604	11.67%	10,360	75.37%	56.18%	43.82%	376	2.74%	16	0.12%	0	0.00%	1,390	10.11%	0	0.00%
AUG	13,669	1,517	11.10%	10,423	76.25%	58.43%	41.57%	310	2.27%	3	0.02%	0	0.00%	1,416	10.36%	0	0.00%
SEPT	12,122	1,190	9.82%	9,207	75.95%	59.79%	40.21%	315	2.60%	4	0.03%	0	0.00%	1,406	11.60%	0	0.00%
ост	13,535	1,173	8.67%	10,361	76.55%	59.17%	40.83%	331	2.45%	8	0.06%	0	0.00%	1,662	12.28%	0	0.00%
NOV																	
DEC																	
YTD	124,745	14,757		93,341				3,260		59		0		13,328		0	
MON AVG	12,475	1,476	11.93%	9,334	74.75%	58.98%	41.02%	326	2.62%	6	0.05%	0	0.00%	1,333	10.66%	0.00	0.00%

Page 5 of 25

## October 1, 2019 - October 31, 2019

#### 9-1-1 CALL VOLUME MOLOKAI PSAP - OCTOBER 2019

							9-1	-1 Call V	olume'								
_	LOKAI PSAP	Wir	eline		Wir	eless		vo	IP	Calls V		Admir	n Calls		doned Ills	Other	Calls
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls		No. of Calls with No ALI		No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls
ОСТ	496	136	27.42%	287	57.86%	65.85%	34.15%	0	0.00%	1	0.20%	0	0.00%	72	14.52%	0	0.00%

#### CALL VOLUME MOLOKAI PSAP NOTES:

Calls with No ALI for October 2019 = 0.20% - Statewide average for 2018 = 0.09%

#### 9-1-1 CALL VOLUME MOLOKAI PSAP - CALENDAR YEAR 2019

							9-1·	-1 Call V	olume								
1110	LOKAI PSAP	Wir	eline		Wir	eless		vo	IP	Calls w		Admii	n Calls		doned Ills	Other	Calls
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Total Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls
JAN	474	145	30.59%	285	60.13%	55.79%	44.21%	1	0.21%	0	0.00%	0	0.00%	43	9.07%	0	0.00%
FEB	574	222	38.68%	266	46.34%	62.03%	37.97%	5	0.87%	0	0.00%	0	0.00%	81	14.11%	0	0.00%
MAR	484	135	27.89%	279	57.64%	62.72%	37.28%	2	0.41%	2	0.41%	0	0.00%	66	13.64%	0	0.00%
APR	514	109	21.21%	331	64.40%	63.44%	36.56%	0	0.00%	1	0.19%	0	0.00%	73	14.20%	0	0.00%
MAY	550	132	24.00%	353	64.18%	64.59%	35.41%	2	0.36%	0	0.00%	0	0.00%	63	11.45%	0	0.00%
JUNE	632	159	25.16%	399	63.13%	56.89%	43.11%	0	0.00%	0	0.00%	0	0.00%	74	11.71%	0	0.00%
JULY	578	126	21.80%	357	61.76%	54.90%	45.10%	22	3.81%	7	1.21%	0	0.00%	66	11.42%	0	0.00%
AUG	591	106	17.94%	394	66.67%	56.60%	43.40%	5	0.85%	0	0.00%	0	0.00%	86	14.55%	0	0.00%
SEPT	492	88	17.89%	340	69.11%	57.35%	42.65%	4	0.81%	0	0.00%	0	0.00%	60	12.20%	0	0.00%
ОСТ	496	136	27.42%	287	57.86%	65.85%	34.15%	0	0.00%	1	0.20%	0	0.00%	72	14.52%	0	0.00%
NOV																	
DEC																	
YTD	5,385	1,358		3,291				41		11		0		684		0	
MON AVG	539	136	25.26%	329	61.12%	60.02%	39.98%	4.10	0.73%	1	0.20%	0	0.00%	68.4	12.69%	0	0.00%

## October 1, 2019 - October 31, 2019

#### 9-1-1 CALL VOLUME (COMBINED MAUI & MOLOKAI PSAPS) - OCTOBER 2019

							9-1-	-1 Call V	olume								
_	COUNTY SAPs	Wir	eline		Wir	eless		VOIP	Calls	Calls V		Admir	n Calls		doned alls	Other	Calls
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls		No. of Calls with No ALI		No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls
ОСТ	14,031	1,309	9.33%	10,648	75.89%	59.35%	40.65%	331	2.36%	9	0.06%	0	0.00%	1,734	12.36%	0	0.00%

#### 9-1-1 CALL VOLUME (COMBINED MAUI & MOLOKAI PSAPS) - CALENDAR YEAR 2019

							9-1	-1 Call V	olume'								
	COUNTY SAPs	Wir	eline		Wir	eless		vo	IP	Calls v		Admir	n Calls	- 110 0111	doned Ills	Other	Calls
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Total Calls	No. of Calls with No ALI		No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls
JAN	11,559	1,752	15.16%	8,489	73.44%	60.51%	39.49%	296	2.56%	3	0.03%	0	0.00%	1,019	8.82%	0	0.00%
FEB	11,449	1,828	15.97%	8,107	70.81%	59.68%	40.32%	317	2.77%	4	0.03%	0	0.00%	1,193	10.42%	0	0.00%
MAR	12,887	1,761	13.66%	9,301	72.17%	59.05%	40.95%	362	2.81%	8	0.06%	0	0.00%	1,455	11.29%	0	0.00%
APR	12,872	1,604	12.46%	9,517	73.94%	57.92%	42.08%	338	2.63%	8	0.06%	0	0.00%	1,405	10.92%	0	0.00%
MAY	12,990	1,623	12.49%	9,630	74.13%	59.33%	40.67%	321	2.47%	3	0.02%	0	0.00%	1,413	10.88%	0	0.00%
JUNE	13,144	1,607	12.23%	9,859	75.01%	60.04%	39.96%	304	2.31%	5	0.04%	0	0.00%	1,369	10.42%	0	0.00%
JULY	14,324	1,730	12.08%	10,717	74.82%	56.14%	43.86%	398	2.78%	23	0.16%	0	0.00%	1,456	10.16%	0	0.00%
AUG	14,260	1,623	11.38%	10,817	75.86%	58.36%	41.64%	315	2.21%	3	0.02%	0	0.00%	1,502	10.53%	0	0.00%
SEPT	12,614	1,278	10.13%	9,547	75.69%	59.70%	40.30%	319	2.53%	4	0.03%	0	0.00%	1,466	11.62%	0	0.00%
ост	14,031	1,309	9.33%	10,648	75.89%	59.35%	40.65%	331	2.36%	9	0.06%	0	0.00%	1,734	12.36%	0	0.00%
NOV																	
DEC																	
YTD	130,130	16,115		96,632				3,301		70		0		14,012		0	
MON AVG	13,013	1,612	12.49%	9,663	74.17%	59.01%	40.99%	330	2.54%	7	0.05%	0.00	0.00%	1,401	10.74%	0	0.00%

#### **PSAP OPERATION NOTES:**

- Abandoned Calls represent the number of incoming 9-1-1 calls for which the caller had hung up before a call-taker answered. Dropped Calls are hang ups after transfers.
- Abandoned Calls are included in the Wireline and Wireless total counts respectively.
- All VoIP (Voice over Internet Protocol) 911 calls are combined in the Call Volume statistic.
- Outgoing 911 calls are included in the totals. These are ringback or callback 911calls made from the Viper System.

October 2019

## Maui County E9-1-1 Status Report

## October 1, 2019 - October 31, 2019

#### FOR YOUR INFORMATION

	FYIFor Your Information													
			PSAP C	perations	5									
Statewide 911 Call Volumes														
PSAP 2018 2017 2016 2015														
Oahu Civilian 1,034,190 70.62% 1,022,818 72.16% 1,009,059 71.93% 1,019,402 70.94%														
RDC Pearl Harbor	37,068	2.53%	27,916	1.97%	N/A	N/A	N/A	N/A						
Hawaii County	206,648	14.11%	193,166	13.62%	205,412	14.64%	217,768	15.15%						
Maui County	133,869	9.14%	123,685	8.73%	137,333	9.80%	142,952	9.95%						
Kauai County	Kauai County 52,623 3.60% 49,902 3.52% 50,955 3.63% 56,874 3.96%													
Total	1,464,398	100.00%	1,417,487	100.00%	1,402,759	100.00%	1,436,996	100.00%						
*2016 & 2015 Statewide avera	2016 & 2015 Statewide average does not include Military 911 calls													

#### TEXT TO 911 - CURRENT MONTH - OCTOBER 2019


#### NOTE:

Maui County

• Although there is a "Text to 911" plot on the MapFlex, the location of the plot is not reliable. Text to 911 Dispatchers should use their skills to ascertain the exact location of the emergency response.

TEXT TO 911 Maui County PSAPs 2019										
Month	Received	Received								
WOTTET	at Maui	at Molokai								
January	25	4								
February	29	5								
March	16	0								
April	10	4								
May	10	2								
June	12	0								
July	14	4								
August	17	0								
September	16	0								
October	14	1								
November										
December										
YTD	163	20								
Monthly Avg.	16	2								

- 116-1 - 1-



## October 1, 2019 - October 31, 2019

#### WIRELESS PSAP TESTING - OCTOBER 2019

			MAUI COUNTY	- OCTOBER 20	19	
Date	WSP	Sites Tested	Sectors Tested	Tested By:	Test Pass/Fail	Comments:

#### NOTES:

- There were no (0) scheduled Wireless 911 tests conducted in October 2019 for the Maui and Molokai PSAPs.
- Verizon Wireless has completed migrating their Wireless network database from Intrado to ComTech.
- During the 4th quarter of 2018, there was an increasing amount of "MOBL" class of service type of 911 calls delivered to the State of Hawaii PSAPs. On January 15th, 2019, Intrado completed the position source mapping for ComTech which appears to have resolved this issue.

Page 9 of 25



## October 1, 2019 - October 31, 2019


#### 2. MSAG (MASTER STREET ADDRESS GUIDE)

#### MSAG TRANSACTIONS CURRENT MONTH/YEAR - OCTOBER 2019

		9-1-1 TRANSACTIONS							
MAUI COUNTY	Total	Dispatchable Location Transactions Submitted	MSAG	ALI Submitted  Open ALI  Discrepancy Records		Customer Addresses			
2019		DL (A)	MSAG (B)	TN CR (C)	ALI DR (D)	TNCR	ALI DR	VoIP DR	Affected
JANUARY	65	46	7	6	6	18	0	0	122
FEBRUARY	20	0	5	11	4	18	0	0	98
MARCH	248	224	15	8	1	209	0	0	58
APRIL	258	250	5	1	2	309	0	0	224
MAY	116	102	13	1	0	334	0	0	61
JUNE	126	119	3	1	3	347	0	0	245
JULY	184	166	7	9	2	34	0	0	39
AUGUST	150	137	6	6	1	64	0	0	55
SEPTEMBER	106	77	1	27	1	94	0	0	0
OCTOBER	331	322	3	6	0	80	0	0	8
NOVEMBER									
DECEMBER									
TOTAL YTD	1,604	1,443	65	76	20	1,507	0	0	910
AVG PER MONTH	160	144	7	8	2	151	0	0	91

#### **Definitions**

- (A) **D**ispatchable **L**ocation is defined in the FCC 15-9 Docket as the verified or corroborated street address of the calling party plus additional information such as floor, suite, apartment or similar information that may be needed to adequately identify the location of the calling party. Please see Dispatchable Location Section for more information.
- (B) **M**aster **S**treet **A**ddress **G**uide Represents corrections made to street records including, street names, address ranges, MSAG Communities and ESNs.
- (C) **T**elephone **N**umber **C**hange **R**equest Represents address corrections on a specific TN or group of TNs. These "invalid" TNs usually have an associated ESN 399 attached to them which indicates the need for validation.
- (D) **A**utomatic **L**ocation **I**nformation **D**iscrepancy **R**ecord Represents an address discrepancy discovered during a live 9-1-1 call, from a landline OR a VoIP phone. These record corrections are treated with a higher priority and should be processed within 48 hours if wireline, and 72 hours if a VoIP phone, as a general guideline.



## October 1, 2019 - October 31, 2019

#### MSAG CURRENT MONTH NOTES:

A total of **331** MSAG transactions were processed in 9-1-1 Net during the current month. Three (3) requests were processed relating to the MSAG database. Changes include: changes to high – low street ranges, combining street records, deletion of invalid records, splitting street records to align with Police, Fire, EMS, and inserting new MSAG records.

8 customer ANI/ALI (telephone number/address) records updated as a direct result.

#### TELEPHONE RECORD (ALI) TRANSACTIONS CURRENT MONTH NOTES:

Six (6) Telephone Number Change Request (TN CR) transaction was processed in 9-1-1 Net with valid MSAG address, as a result of the ESN 399 clean-up effort. ESN 399 TN CRs must be validated against HT records and approved by the end user Hawaiian Telcom customer before updating the ALI record.

No (0) ALI DR were submitted as the result of 9-1-1 calls.

Akimeka submitted three hundred twenty two (322) TN CRs related to the Dispatchable Location Project during the current month.

#### OPEN TELEPHONE RECORD (ALI) DISCREPANCY STATUS:

• There are currently 80 Open TN CRs.

**80** Open TN CR transactions are a result of the Dispatchable Location project. Akimeka continues to monitor and track the progress of the Referred records. Once a telephone number is submitted to West for correction, it must be verified against HT records and/or approved by the customer. West's internal process requires calling each telephone customer individually for approval to update an address in the 9-1-1 database.

- There are no open VoIP DRs as of October 31, 2019
- There are no open ALI DRs as of October 31, 2019

## October 1, 2019 - October 31, 2019

#### TNCR (TELEPHONE NUMBER CHANGE REQUEST) CURRENT STATUS – OCTOBER, 2019

#### NOTE:

- 9-1-1 NET is a secure web-based application that provides access to request changes to the MSAG, ALI, TN, and ESN/ELT data supported and maintained by Intrado for the Telephone Company (TelCo).
- TNCRs are not requests to change Telephone Numbers (TNs); however, it is a corrective process within 9-1-1 NET to modify
  location information associated with an Automatic Location Identification (ALI) record to a valid MSAG address for 9-1-1
  purposes.

PSAP 9-1-1 Telephone Number Location Change Request					
	(Telephone Nu	<mark>mber Change Req</mark>	uest (TNCR) Stat	us)	
County	TOTAL TNCR RECORDS SUBMITTED BY AKIMEKA  OPENED TNCRS PENDING FURTHER ACTION BY INTRADO  OPENED TNCRS REFERRED TO TELCO BY INTRADO  TOTAL UNOPENED TNCR RECORDS				
MAUI	80	0	80	0	
MOLOKAI	0	0	0	0	
TOTAL	80	0	80	0	

#### **STATUS**

**TOTAL TNCRs SUBMITTED** - The total number of TNCR requests for modification that have been submitted in 9-1-1 **PENDING STATUS** - TNCRs assigned this status are requests which have been reviewed by the 9-1-1 Database Service

Provider Data Analyst, and are pending investigation whether the request is valid or invalid, and/or whether the request requires additional information to validate.

<u>REFERRED STATUS</u> - TNCRs assigned this status are requests which have been reviewed by the 9-1-1 Database Service Provider Data Analyst, and the request requires additional information to validate. The Intrado Data Analysts assigns this status to a TNCR and the request is referred to the telephone service providers for further research.

**TOTAL UNOPENED TNCR RECORDS STATUS** - The request is submitted by Akimeka on behalf the PSAP; however, processing by the 9-1-1 Database Service Provider Data Analyst has not begun.

## October 1, 2019 - October 31, 2019

#### DISPATCHABLE LOCATION - STATUS AS OF - OCTOBER 2019

#### NARRATIVE:

During the August 2015 State of Hawaii 911 Board meeting, Akimeka provided a "State of Hawaii PSAPs Proposed ALI Compliancy with FCC 15-9" presentation. Based on the 9-1-1 Board's confirmation to add the "Dispatchable Location" information into the ALI database, Akimeka researched the format standards of each pertinent field, and tested the delivery of the data to the PSAP. After a few configuration adjustments (eliminating the TelCo comments field from appearing on the ALI Screen), Akimeka standardized an additional information data format to proceed with this project.

During the month of August 2015, Akimeka started a pilot project, entering additional location information to a verified MSAG address with multiple telephone numbers. Specifically the Queen Kaahumanu Shopping Center at 275 Kaahumanu Ave. The "Dispatchable Location" data is entered into the "Driving Directions" field in the 9-1-1 Net system, and will display on the Viper Power 911 ALI Screen in the "Exact" field should a 911 call be received from that telephone number. Screen shots of the "Before" ALI screen, and the "After" ALI screen with the updated "Dispatchable Location" information visible, were presented to the Dispatch Supervisors. Akimeka received positive feedback from the 911 Dispatch Personnel because the information that the 911 Call Takers will receive, will certainly cut down on the process of determining the exact location of the 911 caller. In addition to this, Akimeka was informed that the Mobile Dispatch Terminals (MDTs) in the Police Vehicles, also are able to view this "Dispatchable Location" information which will reduce the response times for Public Safety. There were 322 Dispatchable Locations submitted in October 2019 and 307 were processed by Intrado.

Dispatchable Location							
2019	Common Name Place	TNCR* Transactions	Transactions				
Quarter 4	MSAG Address	Submitted	Processed**				
Quarter 3 Carryover		3,815	3,603				
	Haiku Market Place, 810 Haiku Rd, Haiku	0	36				
	Fairway Shops, 2580 Kekaa Dr, Kaanapali	58	57				
	Polo Beach Club, 4400 Makena Rd, Wailea	11	11				
	Wailea Elua Village, 3600 Wailea Alanui Dr, Wailea	126	76				
October	Four Seasons Resort, 3900 Wailea Alanui Dr, Wailea	28	28				
	Pukalani Square, 81 Makawao Ave, Pukalani	39	38				
	Piilani Village, Piikea Ave, Kihei	0	3				
	Wailea Gateway Center, Wailea Gateway Pl, Wailea	0	1				
	Pukalani Terrace Center, 55 Pukalani St, Pukalani	60	57				
November							
November							
December							
Total		322	307				
YTD Total		4,137	3,910				

Page 13 of 25

## October 1, 2019 - October 31, 2019

#### SPECTRUM (CHARTER) 9-1-1 VOIP DATABASE VERIFICATION PROJECT – OCTOBER 2019

Akimeka received the Automatic Location Identification (ALI) records from Spectrum (formally known as Charter Communications) which is the predominant Voice over Internet Protocol (VoIP) provider in the State of Hawaii. As Akimeka has access to these ALI Records, Akimeka is researching and verifying the VoIP records against an MSAG valid address and the GIS data. This research is a validation of the ALI Record to ensure that the location as provided by the VoIP provider matches the GIS Information utilized by the Public Safety Agencies within their specific County 9-1-1 Service Area. This validation reduces the potential of address or location dispute during a 9-1-1 call.

The analysis of the database records indicates that there are invalid MSAG addresses utilized by the VoIP Provider. These records are being identified, and will be sent back to Spectrum for corrective action.

*Spectrum (Charter) 9-1-1 VoIP Database Verification Project					
PSAP	TOTAL RECORDS SUBMITTED BY SPECTRUM (A)	TOTAL RECORDS MATCHING & VERIFIED WITH 911 DATABASES (B)	TOTAL RECORDS NOT MATCHING	NON MATCHING RECORDS CORRECTED BY AKIMEKA (C)	PERCENT COMPLETED
HAWAII County	22,044	21,638 (98%)	406	406	100.00%
KAUAI County	8,936	8,695 (97%)	241	241	100.00%
MAUI County	18,256	17,517 (96%)	739	739	100.00%
OAHU Cilivian	87,414	85,329 (98%)	2,085	2,085	100.00%
OAHU Military	3,663	710 (19%)	2,953	2,953	100.00%
TOTAL	140,313	**133,889	6,424	6,424	100.00%

<sup>\*</sup> Spectrum VoIP Database received on June 21st, 2017

<sup>\*\*</sup> Akimeka provided VoIP Records with Latitude/Longitude coordinates

(A)	VoIP Database records submitted by Spectrum to Akimeka for research and MSAG address validation.
<b>(B)</b>	Akimeka has researched and verified the VoIP record against an MSAG valid address and GIS data. Akimeka is tracking corrections needed to be performed by Spectrum. Addressing data will be updated or added in the GIS if the VoIP record is determined to be valid.
(C)	Verifcation Process Completed.

## October 1, 2019 - October 31, 2019

#### BANDWIDTH 9-1-1 VOIP DATABASE VERIFICATION PROJECT - OCTOBER 2019

Akimeka received the Automatic Location Identification (ALI) records from Bandwidth which is a Voice over Internet Protocol (VoIP) provider in the State of Hawaii. As Akimeka has access to these ALI Records, Akimeka researched and verified the VoIP records against an MSAG valid address and the GIS data. This research is a validation of the ALI Record to ensure that the location as provided by the VoIP provider matches the GIS Information utilized by the Public Safety Agencies within their specific County 9-1-1 Service Area. This validation reduces the potential of address or location dispute during a 9-1-1 call.

The analysis of the database records indicates that there were invalid MSAG addresses utilized by the VoIP Provider. These records were identified, and sent back to Bandwidth for corrective action.

Akimeka will update the chart below as we receive updated ALI records from Bandwidth.

*Bandwidth					
9-1-1	VoIP Databa	se Verificatio	n Project	**(Updated	<b>d</b> )
	TOTAL	TOTAL NEW	TOTAL	NON	PERCENT
	RECORDS	RECORDS	RECORDS	MATCHING	COMPLETED
PSAP	SUBMITTED BY	<b>VERIFIED WITH</b>	NOT	RECORDS	
ISAI	BANDWIDTH	911 DATABASES	MATCHING	CORRECTED	
	(A)	<b>(B)</b>		<b>BY AKIMEKA</b>	
				<b>(C)</b>	
HAWAII County	545	85	0	0	100.00%
KAUAI County	306	41	0	0	100.00%
MAUI County	914	222	1	1	100.00%
OAHU Cilivian	4,065	888	1	1	100.00%
OAHU Military	56	7	0	0	100.00%
TOTAL	5,886	1,243	2	2	100.00%

<sup>\*</sup>Bandwidth VoIP Database received on April 5th, 2018

(A)	VoIP Database records submitted by Bandwidth to Akimeka for research and MSAG address validation.
	Akimeka has researched and verified the VoIP record against an MSAG valid address and GIS data. Akimeka is tracking corrections needed to be performed by Bandwidth. Addressing data will be updated or added in the GIS if the VoIP record is determined to be valid.
(C)	Verifcation Process Completed.

<sup>\*\*</sup>Updated Bandwidth VoIP Database received on September 6th, 2018



## October 1, 2019 - October 31, 2019

## 3. GEOGRAPHIC INFORMATION SYSTEM (GIS) - OCTOBER 2019

MAPPING LAYERS UPDATED (PART I)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

		MAUI COUNTY				
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	GIS Delivery Dates/Remarks				
	CRITICAL 9-1	-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE				
	(Listed Alphabetically)					
		Next Delivery 11/6/2019				
		Spatially corrected two (2) records in Makawao				
	10/23/19	Added address for one (1) record in Makawao				
	To 10/31/19	Updated full address for two (2) records in Lahaina				
	10/31/13	Verified address for two (2) records in Lahaina				
		Verified address for one (1) record in Makawao				
		Delivered 10/23/2019				
		Updated address for eighty-six (86) records in Wailea				
		Spatially corrected four (4) records in Kualapuu				
		Added address for one (1) record in Wailuku				
		Spatially corrected, added floor info for five (5) records in Wailea				
		Updated address for two (2) records in Kula				
		Added address for one (1) record in Kaunakakai				
Address Points		Verified address for seven (7) records in Haiku				
ridaress I onits	10/9/19	Added address for one (1) record in Kihei				
	To	Verified address for one hundred and forty-five (145) records in Hoolehua				
	10/22/19	Verified address for thirty-one (31) records in Kualapuu				
		Added location name for one (1) record in Kula				
		Spatially corrected one (1) record in Wailuku				
		Spatially corrected four (4) records in Hoolehua				
		Added address for one (1) record in Haiku				
		Verified address for one (1) record in Wailea				
		Verified address for six (6) records in Kaunakakai				
		Updated location name for one (1) record in Kula				
		Spatially corrected three (3) records in Wailea				
		Updated location name for one (1) record in Wailuku				
	10/1/19 To	Delivered 10/9/2019				
	10/8/19	Added address for one (1) record in Hoolehua				
Airports						
Bridges						
Building Footprints						
Bus Stops						
Churches						

Page 16 of 25

Maui County

## October 1, 2019 - October 31, 2019

#### MAPPING LAYERS UPDATED (PART II)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

		MAUI COUNTY			
	Akimeka GIS				
Type of Layer	Server	GIS Delivery Dates/Remarks			
J.F. 1	Date Created/ Edits Performed				
		A DVDA AG GA FERWA A VEDG DOD DAGDA MOVA O DEGDOAGE			
	CRITICAL 9-1	-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)			
Coastal Names	I	(2250 to 124 parison remail)			
Coastline					
Common Places					
Correctional Facilities					
Emergency Callboxes					
Emergency Operation					
Centers					
Emergency Shelters					
ESZ/ESN					
Fire Beats					
Fire Districts					
Fire Response Areas					
Fire Stations					
Food & Beverage					
Gas Stations					
	10/1/19	Delivered 10/9/2019			
Gate Codes	То	Updated gate code for one (1) record in Lahaina			
	10/8/19	Updated gate code for one (1) record in Kihei			
Government Buildings					
Harbors					
Helipads					
Hiking Trails					
Hospitals					
Hydrants					
Hyrdology Layers					
Incident Response Areas					
Lodging					
Major Roads					
Medic Beats					
Medic Districts					
Medic Response Areas					
Medic Stations					
Medical Facilities					

## October 1, 2019 - October 31, 2019

#### MAPPING LAYERS UPDATED (PART III)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

	MAUI COUNTY					
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	GIS Delivery Dates/Remarks				
	CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)					
Milepost Markers						
MSAG Communities						
Net Junctions						
Ocean Rescue Boundaries						
Ocean Safety						
Parcels						
Parks						
Parks Polygon						
Points of Interest	10/9/19 To 10/22/19	Delivered 10/23/2019  Updated POI name for one (1) record in Wailuku  Added POI for two (2) records in Wailuku  Spatially corrected one (1) record in Kula  Added POI for two (2) records in Kula				
	10/1/19 To 10/8/19	Delivered 10/9/2019 Updated POI name for one (1) record in Kahului				
Police Beats	10/0/10	opuated Pol hame for one (1) record in Kandidi				
Police Districts						
Police Response Areas						
Police Stations						
Post Offices						
Schools						
Schools	10/23/19 To 10/31/19	Next Delivery 11/6/2019  Spatially corrected one (1) record in Waihee  Spatially corrected two (2) records in Makawao				
Street Centerlines	10/9/19 To 10/22/19	Verified address for two (2) records in Waihee  Delivered 10/23/2019  Partial spatial correction for one (1) record in Wailea  Partial spatial correction for one (1) record in Lahaina  Verified address for four (4) records in Lahaina  Spatially corrected one (1) record in Lahaina  Spatially corrected seven (7) records in Lahaina  Verified address for one (1) record in Kaunakakai				

Page 18 of 25

October 2019

# Maui County E9-1-1 Status Report

## October 1, 2019 - October 31, 2019

#### MAPPING LAYERS UPDATED (PART IV)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

		MAUI COUNTY		
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	GIS Delivery Dates/Remarks		
		-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE		
		(Listed Alphabetically)		
	10/9/19	Spatially corrected one (1) record in Wailea		
	То	Verified address for one (1) record in Kaanapali		
	10/22/19	Verified address for one (1) record in Pukalani		
		Delivered 10/9/2019		
Street Centerlines	404440	Corrected ESN for one (1) record in Lahaina		
	10/1/19 To	Partial spatial correction for one (1) record in Lahaina		
	10/8/19	Added centerline for one (1) record in Kahului		
		Spatially corrected one (1) record in Kihei		
		Spatially corrected sixteen (16) records in Lahaina		
Subdivisions				
Tow Jurisdictions				
Tsunami Evacuation Zones				
Tsunami Heights				
Waste Water Plants				
	10/23/19	Next Delivery 11/6/2019		
	To	Added fifteen (15) sectors per Verizon Wireless CRS		
	10/31/19	Added three (3) sectors per T-Mobile CRS		
		Updated eleven (11) sectors per Verizon Wireless CRS		
		Delivered 10/23/2019		
	10/9/19	Added twenty-five (25) sectors per Verizon Wireless CRS		
was a u a	To 10/22/19	Added two (2) sectors per T-Mobile audit		
WSP Cell Sectors	10/22/19	Updated seventeen (17) sectors per Verizon Wireless CRS		
		Updated seven (7) sectors per T-Mobile audit		
		Delivered 10/9/2019		
	10/1/19	Added seven (7) sectors per Verizon Wireless CRS		
	То	Updated fifteen (15) sectors per Sprint CRS		
	10/8/19	Added two (2) sectors per AT&T CRS		
		Updated eight (8) sectors per Verizon Wireless CRS		
		Updated one (1) sector per AT&T CRS  Next Delivery 11/6/2019		
	10/23/19	Updated three (3) towers per Verizon Wireless CRS		
WSP Cell Towers	То	Added two (2) towers per Verizon Wireless CRS		
	10/31/19	Added two (2) towers per Verizon Wheress CRS  Added one (1) tower per T-Mobile CRS		
		Added one (1) tower her 1-injubile CV3		

Page 19 of 25

Maui County

## October 1, 2019 - October 31, 2019

#### MAPPING LAYERS UPDATED (PART V)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

	MAUI COUNTY					
Type of Layer	Akimeka GIS Server Date Created/	GIS Delivery Dates/Remarks				
	Edits Performed					
	CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE					
		(Listed Alphabetically)				
	10/0/10	Delivered 10/23/2019				
	10/9/19 To	Updated five (5) towers per Verizon Wireless CRS				
	10/22/19	Added five (5) towers per Verizon Wireless CRS				
	10/22/13	Updated four (4) towers per T-Mobile audit				
WSP Cell Towers		Delivered 10/9/2019				
	10/1/19	Added one (1) tower per Sprint CRS				
	То	Updated two (2) towers per Sprint CRS				
	10/8/19	Updated one (1) tower per AT&T CRS				
		Updated two (2) towers per Verizon Wireless CRS				

#### NOTE:

The Parcels layer is provided by Maui County. Akimeka performs edits on the spatial information of the layer for 9-1-1 purposes. Changes to the attribute table are made when needed. The Parcels layer uploaded to the PSAP GIS server is intended for 9-1-1 purposes only and should not be disseminated to other county agencies.

Page 20 of 25



## October 1, 2019 - October 31, 2019

#### GEOGRAPHIC INFORMATION SYSTEM (GIS) NARRATIVES

#### GIS KEY ACTIVITIES/UPDATES

GIS Key activities include the events such as GIS deliverables, meetings, agreements, etc.

Date	Key Activities/Updates				
10/23/2019	Delivered updated data for MapFlex which included Address Points, Points Of				
	Interest, Street Centerlines, WSP Cell Sectors and WSP Cell Towers.				
10/23/2019	Delivered .map, .str, .rte, Maui Cell Coverage.csv, and database files, which				
	included updated Address Points, Common Name Lookup Table, Points Of				
	Interest, Street Centerlines, and WSP Cell Towers for Intergraph.				
10/9/2019	Delivered .map, .str, .rte, Maui Cell Coverage.csv, and database files, which				
	included updated Address Points, Common Name Lookup Table, Gate Codes,				
	Points Of Interest, Street Centerlines, and WSP Cell Towers for Intergraph.				
10/9/2019	Delivered updated data for MapFlex which included Address Points, Points Of				
	Interest, Street Centerlines, WSP Cell Sectors and WSP Cell Towers.				

#### INTERGRAPH CAD UPGRADE

From April through June 2014, the Maui Police Department worked to upgrade their Intergraph CAD system to the more recent 2014 version. Through this upgrade process, new improvements were identified and the overall functionality of the system from the Map Build process to the Production workstation made significant enhancements in order to streamline the deliverables and continue providing accurate data to the PSAP.

- 1. Akimeka delivered an updated Intergraph CAD map October 9th, 2019 which included:
  - a. Address Points, Common Name Lookup Table, Gate Codes, Points of Interest, Street Centerlines, and WSP Cell Towers
  - b. .map, .str, .rte, CAD Map Build database and Cell Coverage.csv
- 2. On October 23<sup>rd</sup>, 2019– Akimeka delivered an updated Intergraph CAD map which included:
  - a. Address Points, Common Name Lookup Table, Points Of Interest, and WSP Cell Towers
  - b. .map, .str, .rte, CAD Map Build database and Cell Coverage.csv

During November 2019, the Intergraph CAD map will continue to be delivered every other week, which has been coordinated with all mapping system updates and synchronizations with other 911 databases.

## October 1, 2019 - October 31, 2019

#### MAPFLEX SYSTEM

Akimeka delivered GIS data to the MapFlex system on the following dates in October 2019

**Hawaii County** – October 8<sup>th</sup>, 2019 and October 22<sup>nd</sup>, 2019 **Maui County** – October 9<sup>th</sup>, 2019 and October 23<sup>rd</sup>, 2019 **Kauai County** – October 10<sup>th</sup>, 2019, and October 24<sup>th</sup>, 2019 **Honolulu** – October 11<sup>th</sup>, 2019, and October 25<sup>th</sup>, 2019

#### **MAPFLEX ISSUES**

Below is a detailed list of issues regarding the MapFlex systems throughout the State of Hawaii.

DATE	ISSUE	DESCRIPTION	STATUS	
8/2016	Wireless Addresses	MapFlex system began displaying wireless information incorrectly. MapFlex system is doing a reverse query for additional information in the GIS and this is overriding the ALI information with the closest address in the GIS.	Partially Resolved (Nov 2016) The overriding ALI with updated Lat/Longs from the GIS is still occurring	
11/2016	Phase I Display	Wireless Phase I calls plotting at centroid of coverage area and landing in the ocean. After installation of new MapFlex version to correct other issues, the configurations for Wireless Phase I were not set up properly by Intrado, in which the mapping did not point to the correct information in MapFlex.	Partially Resolved (Dec 2016) According to PSAPs, it's not fully resolved. The icon of the tower still doesn't plot for Phase I.	
11/2016	Wireless Confidence	Sprint calls coming across with unusually high confidence. Coordination is taking place with Sprint and Intrado. Intrado provides the PDE services for Sprint.	Pending	
3/22/2017	ArcGIS Address Locator	The locators in MapFlex have a configurations which does not include ESNs. A reported issue has occurred with the Sheraton in Waikiki. The address locator does not differentiate between the Sheraton hotel and the surf break and plots on the surf break. The bigger issue is that this same issue will occur with complexes that have same primary address.	Pending A new SP 5.4 update by Intrado is aimed to correct this issue.	
5/17/2017	VoIP Calls Plotting Incorrectly	Recognized in late April and early May 2017, the PSAPs have been receiving several VoIP calls which are plotting in the incorrect locations. After further research it was determined that it is because MapFlex is configured to plot the received Lat/Long. The problem is that these are not always maintained properly and that ideally the system should first choose to match with the GIS data based on the provided address.  During the September 20, 2017 PSAP conference call, HT relayed there was confirmation that the Time Warner records were in fact passing through the Intrado FMCC.	Partially Resolved – the Lat/Longs are no longer being plotted in MapFlex due to a software release.	

Page 22 of 25

## October 1, 2019 - October 31, 2019

5/17/2017	Landline Calls	It was determined that for normal landline calls, the X/Y	Intrado is looking into this
	Producing X/Y on	coordinates are being sent. The PSAPs have asked where	(May - June 2017)
	calls	these are being generated and why would they be sent for	
		landline calls.	
5/23/2018	Phase I & Phase II	Phase I calls received at the Kihei Maui PSAP are displaying	Pending
	coverage area	a circular circumference area rather than a cone shaped	
		directional coverage. Phase II calls are not plotting the COF	
		meters correctly.	
5/24/2018	Incorrect Addresses	MapFlex system began displaying incorrect addresses in the	Pending
		bubble display when an Address Point is right mouse clicked	
		to see information by the PSAPs. However, the address in	
		the data is still correct as shown on the left hand side.	
6/27/2018	Moving Labels	It was brought up during the PSAP teleconference with	Pending
		Hawaiian Tel and Intrado that the Hawaii Fire Department	
		submitted a trouble ticket regarding the parcel labels. When	
		the base map is checked on for viewing the owner's names	
		on the parcel layer, the names of some of the parcels will	
		follow and leave their parcel as the map is panned following	
		streets. This problem was also recreated at the Hawaii	
		Police Department.	

Page 23 of 25

## October 1, 2019 - October 31, 2019

#### 4. SERVICE REQUESTS TRANSACTIONS

OPEN SERVICE REQUESTS – MAUI COUNTY PSAPS - OCTOBER 2019

MAUI COUNTY							
#	Date	Ticket #	Description	PSAP	Urgency	Comments	
			None				

NOTE:


There are no (0) Open Service Request for the Maui County PSAPs for October, 2019.

#### MAUI PSAP SERVICE REQUESTS YEAR-TO-DATE (YTD) SUMMARY - 2019

MAUI COUNTY			MSAG SERVICE REQUEST CATEGORIES						
2019	TOTAL		0::0:	WIRELINE		WIRELESS		VoIP	
2019	Created	Closed	Open	Created	Closed	Created	Closed	Created	Closed
2018 Carryover*			1						
January	5	5	1	5	5	0	0	0	0
February	4	3	2	4	3	0	0	0	0
March	1	3	1	1	3	0	0	0	0
April	1	1	0	1	1	0	0	0	0
Мау	0	0	0	0	0	0	0	0	0
June	3	3	0	3	3	0	0	0	0
July	2	2	0	2	2	0	0	0	0
August	1	1	0	1	1	0	0	0	0
September	1	1	0	1	1	0	0	0	0
October	0	0	0	0	0	0	0	0	0
November									
December									
TOTAL	18	19	0	18	19	0	0	0	0

\*The 2018 Carry Over row indicates the number of Service Requests that were opened in 2018; however, were brought forward into 2019 in an effort to track the service request until completion.

	Category	Description
	Wireline	Telephone Number (ALI) Discrepancies from land line phones that have been submitted to Intrado via 9-1-1 Net for correction.
<u>Definitions:</u>	Wireless	Telephone Number (ALI) Discrepancies from phones that were land lines at one time, and were ported out to a wireless carrier. However, the phone number was never removed from the MSAG database.
	VoIP	Telephone Number (ALI) Discrepancies from VoIP phones that have been submitted to Time Warner Cable (TWCBL) or other VoIP providers for correction



October 1, 2019 - October 31, 2019

## 5. E9-1-1 DATABASE SYNCHRONIZATION

(<u>Reference:</u> NENA 71-501, Version 1.1 – NENA Information Document for Synchronizing Geographic Information System databases with MSAG & ALI)

## Next Scheduled Database Synchronization Report – December 2019

AUDIT SUMMARY RESULTS - 2018 - 2019 -- TBA

MSAG AUDIT SUMMARY RESULTS - DECEMBER 1, 2019 VS SEPTEMBER 1, 2019 -- TBA

INVALID MSAG STREETS AND ADDRESS RANGES - ESN X99 RECORDS -- TBA

AUTOMATIC LOCATION IDENTIFICATION (ALI) DISCREPANCY REPORT -- TBA

Maui County October 2019

Page 25 of 25