November 1, 2019 - November 30, 2019



November 1, 2019 - November 30, 2019

TABLE OF CONTENTS

1. PSAP Operations	5
9-1-1 Call Volume Maui PSAP – November 2019	5
Call Volume Maui PSAP Notes:	5
9-1-1 Call Volume Maui PSAP – Calendar Year 2019	5
9-1-1 Call Volume Molokai PSAP – November 2019	6
Call Volume Molokai PSAP Notes:	6
9-1-1 Call Volume Molokai PSAP – Calendar Year 2019	6
9-1-1 Call Volume (Combined Maui & Molokai PSAPS) – November 2019	7
9-1-1 Call Volume (Combined Maui & Molokai PSAPS) – Calendar Year 2019	7
PSAP Operation Notes:	7
For Your Information	8
Text To 911 – Current Month – November 2019	8
Note:	8
Wireless PSAP Testing – November 2019	9
Notes:	9
2. MSAG (Master Street Address Guide)	10
MSAG Transactions Current Month/Year – November 2019	10
MSAG Current Month Notes:	11
Telephone Record (ALI) Transactions Current Month Notes:	11
Open Telephone Record (ALI) Discrepancy Status:	11
TNCR (Telephone Number Change Request) Current Status – November, 2019	12

November 1, 2019 - November 30, 2019

NOTE:	12
Dispatchable Location – Status As Of – November 2019	13
Narrative:	13
Spectrum (Charter) 9-1-1 VoIP Database Verification Project – November 2019	14
Bandwidth 9-1-1 VoIP Database Verification Project – November 2019	15
3. Geographic Information System (GIS) – November 2019	16
Mapping Layers Updated (Part I)	16
Mapping Layers Updated (Part II)	17
Mapping Layers Updated (Part III)	18
Note:	18
Geographic Information System (GIS) Narratives	19
GIS Key Activities/Updates	19
Intergraph CAD Upgrade	19
MapFlex System	20
MapFlex Issues	20
DATE	20
ISSUE	20
DESCRIPTION	20
STATUS	20
4. Service Requests Transactions	22
Open Service Requests – Maui County PSAPS - November 2019	22
	22
Note:	22
Maui PSAP Service Requests Year-To-Date (YTD) Summary – 2019	22
5. E9-1-1 Database Synchronization	23
Audit Summary Results – 2018 – 2019 TBA	23



November 1, 2019 - November 30, 2019

MSAG Audit Summary Results – December 1, 2019 vs September 1, 2019 TBA	23
Invalid MSAG Streets and Address Ranges – ESN X99 Records TBA	23
Automatic Location Identification (ALI) Discrepancy Report TBA	23

November 1, 2019 - November 30, 2019

1. PSAP OPERATIONS

9-1-1 CALL VOLUME MAUI PSAP – NOVEMBER 2019

Source: Intrado Viper system

(*) Totals are based on calls to Primary PSAP.

	9-1-1 Call Volume																
MAU	JI PSAP	Wir	eline		Wir	eless		vo	IP		Calls With No ALI		n Calls	Abandoned Calls		Other Calls	
2019	Total 9-1-1 No. of Wireline Calls Processed Wirelass Calls Processed					Wireless	No. of VoIP Calls		No. of Calls with No ALI		No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls	
NOV	12,136	1,107	9.12%	9,249	76.21%	56.18%	43.82%	349	2.88%	8	0.07%	0	0.00%	1,423	11.73%	0	0.00%

CALL VOLUME MAUI PSAP NOTES:

*Calls with No ALI for November 2019 = 0.07% - Statewide average for 2018 = 0.09%

9-1-1 CALL VOLUME MAUI PSAP – CALENDAR YEAR 2019

	9-1-1 Call Volume Calls with No Abandoned Abandoned Calls with No C																
MAU	JI PSAP	Wir	reline		Wir	eless		VO	IP	Calls w		Admii	n Calls		doned Ills	Other	Calls
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Total Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls
JAN	11,085	1,607	14.50%	8,204	74.01%	60.68%	39.32%	295	2.66%	3	0.03%	0	0.00%	976	8.80%	0	0.00%
FEB	10,875	1,606	14.77%	7,841	72.10%	59.60%	40.40%	312	2.87%	4	0.04%	0	0.00%	1,112	10.23%	0	0.00%
MAR	12,403	1,626	13.11%	9,022	72.74%	58.93%	41.07%	360	2.90%	6	0.05%	0	0.00%	1,389	11.20%	0	0.00%
APR	12,358	1,495	12.10%	9,186	74.33%	57.72%	42.28%	338	2.74%	7	0.06%	0	0.00%	1,332	10.78%	0	0.00%
MAY	12,440	1,491	11.99%	9,277	74.57%	59.12%	40.88%	319	2.56%	3	0.02%	0	0.00%	1,350	10.85%	0	0.00%
JUNE	12,512	1,448	11.57%	9,460	75.61%	60.17%	39.83%	304	2.43%	5	0.04%	0	0.00%	1,295	10.35%	0	0.00%
JULY	13,746	1,604	11.67%	10,360	75.37%	56.18%	43.82%	376	2.74%	16	0.12%	0	0.00%	1,390	10.11%	0	0.00%
AUG	13,669	1,517	11.10%	10,423	76.25%	58.43%	41.57%	310	2.27%	3	0.02%	0	0.00%	1,416	10.36%	0	0.00%
SEPT	12,122	1,190	9.82%	9,207	75.95%	59.79%	40.21%	315	2.60%	4	0.03%	0	0.00%	1,406	11.60%	0	0.00%
ОСТ	13,535	1,173	8.67%	10,361	76.55%	59.17%	40.83%	331	2.45%	8	0.06%	0	0.00%	1,662	12.28%	0	0.00%
NOV	12,136	1,107	9.12%	9,249	76.21%	56.18%	43.82%	349	2.88%	8	0.07%	0	0.00%	1,423	11.73%	0	0.00%
DEC																	
YTD	136,881	15,864		102,590				3,609		67		0		14,751		0	
MON AVG	12,444	1,442	11.67%	9,326	74.88%	58.72%	41.28%	328	2.64%	6	0.05%	0	0.00%	1,341	10.75%	0.00	0.00%

Page **5** of **23**

Maui County

November 2019



November 1, 2019 - November 30, 2019

9-1-1 CALL VOLUME MOLOKAI PSAP – NOVEMBER 2019

	9-1-1 Call Volume																
_	MOLOKAI PSAP Wireline Wireless						VO	IP	Calls V		Admir	n Calls		doned Ills	Other	Calls	
2019	Total 9-1-1 No. of % of Total No. of % of					Wireless	No. of VoIP Calls		No. of Calls with No ALI		No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls	
NOV	521	141	27.06%	327	62.76%	57.49%	42.51%	0	0.00%	0	0.00%	0	0.00%	53	10.17%	0	0.00%

CALL VOLUME MOLOKAI PSAP NOTES:

Calls with No ALI for November 2019 = 0.00% - Statewide average for 2018 = 0.09%

9-1-1 CALL VOLUME MOLOKAI PSAP – CALENDAR YEAR 2019

							9-1-	-1 Call V	olume								
	LOKAI PSAP	Wir	eline		Wir	eless		vo	IP	Calls v		Admir	n Calls	- 110 0111	doned Ills	Other	Calls
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Total Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls
JAN	474	145	30.59%	285	60.13%	55.79%	44.21%	1	0.21%	0	0.00%	0	0.00%	43	9.07%	0	0.00%
FEB	574	222	38.68%	266	46.34%	62.03%	37.97%	5	0.87%	0	0.00%	0	0.00%	81	14.11%	0	0.00%
MAR	484	135	27.89%	279	57.64%	62.72%	37.28%	2	0.41%	2	0.41%	0	0.00%	66	13.64%	0	0.00%
APR	514	109	21.21%	331	64.40%	63.44%	36.56%	0	0.00%	1	0.19%	0	0.00%	73	14.20%	0	0.00%
MAY	550	132	24.00%	353	64.18%	64.59%	35.41%	2	0.36%	0	0.00%	0	0.00%	63	11.45%	0	0.00%
JUNE	632	159	25.16%	399	63.13%	56.89%	43.11%	0	0.00%	0	0.00%	0	0.00%	74	11.71%	0	0.00%
JULY	578	126	21.80%	357	61.76%	54.90%	45.10%	22	3.81%	7	1.21%	0	0.00%	66	11.42%	0	0.00%
AUG	591	106	17.94%	394	66.67%	56.60%	43.40%	5	0.85%	0	0.00%	0	0.00%	86	14.55%	0	0.00%
SEPT	492	88	17.89%	340	69.11%	57.35%	42.65%	4	0.81%	0	0.00%	0	0.00%	60	12.20%	0	0.00%
ОСТ	496	136	27.42%	287	57.86%	65.85%	34.15%	0	0.00%	1	0.20%	0	0.00%	72	14.52%	0	0.00%
NOV	521	141	27.06%	327	62.76%	57.49%	42.51%	0	0.00%	0	0.00%	0	0.00%	53	10.17%	0	0.00%
DEC																	
YTD	5,906	1,499		3,618				41		11		0		737		0	
MON AVG	537	136	25.42%	329	61.27%	59.79%	40.21%	3.73	0.67%	1	0.18%	0	0.00%	67	12.46%	0	0.00%



November 1, 2019 - November 30, 2019

9-1-1 CALL VOLUME (COMBINED MAUI & MOLOKAI PSAPS) - NOVEMBER 2019

	9-1-1 Call Volume																
_	COUNTY SAPs	Wir	eline		Wir	eless		VOIP Calls		Calls V		Admir	Calls	Abandoned Calls		Other Calls	
2019	Total 9-1-1 No. of Wireline Calls Processed No. of Calls Cal							No. of Calls with No ALI		No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls		
NOV	12,657	1,248	9.86%	9,576	75.66%	56.22%	43.78%	349	2.76%	8	0.06%	0	0.00%	1,476	11.66%	0	0.00%

9-1-1 CALL VOLUME (COMBINED MAUI & MOLOKAI PSAPS) - CALENDAR YEAR 2019

	9-1-1 Call Volume [AUI COUNTY Calls with No. Abandoned Calls with No. Abandoned Calls with No. Calls with No.																
	COUNTY SAPs	Wir	eline			eless		VO		A	LI	Admir	n Calls	Ca	ılls	Other	Calls
2019	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls		No. of Calls with No ALI		No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls
JAN	11,559	1,752	15.16%	8,489	73.44%	60.51%	39.49%	296	2.56%	3	0.03%	0	0.00%	1,019	8.82%	0	0.00%
FEB	11,449	1,828	15.97%	8,107	70.81%	59.68%	40.32%	317	2.77%	4	0.03%	0	0.00%	1,193	10.42%	0	0.00%
MAR	12,887	1,761	13.66%	9,301	72.17%	59.05%	40.95%	362	2.81%	8	0.06%	0	0.00%	1,455	11.29%	0	0.00%
APR	12,872	1,604	12.46%	9,517	73.94%	57.92%	42.08%	338	2.63%	8	0.06%	0	0.00%	1,405	10.92%	0	0.00%
MAY	12,990	1,623	12.49%	9,630	74.13%	59.33%	40.67%	321	2.47%	3	0.02%	0	0.00%	1,413	10.88%	0	0.00%
JUNE	13,144	1,607	12.23%	9,859	75.01%	60.04%	39.96%	304	2.31%	5	0.04%	0	0.00%	1,369	10.42%	0	0.00%
JULY	14,324	1,730	12.08%	10,717	74.82%	56.14%	43.86%	398	2.78%	23	0.16%	0	0.00%	1,456	10.16%	0	0.00%
AUG	14,260	1,623	11.38%	10,817	75.86%	58.36%	41.64%	315	2.21%	3	0.02%	0	0.00%	1,502	10.53%	0	0.00%
SEPT	12,614	1,278	10.13%	9,547	75.69%	59.70%	40.30%	319	2.53%	4	0.03%	0	0.00%	1,466	11.62%	0	0.00%
ост	14,031	1,309	9.33%	10,648	75.89%	59.35%	40.65%	331	2.36%	9	0.06%	0	0.00%	1,734	12.36%	0	0.00%
NOV	12,657	1,248	9.86%	9,576	75.66%	56.22%	43.78%	349	2.76%	8	0.06%	0	0.00%	1,476	11.66%	0	0.00%
DEC																	
YTD	142,787	17,363		106,208				3,650		78		0		15,488		0	
MON AVG	12,981	1,578	12.25%	9,655	74.31%	58.75%	41.25%	332	2.56%	7	0.05%	0.00	0.00%	1,408	10.82%	0	0.00%

PSAP OPERATION NOTES:

- Abandoned Calls represent the number of incoming 9-1-1 calls for which the caller had hung up before a call-taker answered. Dropped Calls are hang ups after transfers.
- Abandoned Calls are included in the Wireline and Wireless total counts respectively.
- All VoIP (Voice over Internet Protocol) 911 calls are combined in the Call Volume statistic.
- Outgoing 911 calls are included in the totals. These are ringback or callback 911calls made from the Viper System.

November 2019

Maui County E9-1-1 Status Report

November 1, 2019 - November 30, 2019

FOR YOUR INFORMATION

	FYIFor Your Information													
	PSAP Operations													
		Ç	Statewide 9	11 Call Volս	umes									
PSAP	PSAP 2018 2017 2016 2015													
Oahu Civilian	Oahu Civilian 1,034,190 70.62% 1,022,818 72.16% 1,009,059 71.93% 1,019,402 70.94%													
RDC Pearl Harbor	37,068	2.53%	27,916	1.97%	N/A	N/A	N/A	N/A						
Hawaii County	206,648	14.11%	193,166	13.62%	205,412	14.64%	217,768	15.15%						
Maui County	133,869	9.14%	123,685	8.73%	137,333	9.80%	142,952	9.95%						
Kauai County	Kauai County 52,623 3.60% 49,902 3.52% 50,955 3.63% 56,874 3.96%													
Total	Total [1,464,398 100.00% 1,417,487 100.00% 1,402,759 100.00% 1,436,996 100.00%													
*2016 & 2015 Statewide avera	2016 & 2015 Statewide average does not include Military 911 calls													

TEXT TO 911 - CURRENT MONTH - NOVEMBER 2019

NOTE:

Maui County

• Although there is a "Text to 911" plot on the MapFlex, the location of the plot is not reliable. Text to 911 Dispatchers should use their skills to ascertain the exact location of the emergency response.

TEXT TO 911 Maui County PSAPs 2019										
Month	Received	Received								
WIOTILIT	at Maui	at Molokai								
January	25	4								
February	29	5								
March	16	0								
April	10	4								
May	10	2								
June	12	0								
July	14	4								
August	17	0								
September	16	0								
October	14	1								
November	24	1								
December										
YTD	187	21								
Monthly Avg.	17	2								

- 161 4 4

November 1, 2019 - November 30, 2019

WIRELESS PSAP TESTING - NOVEMBER 2019

	MAUI COUNTY - NOVEMBER 2019												
Date	WSP	Sites Tested	Sectors Tested	Tested By:	Test Pass/Fail	Comments:							
11/22/2019	Verizon	1	4	Maui PSAP	Pass								
11/22/2019	Sprint	1	1	Maui PSAP	Pass								
11/27/2019	Verizon	1	1	Maui PSAP	Pass								

NOTES:

- There were three (3) scheduled Wireless 911 tests conducted in November 2019 for the Maui and Molokai PSAPs.
- Verizon Wireless has completed migrating their Wireless network database from Intrado to ComTech.
- During the 4th quarter of 2018, there was an increasing amount of "MOBL" class of service type of 911 calls delivered to the State of Hawaii PSAPs. On January 15th, 2019, Intrado completed the position source mapping for ComTech which appears to have resolved this issue.

November 1, 2019 - November 30, 2019

2. MSAG (MASTER STREET ADDRESS GUIDE)

MSAG TRANSACTIONS CURRENT MONTH/YEAR – NOVEMBER 2019

		9-1-1 TRANSACTIONS							
MAUI COUNTY	Total	Dispatchable Location Transactions Submitted	MSAG	ALI Sub	omitted	Open ALI Discrepancy Records		ords	Customer Addresses
2019		DL (A)	MSAG (B)	TN CR (C)	ALI DR (D)	TNCR	ALI DR	VoIP DR	Affected
JANUARY	65	46	7	6	6	18	0	0	122
FEBRUARY	20	0	5	11	4	18	0	0	98
MARCH	248	224	15	8	1	209	0	0	58
APRIL	258	250	5	1	2	309	0	0	224
MAY	116	102	13	1	0	334	0	0	61
JUNE	126	119	3	1	3	347	0	0	245
JULY	184	166	7	9	2	34	0	0	39
AUGUST	150	137	6	6	1	64	0	0	55
SEPTEMBER	106	77	1	27	1	94	0	0	0
OCTOBER	331	322	3	6	0	80	0	0	8
NOVEMBER	146	139	5	2	0	207	0	0	15
DECEMBER									
TOTAL YTD	1,750	1,582	70	78	20	1,714	0	0	925
AVG PER MONTH	159	144	6	7	2	156	0	0	84

Definitions

- (A) **D**ispatchable **L**ocation is defined in the FCC 15-9 Docket as the verified or corroborated street address of the calling party plus additional information such as floor, suite, apartment or similar information that may be needed to adequately identify the location of the calling party. Please see Dispatchable Location Section for more information.
- (B) **M**aster **S**treet **A**ddress **G**uide Represents corrections made to street records including, street names, address ranges, MSAG Communities and ESNs.
- (C) **T**elephone **N**umber **C**hange **R**equest Represents address corrections on a specific TN or group of TNs. These "invalid" TNs usually have an associated ESN 399 attached to them which indicates the need for validation.
- (D) **A**utomatic **L**ocation **I**nformation **D**iscrepancy **R**ecord Represents an address discrepancy discovered during a live 9-1-1 call, from a landline OR a VoIP phone. These record corrections are treated with a higher priority and should be processed within 48 hours if wireline, and 72 hours if a VoIP phone, as a general guideline.



November 1, 2019 - November 30, 2019

MSAG CURRENT MONTH NOTES:

A total of **146** MSAG transactions were processed in 9-1-1 Net during the current month. Five (**5**) requests were processed relating to the MSAG database. Changes include: changes to high – low street ranges, combining street records, deletion of invalid records, splitting street records to align with Police, Fire, EMS, and inserting new MSAG records.

15 customer ANI/ALI (telephone number/address) records updated as a direct result.

TELEPHONE RECORD (ALI) TRANSACTIONS CURRENT MONTH NOTES:

Two (2) Telephone Number Change Request (TN CR) transaction was processed in 9-1-1 Net with valid MSAG address, as a result of the ESN 399 clean-up effort. ESN 399 TN CRs must be validated against HT records and approved by the end user Hawaiian Telcom customer before updating the ALI record.

Akimeka submitted one hundred and thirty nine (139) TN CRs related to the Dispatchable Location Project during the current month.

OPEN TELEPHONE RECORD (ALI) DISCREPANCY STATUS:

There are currently 207 Open TN CRs.

207 Open TN CR transactions are a result of the Dispatchable Location project. Akimeka continues to monitor and track the progress of the Referred records. Once a telephone number is submitted to Intrado for correction, it must be verified against HT records and/or approved by the customer. Intrado's internal process requires calling each telephone customer individually for approval to update an address in the 9-1-1 database.

- There are no open VoIP DRs as of November 30, 2019
- There are no open ALI DRs as of November 30, 2019

November 1, 2019 - November 30, 2019

TNCR (TELEPHONE NUMBER CHANGE REQUEST) CURRENT STATUS – NOVEMBER, 2019

NOTE:

- 9-1-1 NET is a secure web-based application that provides access to request changes to the MSAG, ALI, TN, and ESN/ELT data supported and maintained by Intrado for the Telephone Company (TelCo).
- TNCRs are not requests to change Telephone Numbers (TNs); however, it is a corrective process within 9-1-1 NET to modify location information associated with an Automatic Location Identification (ALI) record to a valid MSAG address for 9-1-1 purposes.

PSAP 9-1-1 Telephone Number Location Change Request (Telephone Number Change Request (TNCR) Status)							
County	County TOTAL TNCR OPENED TNCRS OPENED TNCRS REFERRED TO TELCO BY AKIMEKA OPENED TNCRS ACTION BY INTRADO OPENED TNCRS REFERRED TO TELCO BY INTRADO TOTAL UNOPENED TNCR RECORDS						
MAUI	207	0	129	78			
MOLOKAI	0	0 0		0			
TOTAL	207	0	129	78			

STATUS

TOTAL TNCRs SUBMITTED - The total number of TNCR requests for modification that have been submitted in 9-1-1 **PENDING STATUS** - TNCRs assigned this status are requests which have been reviewed by the 9-1-1 Database Service

Provider Data Analyst, and are pending investigation whether the request is valid or invalid, and/or whether the request requires additional information to validate.

<u>REFERRED STATUS</u> - TNCRs assigned this status are requests which have been reviewed by the 9-1-1 Database Service Provider Data Analyst, and the request requires additional information to validate. The Intrado Data Analysts assigns this status to a TNCR and the request is referred to the telephone service providers for further research.

TOTAL UNOPENED TNCR RECORDS STATUS - The request is submitted by Akimeka on behalf the PSAP; however, processing by the 9-1-1 Database Service Provider Data Analyst has not begun.

November 1, 2019 - November 30, 2019

DISPATCHABLE LOCATION - STATUS AS OF - NOVEMBER 2019

NARRATIVE:

During the August 2015 State of Hawaii 911 Board meeting, Akimeka provided a "State of Hawaii PSAPs Proposed ALI Compliancy with FCC 15-9" presentation. Based on the 9-1-1 Board's confirmation to add the "Dispatchable Location" information into the ALI database, Akimeka researched the format standards of each pertinent field, and tested the delivery of the data to the PSAP. After a few configuration adjustments (eliminating the TelCo comments field from appearing on the ALI Screen), Akimeka standardized an additional information data format to proceed with this project.

During the month of August 2015, Akimeka started a pilot project, entering additional location information to a verified MSAG address with multiple telephone numbers. Specifically the Queen Kaahumanu Shopping Center at 275 Kaahumanu Ave. The "Dispatchable Location" data is entered into the "Driving Directions" field in the 9-1-1 Net system, and will display on the Viper Power 911 ALI Screen in the "Exact" field should a 911 call be received from that telephone number. Screen shots of the "Before" ALI screen, and the "After" ALI screen with the updated "Dispatchable Location" information visible, were presented to the Dispatch Supervisors. Akimeka received positive feedback from the 911 Dispatch Personnel because the information that the 911 Call Takers will receive, will certainly cut down on the process of determining the exact location of the 911 caller. In addition to this, Akimeka was informed that the Mobile Dispatch Terminals (MDTs) in the Police Vehicles, also are able to view this "Dispatchable Location" information which will reduce the response times for Public Safety. There were 139 Dispatchable Locations submitted in November 2019 and 44 were processed by Intrado.

Dispatchable Location							
2019 Quarter 4	Common Name Place MSAG Address	TNCR* Transactions Submitted	Transactions Processed**				
Quarter 3 Carryover		3,815	3,603				
	Haiku Market Place, 810 Haiku Rd, Haiku	0	36				
	Fairway Shops, 2580 Kekaa Dr, Kaanapali	58	57				
	Polo Beach Club, 4400 Makena Rd, Wailea	11	11				
	Wailea Elua Village, 3600 Wailea Alanui Dr, Wailea	126	76				
October	Four Seasons Resort, 3900 Wailea Alanui Dr, Wailea	28	28				
	Pukalani Square, 81 Makawao Ave, Pukalani	39	38				
	Piilani Village, Piikea Ave, Kihei	0	3				
	Wailea Gateway Center, Wailea Gateway Pl, Wailea	0	1				
	Pukalani Terrace Center, 55 Pukalani St, Pukalani	60	57				
	Napili Plaza, 5095 Napilihau St, Napili	52	43				
November	Kahana Gateway Center, 4405 Honoapiilani Hwy, Napili	34	1				
November	Harbor Shops and Restaurants, 300 Maalaea Rd, Maalaea	49	0				
	Da Rose Mall, 3481 Lower Honoapiilani Rd, Napili	4	0				
December							
Total		461	351				
YTD Total		4,276	3,954				

Page **13** of **23**

November 1, 2019 - November 30, 2019

SPECTRUM (CHARTER) 9-1-1 VOIP DATABASE VERIFICATION PROJECT – NOVEMBER 2019

Akimeka received the Automatic Location Identification (ALI) records from Spectrum (formally known as Charter Communications) which is the predominant Voice over Internet Protocol (VoIP) provider in the State of Hawaii. As Akimeka has access to these ALI Records, Akimeka is researching and verifying the VoIP records against an MSAG valid address and the GIS data. This research is a validation of the ALI Record to ensure that the location as provided by the VoIP provider matches the GIS Information utilized by the Public Safety Agencies within their specific County 9-1-1 Service Area. This validation reduces the potential of address or location dispute during a 9-1-1 call.

The analysis of the database records indicates that there are invalid MSAG addresses utilized by the VoIP Provider. These records are being identified, and will be sent back to Spectrum for corrective action.

*Spectrum (Charter) 9-1-1 VoIP Database Verification Project					
	TOTAL	TOTAL RECORDS		NON	PERCENT
	RECORDS	MATCHING &	RECORDS	MATCHING	COMPLETED
PSAP	SUBMITTED BY		NOT	RECORDS	
	SPECTRUM	911 DATABASES	MATCHING	CORRECTED	
	(A)	(B)		BY AKIMEKA	
				(C)	
HAWAII County	22,044	21,638 (98%)	406	406	100.00%
KAUAI County	8,936	8,695 (97%)	241	241	100.00%
MAUI County	18,256	17,517 (96%)	739	739	100.00%
OAHU Cilivian	87,414	85,329 (98%)	2,085	2,085	100.00%
OAHU Military	3,663	710 (19%)	2,953	2,953	100.00%
TOTAL	140,313	**133,889	6,424	6,424	100.00%

^{*} Spectrum VoIP Database received on June 21st, 2017

^{**} Akimeka provided VoIP Records with Latitude/Longitude coordinates

(A)	VoIP Database records submitted by Spectrum to Akimeka for research and MSAG address validation.
(B)	Akimeka has researched and verified the VoIP record against an MSAG valid address and GIS data. Akimeka is tracking corrections needed to be performed by Spectrum. Addressing data will be updated or added in the GIS if the VoIP record is determined to be valid.
(C)	Verifcation Process Completed.

November 1, 2019 - November 30, 2019

BANDWIDTH 9-1-1 VOIP DATABASE VERIFICATION PROJECT - NOVEMBER 2019

Akimeka received the Automatic Location Identification (ALI) records from Bandwidth which is a Voice over Internet Protocol (VoIP) provider in the State of Hawaii. As Akimeka has access to these ALI Records, Akimeka researched and verified the VoIP records against an MSAG valid address and the GIS data. This research is a validation of the ALI Record to ensure that the location as provided by the VoIP provider matches the GIS Information utilized by the Public Safety Agencies within their specific County 9-1-1 Service Area. This validation reduces the potential of address or location dispute during a 9-1-1 call.

The analysis of the database records indicates that there were invalid MSAG addresses utilized by the VoIP Provider. These records were identified, and sent back to Bandwidth for corrective action.

Akimeka will update the chart below as we receive updated ALI records from Bandwidth.

*Bandwidth							
9-1-1	9-1-1 VoIP Database Verification Project **(Updated)						
	TOTAL	TOTAL NEW	TOTAL	NON	PERCENT		
	RECORDS	RECORDS	RECORDS	MATCHING	COMPLETED		
PSAP	SUBMITTED BY	VERIFIED WITH	NOT	RECORDS			
ISAI	BANDWIDTH	911 DATABASES	MATCHING	CORRECTED			
	(A)	(B)		BY AKIMEKA			
				(C)			
HAWAII County	545	85	0	0	100.00%		
KAUAI County	306	41	0	0	100.00%		
MAUI County	914	222	1	1	100.00%		
OAHU Cilivian	4,065	888	1	1	100.00%		
OAHU Military	56	7	0	0	100.00%		
TOTAL	5,886	1,243	2	2	100.00%		

^{*}Bandwidth VoIP Database received on April 5th, 2018

(A)	VoIP Database records submitted by Bandwidth to Akimeka for research and MSAG address validation.
	Akimeka has researched and verified the VoIP record against an MSAG valid address and GIS data. Akimeka is tracking corrections needed to be performed by Bandwidth. Addressing data will be updated or added in the GIS if the VoIP record is determined to be valid.
(C)	Verifcation Process Completed.

^{**}Updated Bandwidth VoIP Database received on September 6th, 2018

November 2019



Maui County E9-1-1 Status Report

November 1, 2019 - November 30, 2019

3. GEOGRAPHIC INFORMATION SYSTEM (GIS) - NOVEMBER 2019

MAPPING LAYERS UPDATED (PART I)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

	MAUI COUNTY					
	Akimeka GIS					
Type of Layer	Server	GIS Delivery Dates/Remarks				
J.F. T. T.	Date Created/ Edits Performed	,				
		1 BUDLIG CAFEWY AWERCEON DICHAROU & DECRONGE				
	CRITICAL 9-1	1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)				
		Delivered 11/20/2019				
		Added address for one (1) record in Napili				
	11/6/19	Verified address for fourteen (14) records in Haiku				
	To	Verified address for one (1) record in Kahului				
	11/19/19	Added address for three (3) records in Kahului				
Address Points		Added address for two (2) records in Haiku				
		Spatially corrected one (1) record in Napili				
	11/1/19	Delivered 11/6/2019				
	То	Updated location name for two (2) records in Wailuku				
	11/5/19	Spatially corrected one (1) record in Wailuku				
Airports		· ,				
Bridges						
Building Footprints						
Bus Stops						
Churches						
Coastal Names						
Coastline						
Common Places						
Correctional Facilities						
Emergency Callboxes						
Emergency Operation						
Centers						
Emergency Shelters						
ESZ/ESN						
Fire Beats						
Fire Districts						
Fire Response Areas						
Fire Stations						
Food & Beverage						
Gas Stations						
Gate Codes						
Government Buildings						
Harbors						
Helipads						

Maui County

November 1, 2019 - November 30, 2019

MAPPING LAYERS UPDATED (PART II)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

	MAUI COUNTY							
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	GIS Delivery Dates/Remarks						
	CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE							
		(Listed Alphabetically)						
Hiking Trails								
Hospitals								
Hydrants								
Hyrdology Layers								
Incident Response Areas								
Lodging								
Major Roads								
Medic Beats								
Medic Districts								
Medic Response Areas								
Medic Stations								
Medical Facilities								
Milepost Markers								
MSAG Communities								
Net Junctions								
Ocean Rescue Boundaries								
Ocean Safety								
Parcels								
Parks								
Parks Polygon								
		Delivered 11/6/2019						
	11/1/19	Spatially corrected, updated address for one (1) record in Wailuku						
Points of Interest	То	Updated POI name for two (2) records in Wailuku						
	11/5/19	Added POI for three (3) records in Wailuku						
		Spatially corrected one (1) record in Kahului						
Police Beats								
Police Districts								
Police Response Areas								
Police Stations								
Post Offices								
Schools								

November 1, 2019 - November 30, 2019

MAPPING LAYERS UPDATED (PART III)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

	MAUI COUNTY						
Type of Layer Akimeka GIS Server Date Created/ Edits Performed		GIS Delivery Dates/Remarks					
	CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE						
		(Listed Alphabetically)					
	11/20/19 To 11/30/19	Next Delivery 12/04/2019 Added segment for one (1) record in Kaunakakai Partial spatial correction for ten (10) records in Kaunakakai					
Street Centerlines	11/00/13	Spatially corrected thirty-four (34) records in Kaunakakai					
Street Centennies	44/0/40	Delivered 11/20/2019					
	11/6/19 To	Partial spatial correction for two (2) records in Kaunakakai					
	11/19/19	Spatially corrected twenty-eight (28) records in Kaunakakai					
		Verified address for one (1) record in Waihee					
Subdivisions							
Tow Jurisdictions							
Tsunami Evacuation Zones							
Tsunami Heights							
Waste Water Plants							
	11/6/19	Delivered 11/20/2019					
	To	Updated five (5) sectors per Sprint CRS					
	11/19/19	Added twelve (12) sectors per Verizon Wireless CRS					
WSP Cell Sectors		Added two (2) sectors per Sprint CRS					
	11/1/19	Delivered 11/6/2019					
	То	Updated twelve (12) sectors per Sprint CRS					
	11/5/19	Added six (6) sectors per Verizon Wireless CRS					
		Added six (6) sectors per Sprint CRS					
	11/6/19	Delivered 11/20/2019					
	To 11/19/19	Updated two (2) towers per Sprint CRS					
WSP Cell Towers		Added one (1) tower per Verizon Wireless CRS					
	11/1/19	Delivered 11/6/2019					
	To 11/5/19	Updated three (3) towers per Sprint CRS					
	11/5/19	Updated two (2) towers per Verizon Wireless CRS					

NOTE:

The Parcels layer is provided by Maui County. Akimeka performs edits on the spatial information of the layer for 9-1-1 purposes. Changes to the attribute table are made when needed. The Parcels layer uploaded to the PSAP GIS server is intended for 9-1-1 purposes only and should not be disseminated to other county agencies.



November 1, 2019 - November 30, 2019

GEOGRAPHIC INFORMATION SYSTEM (GIS) NARRATIVES

GIS KEY ACTIVITIES/UPDATES

• GIS Key activities include the events such as GIS deliverables, meetings, agreements, etc.

Date	Key Activities/Updates
11/20/2019	Delivered .map, .str, .rte, Maui Cell Coverage.csv, and database files, which
	included updated Address Points, Common Name Lookup Table, Points Of
	Interest, Street Centerlines, and WSP Cell Towers for Intergraph.
11/20/2019	Delivered updated data for MapFlex which included Address Points, Points Of
	Interest, Street Centerlines, WSP Cell Sectors and WSP Cell Towers.
11/6/2019	Delivered updated data for MapFlex which included Address Points, Points Of
	Interest, Street Centerlines, WSP Cell Sectors and WSP Cell Towers.
11/6/2019	Delivered .map, .str, .rte, Maui Cell Coverage.csv, and database files, which
	included updated Address Points, Common Name Lookup Table, Gate Codes,
	Points Of Interest, Street Centerlines, and WSP Cell Towers for Intergraph.

INTERGRAPH CAD UPGRADE

From April through June 2014, the Maui Police Department worked to upgrade their Intergraph CAD system to the more recent 2014 version. Through this upgrade process, new improvements were identified and the overall functionality of the system from the Map Build process to the Production workstation made significant enhancements in order to streamline the deliverables and continue providing accurate data to the PSAP.

- 1. Akimeka delivered an updated Intergraph CAD map November 6th, 2019 which included:
 - a. Address Points, Common Name Lookup Table, Points of Interest, Street Centerlines, and WSP Cell Towers.
 - b. .map, .str, .rte, CAD Map Build database and Cell Coverage.csv
- 2. On November 20th, 2019 Akimeka delivered an updated Intergraph CAD map which included:
 - a. Address Points, Common Name Lookup Table, Points Of Interest, Street Centerlines, and WSP Cell Towers
 - b. .map, .str, .rte, CAD Map Build database and Cell Coverage.csv

During December 2019, the Intergraph CAD map will continue to be delivered every other week, which has been coordinated with all mapping system updates and synchronizations with other 911 databases.

November 1, 2019 - November 30, 2019

MAPFLEX SYSTEM

Akimeka delivered GIS data to the MapFlex system on the following dates in November 2019

Hawaii County – November 5th, 2019 and November 19th, 2019 **Maui County** – November 6th, 2019 and November 20th, 2019 **Kauai County** – November 7th, 2019, and November 21st, 2019 **Honolulu** – November 8th, 2019, and November 22nd, 2019

MAPFLEX ISSUES

Below is a detailed list of issues regarding the MapFlex systems throughout the State of Hawaii.

DATE	ISSUE	DESCRIPTION	STATUS
8/2016	Wireless Addresses	MapFlex system began displaying wireless information incorrectly. MapFlex system is doing a reverse query for additional information in the GIS and this is overriding the ALI information with the closest address in the GIS.	Partially Resolved (Nov 2016) The overriding ALI with updated Lat/Longs from the GIS is still occurring
11/2016	Phase I Display	Wireless Phase I calls plotting at centroid of coverage area and landing in the ocean. After installation of new MapFlex version to correct other issues, the configurations for Wireless Phase I were not set up properly by Intrado, in which the mapping did not point to the correct information in MapFlex.	Partially Resolved (Dec 2016) According to PSAPs, it's not fully resolved. The icon of the tower still doesn't plot for Phase I.
11/2016	Wireless Confidence	Sprint calls coming across with unusually high confidence. Coordination is taking place with Sprint and Intrado. Intrado provides the PDE services for Sprint.	Pending
3/22/2017	ArcGIS Address Locator	The locators in MapFlex have a configurations which does not include ESNs. A reported issue has occurred with the Sheraton in Waikiki. The address locator does not differentiate between the Sheraton hotel and the surf break and plots on the surf break. The bigger issue is that this same issue will occur with complexes that have same primary address.	Pending A new SP 5.4 update by Intrado is aimed to correct this issue.
5/17/2017	VoIP Calls Plotting Incorrectly	Recognized in late April and early May 2017, the PSAPs have been receiving several VoIP calls which are plotting in the incorrect locations. After further research it was determined that it is because MapFlex is configured to plot the received Lat/Long. The problem is that these are not always maintained properly and that ideally the system should first choose to match with the GIS data based on the provided address. During the September 20, 2017 PSAP conference call, HT relayed there was confirmation that the Time Warner records were in fact passing through the Intrado FMCC.	Partially Resolved – the Lat/Longs are no longer being plotted in MapFlex due to a software release.

Page **20** of **23**

November 1, 2019 - November 30, 2019

5/17/2017	Landline Calls	It was determined that for normal landline calls, the X/Y	Intrado is looking into this
	Producing X/Y on	coordinates are being sent. The PSAPs have asked where	(May - June 2017)
	calls	these are being generated and why would they be sent for	
		landline calls.	
5/23/2018	Phase I & Phase II	Phase I calls received at the Kihei Maui PSAP are displaying	Pending
	coverage area	a circular circumference area rather than a cone shaped	
		directional coverage. Phase II calls are not plotting the COF	
		meters correctly.	
5/24/2018	Incorrect Addresses	MapFlex system began displaying incorrect addresses in the	Pending
		bubble display when an Address Point is right mouse clicked	
		to see information by the PSAPs. However, the address in	
		the data is still correct as shown on the left hand side.	
6/27/2018	Moving Labels	It was brought up during the PSAP teleconference with	Pending
		Hawaiian Tel and Intrado that the Hawaii Fire Department	
		submitted a trouble ticket regarding the parcel labels. When	
		the base map is checked on for viewing the owner's names	
		on the parcel layer, the names of some of the parcels will	
		follow and leave their parcel as the map is panned following	
		streets. This problem was also recreated at the Hawaii	
		Police Department.	

November 1, 2019 - November 30, 2019

4. SERVICE REQUESTS TRANSACTIONS

OPEN SERVICE REQUESTS – MAUI COUNTY PSAPS - NOVEMBER 2019

MAUI COUNTY						
#	Date	Ticket #	Description	PSAP	Urgency	Comments
			None			

NOTE:

There are no (0) Open Service Request for the Maui County PSAPs for November, 2019.

MAUI PSAP SERVICE REQUESTS YEAR-TO-DATE (YTD) SUMMARY – 2019

MAUI COUNTY				MSAG SERVICE REQUEST CATEGORIES					
2019	TOTAL		0	WIRELINE		WIRELESS		VoIP	
	Created	Closed	Open	Created	Closed	Created	Closed	Created	Closed
2018 Carryover*			1						
January	5	5	1	5	5	0	0	0	0
February	4	3	2	4	3	0	0	0	0
March	1	3	1	1	3	0	0	0	0
April	1	1	0	1	1	0	0	0	0
Мау	0	0	0	0	0	0	0	0	0
June	3	3	0	3	3	0	0	0	0
July	2	2	0	2	2	0	0	0	0
August	1	1	0	1	1	0	0	0	0
September	1	1	0	1	1	0	0	0	0
October	0	0	0	0	0	0	0	0	0
November	0	0	0	0	0	0	0	0	0
December									
TOTAL	18	19	0	18	19	0	0	0	0

Note:	*The 2018 Carry Over row indicates the number of Service Requests that were opened in 2018;
	however, were brought forward into 2019 in an effort to track the service request until completion.

	Category	Description
	Wireline	Telephone Number (ALI) Discrepancies from land line phones that have been submitted to Intrado via 9-1-1 Net for correction.
<u>Definitions:</u>	Wireless	Telephone Number (ALI) Discrepancies from phones that were land lines at one time, and were ported out to a wireless carrier. However, the phone number was never removed from the MSAG database.
	VoIP	Telephone Number (ALI) Discrepancies from VoIP phones that have been submitted to Time Warner Cable (TWCBL) or other VoIP providers for correction



November 2019

Maui County E9-1-1 Status Report

November 1, 2019 - November 30, 2019

5. E9-1-1 DATABASE SYNCHRONIZATION

(<u>Reference:</u> NENA 71-501, Version 1.1 – NENA Information Document for Synchronizing Geographic Information System databases with MSAG & ALI)

Next Scheduled Database Synchronization Report – December 2019

AUDIT SUMMARY RESULTS - 2018 - 2019 -- TBA

MSAG AUDIT SUMMARY RESULTS - DECEMBER 1, 2019 VS SEPTEMBER 1, 2019 -- TBA

INVALID MSAG STREETS AND ADDRESS RANGES - ESN X99 RECORDS -- TBA

AUTOMATIC LOCATION IDENTIFICATION (ALI) DISCREPANCY REPORT -- TBA

Maui County