February 1, 2024 - February 29, 2024







February 1, 2024 - February 29, 2024

TABLE OF CONTENTS

1. PSAP Operations	5
9-1-1 Call Volume Maui PSAP – February 2024	5
Call Volume Maui PSAP Notes:	5
9-1-1 Call Volume Maui PSAP – Calendar Year 2024	5
9-1-1 Call Volume Molokai PSAP – February 2024	6
Call Volume Molokai PSAP Notes:	6
9-1-1 Call Volume Molokai PSAP – Calendar Year 2024	6
9-1-1 Call Volume (Combined Maui & Molokai PSAPS) – February 2024	7
9-1-1 Call Volume (Combined Maui & Molokai PSAPS) – Calendar Year 2024	7
PSAP Operation Notes:	8
For Your Information	8
Text To 911 – Current Month – February 2024	9
Note:	9
Wireless PSAP Testing – February 2024	9
Notes:	9
2. MSAG (Master Street Address Guide)	10
MSAG Transactions Current Month/Year – February 2024	10
MSAG Current Month Notes:	11
Telephone Record (ALI) Transactions Current Month Notes:	11
Open Telephone Record (ALI) Discrepancy Status:	11
TNCR (Telephone Number Change Request) Current Status – February 2024	12
NOTE:	12
Dispatchable Location – Status As Of – February 2024	13





February 1, 2024 - February 29, 2024

Narrative:	13
Spectrum (Charter) 9-1-1 VoIP Database Verification Project – February 2024	14
Bandwidth 9-1-1 VoIP Database Verification Project – February 2024	15
3. Geographic Information System (GIS) – February 2024	16
Mapping Layers Updated (Part I)	16
Mapping Layers Updated (Part II)	17
Mapping Layers Updated (Part III)	18
Mapping Layers Updated (Part IV)	19
Mapping Layers Updated (Part V)	20
Mapping Layers Updated (Part VI)	21
Note:	21
Geographic Information System (GIS) Narratives	22
GIS Key Activities/Updates	22
GIS for 911	22
Intergraph CAD Upgrade	23
Motorola Premier One Project	23
MapFlex System	24
MapFlex Issues	24
Maui EMS (AMR)	24
4. Service Requests Transactions	25
Open Service Requests – Maui County PSAPS - February 2024	25
Note:	25
Maui PSAP Service Requests Year-To-Date (YTD) Summary – 2024	25
5. E9-1-1 Database Synchronization	26





February 1, 2024 - February 29, 2024

Two-way (2-way) comparision – March 2024 - TBA	26
Three-way (3-way) comparision – March 2024 - TBA	26
Invalid MSAG Streets and Address Ranges – ESN 359 & ESN 399 MSAG & ALI Records Project Completed	26





February 1, 2024 - February 29, 2024

1. PSAP OPERATIONS

9-1-1 CALL VOLUME MAUI PSAP - FEBRUARY 2024

Source: Intrado Viper system

(*) Totals are based on calls to Primary PSAP.

							9-1-	1 Call V	olume								
MAL	JI PSAP	Wir	eline		Wireless			vo	IP	Calls W		Admir	n Calls	Abandoned Calls		Other Calls	
2024	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls		No. of Calls with No ALI		No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls
FEB	7,714	559	7.25%	6,298	81.64%	20.96%	79.04%	308	3.99%	14	0.18%	0	0.00%	535	6.94%	0	0.00%

CALL VOLUME MAUI PSAP NOTES:

*Calls with No ALI for February 2024 = 0.18% - Statewide average for 2023 = 0.14%

9-1-1 CALL VOLUME MAUI PSAP – CALENDAR YEAR 2024

							9-1-	-1 Call V	olume								
MAL	JI PSAP	Wir	eline		Wireless			VO	IP	Calls v		Admin Calls			doned alls	Other	Calls
2024	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls		No. of Calls with No ALI		No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls
JAN	8,987	696	7.74%	7,303	81.26%	22.32%	77.68%	317	3.53%	12	0.13%	0	0.00%	658	7.32%	1	0.01%
FEB	7,714	559	7.25%	6,298	81.64%	20.96%	79.04%	308	3.99%	14	0.18%	0	0.00%	535	6.94%	0	0.00%
MAR																	
APR																	
MAY																	
JUNE																	
JULY																	
AUG																	
SEPT																	
ОСТ																	
NOV																	
DEC																	
YTD	16,701	1,255		13,601				625		26		0		1,193		1	
MON AVG	8,351	628	7.50%	6,801	81.45%	21.64%	78.36%	313	3.76%	13	0.16%	0	0.00%	597	7.13%	0.50	0.01%





February 1, 2024 - February 29, 2024

9-1-1 CALL VOLUME MOLOKAI PSAP – FEBRUARY 2024

Source: Intrado Viper system

(*) Totals are based on calls to Primary PSAP.

							9-1-	-1 Call V	olume								
_	LOKAI PSAP	Wir	eline		Wir	eless		vo	IP	Calls W		Admir	n Calls	Aband Ca	doned Ills	Other	Calls
2024	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	Vireless Total Calls Wireless Wireless					No. of Calls with No ALI		No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls
FEB	635	261	41.10%	283	44.57%	43.11%	56.89%	6	0.94%	0	0.00%	0	0.00%	85	13.39%	0	0.00%

CALL VOLUME MOLOKAI PSAP NOTES:

* Calls with No ALI for February 2024 = 0.00% - Statewide average for 2023 = 0.14%

9-1-1 CALL VOLUME MOLOKAI PSAP – CALENDAR YEAR 2024

							9-1-	-1 Call V	olume								
_	DLOKAI PSAP	Wir	reline		Wir	eless		vo		Calls v	vith No LI	Admi	n Calls		doned alls	Other Calls	
2024	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls		No. of Calls with No ALI		No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls
JAN	748	207	27.67%	390	52.14%	40.77%	59.23%	6	0.80%	0	0.00%	0	0.00%	145	19.39%	0	0.00%
FEB	635	261	41.10%	283	44.57%	43.11%	56.89%	6	0.94%	0	0.00%	0	0.00%	85	13.39%	0	0.00%
MAR																	
APR																	
MAY																	
JUNE																	
JULY																	
AUG																	
SEPT																	
ОСТ																	
NOV																	
DEC																	
YTD	1,383	468		673				12		0		0		230		0	
MON AVG	692	234	34.39%	337	48.35%	41.94%	58.06%	6.00	0.87%	0	0.00%	0	0.00%	115	16.39%	0	0.00%





February 1, 2024 - February 29, 2024

9-1-1 CALL VOLUME (COMBINED MAUI & MOLOKAI PSAPS) - FEBRUARY 2024

							9-1-	-1 Call V	olume								
_	COUNTY SAPs	Wir	eline		Wir	eless		VOIP	Calls	Calls V		Admir	n Calls	Aband Ca	doned IIs	Other	Calls
2024	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls		% of Wireless WPH2 Calls	No. of VoIP Calls		No. of Calls with No ALI		No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls
FEB	8,349	820	9.82%	6,581	78.82%	21.91%	78.09%	314	3.76%	14	0.17%	0	0.00%	620	7.43%	0	0.00%

9-1-1 CALL VOLUME (COMBINED MAUI & MOLOKAI PSAPS) - CALENDAR YEAR 2024

							9-1	-1 Call V	olume								
_	COUNTY SAPs	Wir	eline		Wir	eless		vo	IP	Calls w		Admir	n Calls		doned Ills	Other	Calls
2024	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls		No. of Calls with No ALI		No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other Calls	% of Total Calls
JAN	9,735	903	9.28%	7,693	79.02%	23.25%	76.75%	323	3.32%	12	0.12%	0	0.00%	803	8.25%	1	0.01%
FEB	8,349	820	9.82%	6,581	78.82%	21.91%	78.09%	314	3.76%	14	0.17%	0	0.00%	620	7.43%	0	0.00%
MAR																	
APR																	
MAY																	
JUNE																	
JULY																	
AUG																	
SEPT																	
ОСТ																	
NOV																	
DEC																	
YTD	18,084	1,723		14,274				637		26		0		1,423		1	
MON AVG	9,042	862	9.55%	7,137	78.92%	22.58%	77.42%	319	3.54%	13	0.15%	0.00	0.00%	712	7.84%	1	0.01%

*1 (911) call received with the class of service "TSP". HwnTel/Intrado informed for clarification. Received confirmation from Intrado that the class of service for "TSP" is a Telematics call.





February 1, 2024 - February 29, 2024

PSAP OPERATION NOTES:

- Abandoned Calls represent the number of incoming 9-1-1 calls for which the caller had hung up before a call-taker answered. Dropped Calls are hang ups after transfers.
- Abandoned Calls are included in the Wireline and Wireless total counts respectively.
- All VoIP (Voice over Internet Protocol) 911 calls are combined in the Call Volume statistic.
- A New Class of Service (COS): FIXD = Wireless 911 calls to the PSAP via fixed indoor antennas.
- 0 (911) call with the COS of FIXD were added to the Wireless Phase I (WPH 1) percentage total.
- A New Class of Service (COS): WDL1/WDL2 = Wireless 911 calls to the PSAP via fixed indoor antennas with a general location i.e., pool area (WDL1) or a specific area i.e., room 101 (WDL2).
- 0 (911) call with the COS of WDL1, or WDL2 were added to the Wireless Phase I or Phase II percentage total.

FOR YOUR INFORMATION

				FYI	For You	r Informat	ion					
				ı	PSAP Opera	itions						
	Statewide 911 Call Volumes											
PSAP	20	2023 2022 2021 2020 2019 2018										
Oahu Civilian	988,670	68.33%	971,113	69.45%	1,052,026	68.91%	991,016	71.11%	1,075,726	69.67%	1,034,190	70.62%
RDC Pearl Harbor	36,916	2.55%	31,827	2.28%	39,253	2.58%	37,014	2.66%	37,905	2.45%	37,068	2.53%
Hawaii County	207,715	14.35%	199,811	14.29%	214,220	14.00%	188,329	13.51%	211,611	13.70%	206,648	14.11%
Maui County	152,397	10.54%	140,524	10.05%	160,241	10.51%	125,626	9.01%	157,127	10.18%	133,869	9.14%
Kauai County	61,197	4.23%	54,923	3.93%	60,986	4.00%	51,653	3.71%	61,754	4.00%	52,623	3.60%
Total	1,446,895	100.00%	1,398,198	100.00%	1,526,726	100.00%	1,393,638	100.00%	1,544,123	100.00%	1,464,398	100.00%

911 Call Volume % ir	ncrease from 2022 to 2023
Oahu	1.80%
RDC	15.99%
Hawaii	3.95%
Maui	8.44%
Kauai	11.42%
State of Hawaii	8.32%

911 Calls with No ALI 9	% average for 2023
Oahu	0.47%
RDC	0.03%
Hawaii	0.04%
Maui	0.13%
Kauai	0.03%
State of Hawaii average	0.14%

State of Hawaii 2023					
TEXT TO 91:	1				
Oahu Civilian 2,724					
RDC Pearl Harbor	66				
Hawaii County	689				
Maui County	581				
Kauai County	211				
*Total	4,271				

Totals may include PSAP training, testing, and 911 Texting errors





February 1, 2024 - February 29, 2024

TEXT TO 911 - CURRENT MONTH - FEBRUARY 2024

TEXT TO 911 Maui County PSAPs 2024				
Month	Received	Received		
IVIOTICIT	at Maui	at Molokai		
January	38	2		
February	21	1		
March				
April				
May				
June				
July				
August				
September				
October				
November				
December				
YTD	59	3		
Monthly Avg.	30	2		

NOTE:

• Although there is a "Text to 911" plot on the MapFlex, the location of the plot is not dependable. Text to 911 Dispatchers should use their skills to ascertain the exact location of the emergency response.

WIRELESS PSAP TESTING - FEBRUARY 2024

	MAUI COUNTY - FEBRUARY 2024						
Date	WSP	Sites Tested	Sectors Tested	Tested By:	Test Pass/Fail	Comments:	

NOTES:

• There were no (0) scheduled Wireless 911 tests conducted in February 2024 for the Maui and Molokai PSAPs.





February 1, 2024 - February 29, 2024

2. MSAG (MASTER STREET ADDRESS GUIDE)

MSAG TRANSACTIONS CURRENT MONTH/YEAR - FEBRUARY 2024

	9-1-1 TRANSACTIONS								
MAUI COUNTY	Total	Dispatchable Location Transactions Submitted	MSAG	ALI Submitted		Open ALI Discrepancy Records			Customer Addresses
2024		DL (A)	MSAG (B)	TN CR (C)	ALI DR (D)	TNCR	ALI DR	VoIP DR	Affected
JANUARY	234	229	5	0	0	751	0	0	0
FEBRUARY	79	67	12	0	0	707	0	0	41
MARCH									
APRIL									
MAY									
JUNE									
JULY									
AUGUST									
SEPTEMBER									
OCTOBER									
NOVEMBER									
DECEMBER									
TOTAL YTD	313	296	17	0	0	1,458	0	0	41
AVG PER MONTH	157	148	9	0	0	729	0	0	21

Definitions

- (A) **D**ispatchable **L**ocation is defined in the FCC 15-9 Docket as the verified or corroborated street address of the calling party plus additional information such as floor, suite, apartment or similar information that may be needed to adequately identify the location of the calling party. Please see Dispatchable Location Section for more information.
- (B) **M**aster **S**treet **A**ddress **G**uide Represents corrections made to street records including, street names, address ranges, MSAG Communities and ESNs.
- (C) **T**elephone **N**umber **C**hange **R**equest Represents address corrections on a specific TN or group of TNs. These "invalid" TNs usually have an associated ESN 399 attached to them which indicates the need for validation.
- (D) **A**utomatic **L**ocation **I**nformation **D**iscrepancy **R**ecord Represents an address discrepancy discovered during a live 9-1-1 call, from a landline OR a VoIP phone. These record corrections are treated with a higher priority and should be processed within 48 hours if wireline, and 72 hours if a VoIP phone, as a general guideline.





February 1, 2024 - February 29, 2024

MSAG CURRENT MONTH NOTES:

A total of **79** MSAG transactions were processed in 9-1-1 Net during the current month. Twelve (**12**) requests were processed relating to the MSAG database. Changes include: changes to high – low street ranges, combining street records, deletion of invalid records, splitting street records to align with Police, Fire, EMS, and inserting new MSAG records.

There were 41 customer ANI/ALI (telephone number/address) records updated as a direct result.

TELEPHONE RECORD (ALI) TRANSACTIONS CURRENT MONTH NOTES:

V2X (formerly Akimeka) submitted sixty-seven (67) TN CRs related to the Dispatchable Location Project during the current month.

OPEN TELEPHONE RECORD (ALI) DISCREPANCY STATUS:

- There are currently 707 Open TN CR Transactions.
- Refer to chart in the next section "TNCR Current Status"

707 Open TN CR transactions are a direct result of the Dispatchable Location Project and are awaiting approval from Hawaiian Telcom, Inc. V2X (formerly Akimeka) continues to monitor and track the progress of the Referred records. Once a telephone number is submitted to Intrado for correction, it must be verified against HT records and/or approved by the customer. Intrado's internal process requires calling each telephone customer individually for approval to update an address in the 9-1-1 database.

- There are no open VoIP DRs as of February 29, 2024
- There are no open ALI DRs as of February 29, 2024





February 1, 2024 - February 29, 2024

TNCR (TELEPHONE NUMBER CHANGE REQUEST) CURRENT STATUS - FEBRUARY 2024

NOTE:

- 9-1-1 NET is a secure web-based application that provides access to request changes to the MSAG, ALI, TN, and ESN/ELT data supported and maintained by Intrado for the Telephone Company (TelCo).
- TNCRs are not requests to change Telephone Numbers (TNs); however, it is a corrective process within 9-1-1 NET to modify location information associated with an Automatic Location Identification (ALI) record to a valid MSAG address for 9-1-1 purposes.

	PSAP 9-1-1 Telephone Number Location Change Request (Telephone Number Change Request (TNCR) Status)					
County TOTAL TNCR RECORDS SUBMITTED BY V2X FORMERLYAKIMEKA OPENED TNCRS PENDING FURTHER ACTION BY INTRADO BY INTRADO OPENED TNCRS REFERRED TO TELCO BY INTRADO TOTAL UNOPENED TNCR RECORDS						
MAUI	701	0	535	166		
MOLOKAI	6	0	6	0		
TOTAL	707	0	541	166		

STATUS

TOTAL TNCRs SUBMITTED - The total number of TNCR requests for modification that have been submitted in 9-1-1 NET.

<u>PENDING STATUS</u> - TNCRs assigned this status are requests which have been reviewed by the 9-1-1 Database Service Provider Data Analyst, and are pending investigation whether the request is valid or invalid, and/or whether the request requires additional information to validate.

REFERRED STATUS - TNCRs assigned this status are requests which have been reviewed by the 9-1-1 Database Service Provider Data Analyst, and the request requires additional information to validate. The INTRADO Data Analysts assigns this status to a TNCR and the request is referred to the telephone service providers for further research.

TOTAL UNOPENED TNCR RECORDS STATUS - The request is submitted by V2X formerly Akimeka on behalf the PSAP; however, processing by the 9-1-1 Database Service Provider Data Analyst has not begun.





February 1, 2024 - February 29, 2024

DISPATCHABLE LOCATION - STATUS AS OF - FEBRUARY 2024

NARRATIVE:

During the August 2015 State of Hawaii 911 Board meeting, V2X (formerly Akimeka) provided a "State of Hawaii PSAPs Proposed ALI Compliancy with FCC 15-9" presentation. Based on the 9-1-1 Board's confirmation to add the "Dispatchable Location" information into the ALI database, V2X (formerly Akimeka) researched the format standards of each pertinent field and tested the delivery of the data to the PSAP. After a few configuration adjustments (eliminating the TelCo comments field from appearing on the ALI Screen), V2X (formerly Akimeka) standardized an additional information data format to proceed with this project. During the month of August 2015, V2X (formerly Akimeka) started a pilot project, entering additional location information to a verified MSAG address with multiple telephone numbers. Specifically, the Queen Kaahumanu Shopping Center at 275 Kaahumanu Ave. The "Dispatchable Location" data is entered into the "Driving Directions" field in the 9-1-1 Net system and will display on the Viper Power 911 ALI Screen in the "Exact" field should a 911 call be received from that telephone number. Screen shots of the "Before" ALI screen, and the "After" ALI screen with the updated "Dispatchable Location" information visible, were presented to the Dispatch Supervisors. V2X (formerly Akimeka) received positive feedback from the 911 Dispatch Personnel because the information that the 911 Call Takers will receive, will certainly cut down on the process of determining the exact location of the 911 caller. In addition to this, V2X (formerly Akimeka) was informed that the Mobile Dispatch Terminals (MDTs) in the Police Vehicles, also are able to view this "Dispatchable Location" information which will reduce the response times for Public Safety. There were 67 Dispatchable Locations submitted in February 2024 and 19 were processed by Intrado.

Dispatchable Location						
2024	Common Name Place	TNCR* Transactions	Transactions			
Quarter 1	MSAG Address	Submitted	Processed**			
2023 Carryover		20,179	19,456			
	Multi Bus, 1063 Lower Main St, Wailuku	15	7			
	Maui Countertops Inc, 1261 Lower Main St, Wailuku	1	1			
	Multi Bus, 1371 Lower Main St, Wailuku	2	2			
	Pamela B Shults, Attorney, 1500 Lower Main St, Wailuku	2	2			
	Hale Makua, 1540 Lower Main St, Wailuku	3	0			
February	Multi Bus, 1820 Lower Main St, Wailuku	2	1			
	Minit Stop, 745 Lower Main St, Wailuku	3	3			
	Maui A/C & Fireplace, 775 Lower Main St, Wailuku	1	0			
	CSEA/Maui Branch, 35 Lunalilo St, Wailuku	6	0			
	Hawaii State Government, 35 Lunalilo St, Wailuku	30	1			
	Tutu & Me Traveling Pre-School, 35 Lunalilo St, Wailuku	2	2			
March						
Q1		296	394			
Total		20,475	19,850			





February 1, 2024 - February 29, 2024

SPECTRUM (CHARTER) 9-1-1 VOIP DATABASE VERIFICATION PROJECT - FEBRUARY 2024

V2X (formerly Akimeka) received the Automatic Location Identification (ALI) records from Spectrum (formally known as Charter Communications) which is the predominant Voice over Internet Protocol (VoIP) provider in the State of Hawaii. As V2X (formerly Akimeka) has access to these ALI Records, V2X (formerly Akimeka) is researching and verifying the VoIP records against an MSAG valid address and the GIS data. This research is a validation of the ALI Record to ensure that the location as provided by the VoIP provider matches the GIS Information utilized by the Public Safety Agencies within their specific County 9-1-1 Service Area. This validation reduces the potential of address or location dispute during a 9-1-1 call.

The analysis of the database records indicates that there are invalid MSAG addresses utilized by the VoIP Provider. These records are being identified and will be sent back to Spectrum for corrective action.

*Spectrum (Charter) 9-1-1 VoIP Database Verification Project					
PSAP	TOTAL RECORDS SUBMITTED BY SPECTRUM (A)	TOTAL RECORDS MATCHING & VERIFIED WITH 911 DATABASES (B)	TOTAL RECORDS NOT MATCHING	NON MATCHING RECORDS CORRECTED BY V2X FORMERLY AKIMEKA (C)	PERCENT COMPLETED
HAWAII County	22,044	21,638 (98%)	406	406	100.00%
KAUAI County	8,936	8,695 (97%)	241	241	100.00%
MAUI County	18,256	17,517 (96%)	739	739	100.00%
OAHU Cilivian	87,414	85,329 (98%)	2,085	2,085	100.00%
OAHU Military	3,663	710 (19%)	2,953	2,953	100.00%
TOTAL	140,313	**133,889	6,424	6,424	100.00%

^{*} Spectrum VoIP Database received on June 21st, 2017

^{**} V2X (formerly Akimeka) provided VoIP Records with Latitude/Longitude coordinates

(A)	VoIP Database records submitted by Spectrum to V2X (formerly Akimeka) for research and MSAG address validation.
	V2X formerly Akimeka has researched and verified the VoIP record against an MSAG valid address and GIS data. V2X formerly Akimeka
(B)	is tracking corrections needed to be performed by Spectrum. Addressing data will be updated or added in the GIS if the VoIP record is
	determined to be valid.
(C)	Verifcation Process Completed.





February 1, 2024 - February 29, 2024

BANDWIDTH 9-1-1 VOIP DATABASE VERIFICATION PROJECT - FEBRUARY 2024

V2X (formerly Akimeka) received the Automatic Location Identification (ALI) records from Bandwidth which is a Voice over Internet Protocol (VoIP) provider in the State of Hawaii. As V2X (formerly Akimeka) has access to these ALI Records, V2X (formerly Akimeka) researched and verified the VoIP records against an MSAG valid address and the GIS data. This research is a validation of the ALI Record to ensure that the location as provided by the VoIP provider matches the GIS Information utilized by the Public Safety Agencies within their specific County 9-1-1 Service Area. This validation reduces the potential of address or location dispute during a 9-1-1 call.

The analysis of the database records indicates that there were invalid MSAG addresses utilized by the VoIP Provider. These records were identified and sent back to Bandwidth for corrective action.

V2X (formerly Akimeka) will update the chart below as we receive updated ALI records from Bandwidth.

	*Bandwidth					
9-1-1	VoIP Databa	ase Verificatio	n Project *	**(Updated	l)	
PSAP	TOTAL RECORDS SUBMITTED BY BANDWIDTH (A)	TOTAL NO MATCHING RECORDS IDENTIFIED BY V2X (FORMERLY AKIMEKA)	BANDWIDTH FALLOUT RECORDS (B)	NON MATCHING RECORDS CORRECTED BY V2X (FORMERLY AKIMEKA) (C)	PERCENT COMPLETED	
WAII County	2,126	97	16	106	93.81%	
AUAI County	555	75	3	73	93.59%	
AUI County	1,794	60	14	69	93.24%	
AHU Cilivian	12,898	1,556	44	1,590	99.38%	
AHU Military	173	156	11	163	97.60%	
TOTAL	17,546	1,944	88	2,001	95.52%	

^{*}Bandwidth VoIP Database received on April 5th, 2018

^{***} Updated Bandwidth VoIP Database received on October 1st, 2021

(A)	VoIP Database records submitted by Bandwidth to V2X formerly Akimeka for research and MSAG address validation.
(B)	VoIP records identified by Bandwidth as fallout records. These records contain invalid MSAG addressing information which can include house number, street name/suffix, or MSAG community.
(C)	Verification Process Completed.



^{**}Updated Bandwidth VoIP Database received on September 6th, 2018



February 1, 2024 - February 29, 2024

3. GEOGRAPHIC INFORMATION SYSTEM (GIS) – FEBRUARY 2024

MAPPING LAYERS UPDATED (PART I)

MAUI COUNTY					
Type of Layer	V2X formerly Akimeka GIS Server Date Created/ Edits Performed	Other/Remarks			
CRITICAI	9-1-1 PUBLIC	SAFETY LAYERS FOR DISPATCH & RESPONSE			
		(Listed Alphabetically)			
		Next Delivery 3/6/2024			
		Added address for two (2) records in Kihei			
		Added address for one (1) record in Makawao			
		Added address for twelve (12) records in Wailea			
		Added address for twenty-seven (27) records in Kula			
	2/21/2024	Spatially corrected one (1) record in Makawao			
	To 2/29/2024	Added address for one (1) record in Haiku			
		Added address for one (1) record in Waiehu			
		Spatially corrected fourteen (14) records in Kihei			
		Added location type for one (1) record in Kihei			
		Added address for one (1) record in Wailuku			
Address Points		Spatially corrected three (3) records in Pukalani			
Tiddless I smits		Spatially corrected two (2) records in Wailuku			
		Delivered 2/21/2024			
		Added location type for one (1) record in Hana			
		Added address for one (1) record in Kula			
		Spatially corrected one (1) record in Makawao			
	2/7/2024 -	Added address for five (5) records in Haiku			
	To 2/20/2024	Updated routing ID for one (1) record in Kula			
	2/20/2024	Updated location name for one (1) record in Kahului			
		Added address for one (1) record in Kahului			
		Added address for one (1) record in Hoolehua			
		Spatially corrected five (5) records in Haiku			
		Added address for one (1) record in Kaluakoi			





February 1, 2024 - February 29, 2024

MAPPING LAYERS UPDATED (PART II)

	MAUI COUNTY				
Type of Layer	V2X formerly Akimeka GIS Server Date Created/ Edits Performed	Other/Remarks			
CRITICAI	. 9-1-1 PUBLIC	SAFETY LAYERS FOR DISPATCH & RESPONSE			
		(Listed Alphabetically)			
		Spatially corrected one (1) record in Kula			
		Spatially corrected two (2) records in Kaluakoi			
		Added address for two (2) records in Wailuku			
		Added location name for one (1) record in Napili			
	2/7/2024	Added address for two (2) records in Makawao			
	To 2/20/2024	Spatially corrected, added location name for one (1) record in Kahului			
		Spatially corrected, added cpn for one (1) record in Kahului			
		Spatially corrected three (3) records in Kahului			
		Spatially corrected three (3) records in Pukalani			
Address Points		Added address for three (3) records in Pukalani			
		Spatially corrected eight (8) records in Wailuku			
		Delivered 2/7/2024			
		Added address for two (2) records in Lahaina			
	2/1/2024	Added address for one (1) record in Kihei			
	7/1/2024 To	Spatially corrected two (2) records in Kula			
	2/6/20204	Added address for one (1) record in Kula			
		Corrected civic street for one (1) record in Lahaina			
		Spatially corrected four (4) records in Kihei			
		Spatially corrected one (1) record in Lahaina			
Airports					
Bridges					
	2/7/2024	Delivered 2/21/2024			
Building Footprints	To	Spatially corrected four (4) records in Kaluakoi			
8 1	2/20/2024	Added building footprint for nine (9) records in Wailuku			
		Added building footprint for twelve (12) records in Haiku			





February 1, 2024 - February 29, 2024

MAPPING LAYERS UPDATED (PART III)

MAUI COUNTY					
Type of Layer	V2X formerly Akimeka GIS Server Date Created/ Edits Performed	Other/Remarks			
CRITICAI	2 9-1-1 PUBLIC	SAFETY LAYERS FOR DISPATCH & RESPONSE			
		(Listed Alphabetically)			
Building Footprints	2/7/2024 To 2/20/2024	Added building footprint for eight (8) records in Kaluakoi Added builing footprint for two (2) records in Haiku Spatially corrected two (2) records in Wailuku			
Bus Stops					
Churches					
Coastal Names					
Coastline					
Common Places					
Correctional Facilities					
Emergency Callboxes					
Emergency Operation Centers					
Emergency Shelters					
ESZ/ESN					
Fire Beats					
Fire Districts					
Fire Response Areas					
Fire Stations					
Food & Beverage					
Gas Stations					
Gate Codes					
Government Buildings					
Harbors					
Helipads					
Hiking Trails					





February 1, 2024 - February 29, 2024

MAPPING LAYERS UPDATED (PART IV)

MAUI COUNTY					
Type of Layer	V2X formerly Akimeka GIS Server Date Created/ Edits Performed	Other/Remarks			
CRITICAI	2 9-1-1 PUBLIC	SAFETY LAYERS FOR DISPATCH & RESPONSE			
		(Listed Alphabetically)			
Hospitals					
Hydrants					
Hyrdology Layers					
Incident Response Areas					
Lodging					
Major Roads					
Medic Beats					
Medic Districts					
Medic Response Areas					
Medic Stations					
Medical Facilities					
Milepost Markers					
MSAG Communities					
Net Junctions					
Ocean Rescue Boundaries					
Ocean Safety					
Parcels					
Parks					
Parks Polygon					
		Delivered 2/21/2024			
	2/7/2024	Added address for two (2) records in Kahului			
Points of Interest	To 2/20/2024	Added address for one (1) record in Hana			
		Added POI for one (1) record in Haliimaile			
		Updated POI name for one (1) record in Lahaina			





February 1, 2024 - February 29, 2024

MAPPING LAYERS UPDATED (PART V)

MAUI COUNTY					
Type of Layer	V2X formerly Akimeka GIS Server Date Created/ Edits Performed	Other/Remarks			
CRITICAI	2 9-1-1 PUBLIC	SAFETY LAYERS FOR DISPATCH & RESPONSE			
		(Listed Alphabetically)			
Points of Interest	2/7/2024 To 2/20/2024	Added POI for three (3) records in Kahului Updated POI name for one (1) record in Kahului Updated address for one (1) record in Kihei			
	2/1/2024 To 2/6/20204	Delivered 2/7/2024			
Police Beats	2/0/20204	Spatially corrected one (1) record in Kula			
Police Districts					
Police Response Areas					
Police Stations					
Post Offices					
Schools					
	2/21/2024 To 2/29/2024	Next Delivery 3/6/2024 Spatially corrected eight (8) records in Kihei Modified range for one (1) record in Waiehu			
	2/7/2024 To 2/20/2024	Delivered 2/21/2024			
Street Centerlines		Modified range for one (1) record in Kula Spatially corrected one (1) record in Wailuku Partial spatial correction for two (2) records in Wailuku Partial spatial correction for three (3) records in Kula Added street centerline for one (1) record in Kula			
	2/1/2024	Delivered 2/7/2024			
	То	Modified range for one (1) record in Kula			
	2/6/20204	Added centerline for two (2) records in Kula			





February 1, 2024 - February 29, 2024

MAPPING LAYERS UPDATED (PART VI)

The 9-1-1 GIS layers provided by V2X (formerly Akimeka) to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

MAUI COUNTY					
Type of Layer	V2X formerly Akimeka GIS Server Date Created/ Edits Performed	Other/Remarks			
CRITICAI	L 9-1-1 PUBLIC	SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)			
Street Centerlines	2/1/2024 To 2/6/20204	Assigned range for thirteen (13) records in Haliimaile Spatially corrected one (1) record in Kula Modified range for one (1) record in Lahaina			
Subdivisions	2/21/2024 To 2/29/2024 2/7/2024 To	Next Delivery 3/6/2024 Added subdivision for one (1) record in Pukalani Delivered 2/21/2024			
Tow Jurisdictions	2/20/2024	Updated name for one (1) record in Haliimaile			
Tsunami Evacuation Zones					
Tsunami Heights					
Waste Water Plants	2/21/2024 To 2/29/2024	Next Delivery 3/6/2024 Added one (1) sector per Verizon Wireless CRS Updated three (3) sectors per Verizon Wireless CRS			
WSP Cell Sectors	2/7/2024 To 2/20/2024	Delivered 2/21/2024 Added four (4) sectors per T-Mobile CRS Updated two (2) sectors per T-Mobile CRS			
WSP Cell Towers	2/21/2024 To 2/29/2024	Next Delivery 3/6/2024 Updated one (1) tower per Verizon Wireless CRS			
war cen towers	2/7/2024 To 2/20/2024	Delivered 2/21/2024 Updated three (3) towers per T-Mobile CRS			

NOTE:

The Parcels layer is provided by Maui County. V2X (formerly Akimeka) performs edits on the spatial information of the layer for 9-1-1 purposes. Changes to the attribute table are made when needed. The Parcels layer uploaded to the PSAP GIS server is intended for 9-1-1 purposes only and should not be disseminated to other county agencies.





February 1, 2024 - February 29, 2024

GEOGRAPHIC INFORMATION SYSTEM (GIS) NARRATIVES

GIS KEY ACTIVITIES/UPDATES

GIS Key activities include the events such as GIS deliverables, meetings, agreements, etc.

Date	Key Activities/Updates
2/21/2024	Delivered a supplementary data containg civic address fields (CivicNumber,
	CivicStreet, and PostalCommunity) to Intrado for the upcoming go-live with the
	SCC application.
2/21/2024	Delivered updated data for MapFlex which included Address Points, Building
	Footprints, Points Of Interest, Street Centerlines, Subdivisions, WSP Cell
	Sectors, and WSP Cell Towers.
2/21/2024	Delivered .map, .ply, .rte, and .str files for Intergraph CAD 9.4 with updated
	data which included Address Points, Building Footprints, Cell Towers, Common
	Places Lookup table, Points Of Interest, Street Centerlines, Subdivisions, and
	RMS files.
2/7/2024	Delivered .map, .ply, .rte, and .str files for Intergraph CAD 9.4 with updated
	data which included Address Points, Cell Towers, Common Places Lookup table,
	Points Of Interest, Street Centerlines, Subdivisions, and RMS files.
2/7/2024	Delivered updated data for MapFlex which included Address Points, Points Of
	Interest, Street Centerlines, Subdivisions, WSP Cell Sectors, and WSP Cell
	Towers.

GIS FOR 911

As part of ensuring GIS data compatibility with 911 CAD systems, V2X (formerly Akimeka) removed certain spatial characteristics of street centerlines known as "true curves". True, or geometric, curves are sometimes used in the street centerline layer to depict a road that curves in a circular (or semi-circular) fashion, like a round-about or a cul-de-sac. These features can cause processing issues in CAD and GIS software, and therefore were replaced with a series of points that depict the same geometry without the use of a geometric, or true curve.





February 1, 2024 - February 29, 2024

INTERGRAPH CAD UPGRADE

From April through June 2014, the Maui Police Department worked to upgrade their Intergraph CAD system to the more recent 2014 version. Through this upgrade process, new improvements were identified and the overall functionality of the system from the Map Build process to the Production workstation made significant enhancements in order to streamline the deliverables and continue providing accurate data to the PSAP.

- 1. February 7th, 2023 Akimeka delivered an updated Intergraph CAD map which included:
 - a. .map, .ply, .rte, and .str
 - Address Points, Common Name Lookup Table, Points Of Interest, Street Centerlines, Subdivisions, and WSP Cell Towers.
 - c. RMS files
- 2. Akimeka delivered an updated Intergraph CAD map February 21st, 2023, which included:
 - a. .map, .ply, .rte, and .str
 - b. Address Points, Building Footprints, Common Name Lookup Table, Points Of Interest, Street Centerlines, Subdivisions, and WSP Cell Towers
 - c. RMS files

During March 2024, the Intergraph CAD map will continue to be delivered every other week, which has been coordinated with all mapping system updates and synchronizations with other 911 databases.

MOTOROLA PREMIER ONE PROJECT

On Wednesday, February 15, 2023, and Thursday, February 16th, 2023, V2X (formerly Akimeka) participated in the GIS workshop with Motorola GIS staff. V2X will provide the first Motorola CAD GIS deliverable in mid-March, and work with Motorola to make any necessary updates to the schema and data, to ensure a successful implementation.

On Thursday, April 20th, 2023 V2X (formerly Akimeka) delivered GIS data updates for Motorola for the Premiere One CAD implementation.

On Wednesday, May 24, 2023, V2X (formerly Akimeka) met with the Maui Fire Department's executive staff along with the Maui Police Department Dispatch Director and Supervisor to discuss future growth of new Fire Stations in Maui County. New projected Fire Boundaries maps were provided my V2X (formerly Akimeka) to both agencies for review. Delivered to the Fire Department were also street intersection maps that poses a discrepancy with the Motorola CAD. The Fire Department will determine which jurisdiction they prefer to cover each intersection. V2X (formerly Akimeka) will adjust the maps according as determined by the Maui Fire Department.





February 1, 2024 - February 29, 2024

MAPFLEX SYSTEM

February 2024

VSE (formerly Akimeka) delivered GIS data to the MapFlex system on the following dates in February 2024.

Hawaii County – February 6, 2024, and February 20, 2024 Maui County – February 7, 2024, and February 21, 2024 Kauai County – February 8, 2024, and February 22, 2024 Honolulu – February 9, 2024, and February 23, 2024

MAPFLEX ISSUES

The MapFlex issues are archived in the 2021 Monthly Status Report. Should the existing issues be addressed, this report will be reopened and tracked.

MAUI EMS (AMR)

On May 23, 2023, The Maui EMS Director contacted V2X (formerly Akimeka) to discuss new Medic boundaries for Molokai. AMR is planning to add a new Medic Station in Hoolehua in the near future. A projected new boundary map was provided to the AMR director for review.





February 1, 2024 - February 29, 2024

4. SERVICE REQUESTS TRANSACTIONS

OPEN SERVICE REQUESTS – MAUI COUNTY PSAPS - FEBRUARY 2024

			M <i>A</i>	AUI COUNTY		
#	Date	Ticket #	Description	PSAP	Urgency	Comments
			None			

NOTE:

There are no (0) Open Service Request for the Maui County PSAPs for February 2024.

MAUI PSAP SERVICE REQUESTS YEAR-TO-DATE (YTD) SUMMARY - 2024

MAUI COUNTY				MSAG SERVICE REQUEST CATEGORIES					
2024	TOTAL	0	WIRELINE		WIRELESS		VolP		
2024	Created	Closed	Open	Created	Closed	Created	Closed	Created	Closed
2023 Carryover*			0						
January	0	0	0	0	0	0	0	0	0
February	0	0	0	0	0	0	0	0	0
March									
April									
May									
June									
July									
August									
September									
October									
November									
December			·						
TOTAL	0	0	0	0	0	0	0	0	0

NI 4	*The 2023 Carry Over row indicates the number of Service Requests that were opened in 2023;
Note:	however, were brought forward into 2024 in an effort to track the service request until completion.

	Category	Description
	Wireline	Telephone Number (ALI) Discrepancies from land line phones that have been submitted to Intrado via 9-1-1 Net for correction.
<u>Definitions:</u>	Wireless	Telephone Number (ALI) Discrepancies from phones that were land lines at one time, and were ported out to a wireless carrier. However, the phone number was never removed from the MSAG database.
	VolP	Telephone Number (ALI) Discrepancies from VoIP phones that have been submitted to Time Warner Cable (TWCBL) or other VoIP providers for correction





February 1, 2024 - February 29, 2024

5. E9-1-1 DATABASE SYNCHRONIZATION

(<u>Reference:</u> NENA 71-501, Version 1.1 – NENA Information Document for Synchronizing Geographic Information System databases with MSAG & ALI)

Next Scheduled Database Synchronization Report – March 2024

TWO-WAY (2-WAY) COMPARISION – MARCH 2024 - TBA

THREE-WAY (3-WAY) COMPARISION - MARCH 2024 - TBA

INVALID MSAG STREETS AND ADDRESS RANGES – ESN 359 & ESN 399 MSAG & ALI RECORDS **PROJECT COMPLETED**

