

Hawaii County E9-1-1 Status Report

December 1, 2024 – December 31, 2024



GO TOWARDS TOMORROW > go V2X



Hawaii County E9-1-1 Status Report

December 1, 2024 – December 31, 2024

TABLE OF CONTENTS

- 1. PSAP Operations.....5
 - 9-1-1 Call Volume Hawaii County PSAPS – December 2024.....5
 - 9-1-1 Call Volume – Calendar Year 20245
 - Call Volume Hawaii County PSAP Notes:6
 - 9-1-1 Call Volume by Agency – December 20246
 - 9-1-1 Call Volume by Agency – Calendar Year 2024.....6
 - PSAP Operation Notes:7
 - For your Information.....7
 - Text to 911 – Current Month – December 20248
 - Note:.....8
 - Wireless PSAP Testing – December 2024.....8
 - Notes:8
- 2. MSAG (Master Street Address Guide).....9
 - MSAG Transactions Current Month/Year – December 2024.....9
 - MSAG Current Month Notes:10
 - Telephone Record (ALI) Transactions current month notes:10
 - Open Telephone Record (ALI) Discrepancy Status:10
 - TNCR (Telephone Number Change Request) Current Status – December 2024.....11
 - Note:.....11
 - Dispatchable Location – Status as of – December 2024.....12



Hawaii County E9-1-1 Status Report

December 1, 2024 – December 31, 2024

Narrative:	12
Spectrum (Charter) 9-1-1 VoIP Database Verification Project - December 2024.....	13
Bandwidth 9-1-1 VoIP Database Verification Project – December 2024.....	14
3. Geographic Information System (GIS) – December 2024.....	15
Mapping Layers Updated (Part I).....	15
Mapping Layers Updated (Part II)	16
Mapping Layers Updated (Part III)	17
Mapping Layers Updated (Part IV).....	18
Mapping Layers Updated (Part V).....	19
Mapping Layers Updated (Part VI).....	20
Mapping Layers Updated (Part VII).....	21
Geographic Information System (GIS) Narratives	22
GIS Key Activities/Updates.....	22
GIS for 911	22
Lava Flow and Alternate Routes	22
Fire Department IMT (Incident Management Team) Map	23
Address Points and Street Centerlines Update Comparison.....	23
Note:.....	23
MapFlex System.....	24
MapFlex Issues	24
4. Service Requests Transactions.....	25
Open Service Requests – December 2024	25
Note*	25
Service Request Year-to-Date (YTD) Summary – 2024	25



Hawaii County E9-1-1 Status Report

December 1, 2024 – December 31, 2024

5. E9-1-1 Database Synchronization.....	26
Two-way (2-way) comparison.....	26
Three-way (3-way) comparison.....	26
Invalid MSAG Streets and Address Ranges – ESN 299 MSAG & ALI Records	26





Hawaii County E9-1-1 Status Report

December 1, 2024 – December 31, 2024

1. PSAP OPERATIONS

9-1-1 CALL VOLUME HAWAII COUNTY PSAPS – DECEMBER 2024

Source: Intrado Viper system (*) Totals are based on calls to Primary PSAP.

9-1-1 Call Volume																	
HAWAII COUNTY PSAPs		Wireline		Wireless				VOIP		Calls With No ALI		Admin Calls		Abandoned Calls		Other Calls	
2024	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Total Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	No. of Other Calls	% of Total Calls
DEC	17,150	2,119	12.36%	13,036	76.01%	15.49%	84.51%	788	4.59%	12	0.07%	0	0.00%	1,196	6.97%	0	0.00%

9-1-1 CALL VOLUME – CALENDAR YEAR 2024

9-1-1 Call Volume																	
HAWAII COUNTY PSAPs		Wireline		Wireless				VOIP		Calls with No ALI		Admin Calls		Abandoned Calls		Other Calls	
2024	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Total Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	No. of Other Calls	% of Total Calls
JAN	16,434	1,793	10.91%	12,541	76.31%	17.23%	82.77%	777	4.73%	29	0.18%	0	0.00%	1,294	7.87%	0	0.00%
FEB	14,445	1,771	12.26%	10,885	75.35%	17.38%	82.62%	550	3.81%	18	0.12%	0	0.00%	1,221	8.45%	0	0.00%
MAR	15,084	1,738	11.52%	11,638	77.15%	16.11%	83.89%	666	4.42%	15	0.10%	0	0.00%	1,027	6.81%	0	0.42%
APR	14,340	1,545	10.77%	11,279	78.65%	17.73%	82.27%	573	4.00%	21	0.15%	0	0.00%	921	6.42%	1	0.01%
MAY	15,033	1,730	11.51%	11,703	77.85%	17.04%	82.96%	601	4.00%	45	0.30%	0	0.00%	954	6.35%	0	1.40%
JUNE	14,312	1,325	9.26%	11,341	79.24%	17.04%	82.96%	586	4.09%	33	0.23%	0	0.00%	1,025	7.16%	2	0.01%
JULY	15,330	1,540	10.05%	12,114	79.02%	18.53%	81.47%	570	3.72%	58	0.38%	0	0.00%	1,048	6.84%	0	0.00%
AUG	15,937	1,584	9.94%	12,612	79.14%	16.94%	83.06%	582	3.65%	23	0.14%	0	0.00%	1,135	7.12%	1	0.01%
SEPT	13,987	1,248	8.92%	11,069	79.14%	16.10%	83.90%	645	4.61%	10	0.07%	0	0.00%	1,014	7.25%	1	0.01%
OCT	15,164	1,520	10.02%	12,060	79.53%	20.16%	79.84%	565	3.73%	4	0.03%	0	0.00%	1,012	6.67%	3	0.02%
NOV	15,082	1,978	13.11%	11,369	75.38%	16.08%	83.92%	648	4.30%	11	0.07%	0	0.00%	1,074	7.12%	2	0.01%
DEC	17,150	2,119	12.36%	13,036	76.01%	15.49%	84.51%	788	4.59%	12	0.07%	0	0.00%	1,196	6.97%	0	0.00%
YTD	182,298	19,891		141,647				7,551		279		0		12,921		10	
MON AVG	15,192	1,658	10.89%	11,804	77.73%	17.15%	82.85%	629	4.14%	23	0.15%	0	0.00%	1,077	7.09%	1	0.16%

“Other Calls” (911) call received with the class of service “TSP”. HwnTel/Intrado informed for clarification. Received confirmation from Intrado that the class of service for “TSP” is a Telematics call.



Hawaii County E9-1-1 Status Report

December 1, 2024 – December 31, 2024

CALL VOLUME HAWAII COUNTY PSAP NOTES:

*911 Calls with No ALI in December 2024 = 0.07% - Statewide average for 2023 = 0.14%

9-1-1 CALL VOLUME BY AGENCY – DECEMBER 2024

2024	9-1-1 Call Volume by Agency									
	Hawaii Police Department					Hawaii Fire Department				
	Number of Total Calls Received	% of Total Calls	Number of Admin Calls	Number of Abandoned Dropped Calls	Number of Other Calls	Number of Total Calls Received	% of Total Calls	Number of Admin Calls	Number of Abandoned Dropped Calls	Number of Other Calls
December	12,793	74.59%	0	1,081	0	3,161	18.43%	0	115	0

Hawaii Fire Department “Number of Total Calls Received” was extracted from the Intrado Viper MIS from the Fire Dispatch Center and the Hawaii Police Dispatch Supervisor’s Workstation (HIPDWKS7). Calls were merged together by the class of service for the month of December.

9-1-1 CALL VOLUME BY AGENCY – CALENDAR YEAR 2024

2024	9-1-1 Call Volume by Agency									
	Hawaii Police Department					Hawaii Fire Department				
	Number of Total Calls Received	% of Total Calls	Number of Admin Calls	Number of Abandoned Dropped Calls	Number of Other Calls	Number of Total Calls Received	% of Total Calls	Number of Admin Calls	Number of Abandoned Dropped Calls	Number of Other Calls
January	14,216	86.50%	0	1,217	0	2,218	13.50%	0	77	0
February	11,432	79.14%	0	1,159	0	1,792	12.41%	0	62	0
March	13,047	86.50%	0	949	0	2,037	13.50%	0	78	0
April	11,548	80.53%	0	860	1	1,870	13.04%	0	61	0
May	12,117	80.60%	0	852	0	1,962	13.05%	0	102	0
June	11,772	82.25%	0	927	2	1,515	10.59%	0	98	0
July	12,283	80.12%	0	986	0	1,999	13.04%	0	62	0
August	12,971	81.39%	0	992	1	1,831	11.49%	0	143	0
September	11,606	82.98%	0	927	1	1,366	9.77%	0	87	0
October	12,277	80.96%	0	949	2	1,872	12.35%	0	63	1
November	11,199	74.25%	0	996	2	2,807	18.61%	0	78	0
December	12,793	74.59%	0	1,081	0	3,161	18.43%	0	115	0
YTD	147,261		0	11,895	9	24,430		0	1,026	1
MON AVG	12,272	80.82%	0	991	1	2,036	13.31%	0	86	0



Hawaii County E9-1-1 Status Report

December 1, 2024 – December 31, 2024

PSAP OPERATION NOTES:

- Abandoned Calls represent the number of incoming 9-1-1 calls for which the caller had hung up before a call-taker answered.
- All VoIP (Voice over Internet Protocol) types of 911 calls are combined in the Call Volume statistic.
- A New Class of Service (COS): FIXD** = Wireless 911 calls to the PSAP via fixed **indoor** antennas.
- X (911) call with the COS of FIXD were added to the Wireless Phase I (WPH 1) percentage total.
- A New Class of Service (COS): WDL1/WDL2** = Wireless 911 calls to the PSAP via fixed **indoor** antennas with a general location i.e., pool area (WDL1) or a specific area i.e., room 101 (WDL2).
- X (911) call with the COS of WDL1, or WDL2 were added to the Wireless Phase I or Phase II percentage total.

FOR YOUR INFORMATION

FYI.....For Your Information										
PSAP Operations										
Statewide 911 Call Volumes										
PSAP	2024		2023		2022		2021		2020	
Oahu Civilian	974,278	73.07%	988,670	68.33%	971,113	69.45%	1,052,026	68.91%	991,016	71.11%
RDC Pearl Harbor	25,072	1.88%	36,916	2.55%	31,827	2.28%	39,253	2.58%	37,014	2.66%
Hawaii County	182,298	13.67%	207,715	14.35%	199,811	14.29%	214,220	14.00%	188,329	13.51%
Maui County	111,385	8.35%	152,397	10.54%	140,524	10.05%	160,241	10.51%	125,626	9.01%
Kauai County	40,310	3.03%	61,197	4.23%	54,923	3.93%	60,986	4.00%	51,653	3.71%
Total	1,333,343	100.00%	1,446,895	100.00%	1,398,198	100.00%	1,526,726	100.00%	1,393,638	100.00%

911 Call Volume % decrease from 2023 to 2024	
Oahu	-1.46%
RDC	-32.08%
Hawaii	-12.24%
Maui	-26.91%
Kauai	-34.13%
State of Hawaii	-21.36%

911 Calls with No ALI % average for 2024	
Oahu	0.99%
RDC	0.01%
Hawaii	0.15%
Maui	0.19%
Kauai	0.74%
State of Hawaii average	0.42%

State of Hawaii 2024	
TEXT TO 911	
Oahu Civilian	3,146
RDC Pearl Harbor	39
Hawaii County	1,186
Maui County	408
Kauai County	276
*Total	5,055
*Totals may include PSAP training, testing, and 911 Texting errors	



Hawaii County E9-1-1 Status Report

December 1, 2024 – December 31, 2024

TEXT TO 911 – CURRENT MONTH – DECEMBER 2024

TEXT TO 911 Hawaii County PSAPs 2024		
Month	Received at Police	Received at Fire
January	186	8
February	20	0
March	42	5
April	33	2
May	44	1
June	323	22
July	172	20
August	72	4
September	80	3
October	76	1
November	71	9
December	67	5
YTD	1186	80
Monthly Avg.	98.83	6.67

NOTE:

- 911 Text messages received at the Fire Department are transfers from the Police Department.
- Although there is a “Text to 911” plot on the MapFlex, the location of the plot is not dependable. Text to 911 Dispatchers should use their skills to ascertain the exact location of the emergency response.

WIRELESS PSAP TESTING – DECEMBER 2024

HAWAII COUNTY - DECEMBER 2024						
Date	WSP	Sites Tested	Sectors Tested	Tested By:	Test Pass/Fail	Comments:

NOTES:

- There were no (0) scheduled Wireless 911 Tests for the month of December 2024.

Hawaii County E9-1-1 Status Report

December 1, 2024 – December 31, 2024

2. MSAG (MASTER STREET ADDRESS GUIDE)

MSAG TRANSACTIONS CURRENT MONTH/YEAR – DECEMBER 2024

HAWAII COUNTY	9-1-1 TRANSACTIONS								
	Total	Dispatchable Location Transactions Submitted	MSAG	ALI Submitted		Open ALI Discrepancy Records			Customer Addresses Affected
		DL (A)	MSAG (B)	TN CR (C)	ALI DR (D)	TNCR	ALI DR	VoIP DR	
2024									
JANUARY	268	246	13	9	0	474	0	0	14
FEBRUARY	316	311	5	0	0	536	0	0	0
MARCH	106	98	8	0	0	843	0	0	4
APRIL	176	167	5	4	0	680	0	0	16
MAY	234	224	4	6	0	890	0	0	0
JUNE	65	61	0	4	0	822	0	0	0
JULY	131	120	9	2	0	706	0	0	10
AUGUST	66	59	2	5	0	713	0	0	2
SEPTEMBER	170	160	9	1	0	872	0	0	41
OCTOBER	151	147	3	1	0	596	0	0	18
NOVEMBER	106	97	8	1	0	688	0	0	10
DECEMBER	51	50	1	*0	0	579	0	0	0
TOTAL YTD	1,840	1,740	67	33	0	8,399	0	0	115
AVG PER MONTH	153	145	6	3	0	700	0	0	10

*** TNCR Note**

V2X submitted **50** transactions that Intrado has not processed in the month of **December** due to personnel issues

Definitions

- (A) **Dispatchable Location** - is defined in the FCC 15-9 Docket as the verified or corroborated street address of the calling party plus additional information such as floor, suite, apartment or similar information that may be needed to adequately identify the location of the calling party. Please see Dispatchable Location Section for more information.
- (B) **Master Street Address Guide** - Represents corrections made to street records including, street names, address ranges, MSAG Communities and ESNs.
- (C) **Telephone Number Change Request** - Represents address corrections on a specific TN or group of TNs. These "invalid" TNs usually have an associated ESN 299 attached to them which indicates the need for validation.
- (D) **Automatic Location Information Discrepancy Record** - Represents an address discrepancy discovered during a live 9-1-1 call, from a landline OR a VoIP phone. These record corrections are treated with a higher priority and should be processed within 48 hours if wireline, and 72 hours if a VoIP phone, as a general guideline.

Hawaii County E9-1-1 Status Report

December 1, 2024 – December 31, 2024

MSAG CURRENT MONTH NOTES:

A total of 51 MSAG transaction was processed in 9-1-1 Net during the current month. One (1) request was processed relating to the MSAG database. Changes include: changes to high – low street ranges, combining street records, deletion of invalid records, splitting street records to align with Police, Fire, EMS, and Military response areas, and inserting new MSAG records.

There were **no** customer ANI/ALI (telephone number/address) records updated as a direct result.

TELEPHONE RECORD (ALI) TRANSACTIONS CURRENT MONTH NOTES:

No Telephone Number Change Requests (TN CR) transactions were processed in 9-1-1 Net with valid MSAG addresses, as a result of the ESN 299 clean-up effort.

ESN 299 TN CRs must be validated against HT records and approved by the end user Hawaiian Telcom customer before updating the ALI record.

V2X (formerly Akimeka) submitted fifty (50) TN CRs related to the Dispatchable Location Project during the current month.

OPEN TELEPHONE RECORD (ALI) DISCREPANCY STATUS:

- **There are currently 579 Open TN CR Transactions.**
- **Refer to chart in the next section “TNCR Current Status”**

579 Open TN CR transactions are a direct result of the Dispatchable Location Project and ESN 299 clean-up, both are awaiting approval from Hawaiian Telcom, Inc. Once a telephone number is submitted to Intrado for correction, it is verified against HT records and/or by the customer. Intrado's internal process requires calling each telephone customer individually for verification to update an address in the 9-1-1 database. V2X (formerly Akimeka) continues to monitor and track the progress of the remaining 579 Referred records.

- **There are currently no Open ALI-DRs as of December 31, 2024**
- **There are currently no Open VoIP DRs as of December 31, 2024**

Hawaii County E9-1-1 Status Report

December 1, 2024 – December 31, 2024

TNCR (TELEPHONE NUMBER CHANGE REQUEST) CURRENT STATUS – DECEMBER 2024

NOTE:

- 9-1-1 NET is a secure web-based application that provides access to request changes to the MSAG, ALI, TN, and ESN/ELT data supported and maintained by Intrado for the Telephone Company (TelCo).
- TNCRs are not requests to change Telephone Numbers (TNs); however, it is a corrective process within 9-1-1 NET to modify location information associated with an Automatic Location Identification (ALI) record to a valid MSAG address for 9-1-1 purposes.

PSAP 9-1-1 Telephone Number Location Change Request (Telephone Number Change Request (TNCR) Status)				
County	TOTAL TNCR RECORDS SUBMITTED BY V2X FORMERLY AKIMEKA	OPENED TNCRS PENDING FURTHER ACTION BY INTRADO	OPENED TNCRS REFERRED TO TELCO BY INTRADO	TOTAL UNOPENED TNCR RECORDS
HAWAII	579	0	243	336

STATUS
<p><u>TOTAL TNCRS SUBMITTED</u> - The total number of TNCR requests for modification that have been submitted in 9-1-1 NET.</p>
<p><u>PENDING STATUS</u> - TNCRs assigned this status are requests which have been reviewed by the 9-1-1 Database Service Provider Data Analyst, and are pending investigation whether the request is valid or invalid, and/or whether the request requires additional information to validate.</p>
<p><u>REFERRED STATUS</u> - TNCRs assigned this status are requests which have been reviewed by the 9-1-1 Database Service Provider Data Analyst, and the request requires additional information to validate. The Intrado Data Analysts assigns this status to a TNCR and the request is referred to the telephone service providers for further research.</p>
<p><u>TOTAL UNOPENED TNCR RECORDS STATUS</u> - The request is submitted by V2X formerly Akimeka on behalf the PSAP; however, processing by the 9-1-1 Database Service Provider Data Analyst has not begun.</p>



Hawaii County E9-1-1 Status Report

December 1, 2024 – December 31, 2024

DISPATCHABLE LOCATION – STATUS AS OF – DECEMBER 2024

NARRATIVE:

During the August 2015 State of Hawaii 911 Board meeting, V2X (formerly Akimeka) provided a “State of Hawaii PSAPs Proposed ALI Compliancy with FCC 15-9” presentation. Based on the 9-1-1 Board’s confirmation to add the “Dispatchable Location” information into the ALI database, V2X (formerly Akimeka) researched the format standards of each pertinent field and tested the delivery of the data to the PSAP. After a few configuration adjustments (eliminating the TelCo comments field from appearing on the ALI Screen), V2X (formerly Akimeka) standardized an additional information data format to proceed with this project. During the month of September 2015, V2X (formerly Akimeka) started a pilot project, entering additional location information to a verified MSAG address with multiple telephone numbers. Specifically, the **Kings Shops at 690250 Waikoloa Beach Dr., Waikoloa**. The “Dispatchable Location” data is entered into the “Driving Directions” field in the 9-1-1 Net system and will display on the Viper Power 911 ALI Screen in the “Exact” field should a 911 call be received from that telephone number. There are a total of **17,982** Dispatchable Locations processed to date. There were **0** Dispatchable locations submitted and **107** were processed in December 2024.

Dispatchable Location			
2024	Common Name Place MSAG Address	TNCR* Transactions Submitted	Transactions Processed**
Quarter 4			
Quarter 3 Carryover		18,253	17,437
November	Mental Health Kokua, 139 Amau Rd, Hilo	3	0
	Kanoa Hawaii, 202 Lukia St, Hilo	1	0
	Pacific Solar Technologies, 65 Lyman Springs Rd, Hilo	6	0
	Hawaiian Telcom, 380213 Mauna Kea Access Rd, Hilo	1	0
	Multi Bus, 440380 Mauna Kea Access Rd, Hilo	8	0
	Canada-France-Hawaii/Support, 440569 Mauna Kea Access Rd, Hilo	5	0
	Multi Bus, 440613 Mauna Kea Access Rd, Hilo	29	0
	National Astronomical, 440635 Mauna Kea Access Rd, Hilo	1	0
	Smithsonian Observatory, 440652 Mauna Kea Access Rd, Hilo	10	0
	East Asian Observatory, 440656 Mauna Kea Access Rd, Hilo	6	0
	Hawaiian Telcom, 382051 Mauna Loa Access Rd, Hilo	4	0
	Multi Bus, 442441 Mauna Loa Access Rd, Hilo	23	0
Multi Bus, 111 E Puainako St, Hilo	0	8	
December	Multi Bus, 50 E Puainako St, Hilo	0	107
Q4 Total		244	545
Total		18,497	17,982





Hawaii County E9-1-1 Status Report

December 1, 2024 – December 31, 2024

SPECTRUM (CHARTER) 9-1-1 VOIP DATABASE VERIFICATION PROJECT - DECEMBER 2024

V2X (formerly Akimeka) received the Automatic Location Identification (ALI) records from Spectrum (formally known as Charter Communications) which is the predominant Voice over Internet Protocol (VoIP) provider in the State of Hawaii. As V2X (formerly Akimeka) has access to these ALI Records, V2X (formerly Akimeka) is researching and verifying the VoIP records against an MSAG valid address and the GIS data. This research is a validation of the ALI Record to ensure that the location as provided by the VoIP provider matches the GIS Information utilized by the Public Safety Agencies within their specific County 9-1-1 Service Area. This validation reduces the potential of address or location dispute during a 9-1-1 call.

The analysis of the database records indicates that there are invalid MSAG addresses utilized by the VoIP Provider. These records are being identified and will be sent back to Spectrum for corrective action.

*Spectrum (Charter) 9-1-1 VoIP Database Verification Project					
PSAP	TOTAL RECORDS SUBMITTED BY SPECTRUM (A)	TOTAL RECORDS MATCHING & VERIFIED WITH 911 DATABASES (B)	TOTAL RECORDS NOT MATCHING	NON MATCHING RECORDS CORRECTED BY V2X FORMERLY AKIMEKA (C)	PERCENT COMPLETED
HAWAII County	22,044	21,638 (98%)	406	406	100.00%
KAUAI County	8,936	8,695 (97%)	241	241	100.00%
MAUI County	18,256	17,517 (96%)	739	739	100.00%
OAHU Civilian	87,414	85,329 (98%)	2,085	2,085	100.00%
OAHU Military	3,663	710 (19%)	2,953	2,953	100.00%
TOTAL	140,313	**133,889	6,424	6,424	100.00%

* Spectrum VoIP Database received on June 21st, 2017

** V2X (formerly Akimeka) provided VoIP Records with Latitude/Longitude coordinates

(A)	VoIP Database records submitted by Spectrum to V2X (formerly Akimeka) for research and MSAG address validation.
(B)	V2X formerly Akimeka has researched and verified the VoIP record against an MSAG valid address and GIS data. V2X formerly Akimeka is tracking corrections needed to be performed by Spectrum. Addressing data will be updated or added in the GIS if the VoIP record is determined to be valid.
(C)	Verification Process Completed.



Hawaii County E9-1-1 Status Report

December 1, 2024 – December 31, 2024

BANDWIDTH 9-1-1 VOIP DATABASE VERIFICATION PROJECT – DECEMBER 2024

V2X (formerly Akimeka) received the Automatic Location Identification (ALI) records from Bandwidth which is a Voice over Internet Protocol (VoIP) provider in the State of Hawaii. As V2X (formerly Akimeka) has access to these ALI Records, V2X (formerly Akimeka) researched and verified the VoIP records against an MSAG valid address and the GIS data. This research is a validation of the ALI Record to ensure that the location as provided by the VoIP provider matches the GIS Information utilized by the Public Safety Agencies within their specific County 9-1-1 Service Area. This validation reduces the potential of address or location dispute during a 9-1-1 call.

The analysis of the database records indicates that there were invalid MSAG addresses utilized by the VoIP Provider. These records were identified and sent back to Bandwidth for corrective action.

V2X (formerly Akimeka) will update the chart below as we receive updated ALI records from Bandwidth.

*Bandwidth					
9-1-1 VoIP Database Verification Project *** (Updated)					
PSAP	TOTAL RECORDS SUBMITTED BY BANDWIDTH (A)	TOTAL NO MATCHING RECORDS IDENTIFIED BY V2X (FORMERLY AKIMEKA)	BANDWIDTH FALLOUT RECORDS (B)	NON MATCHING RECORDS CORRECTED BY V2X (FORMERLY AKIMEKA) (C)	PERCENT COMPLETED
HAWAII County	2,126	97	16	106	93.81%
KAUAI County	555	75	3	73	93.59%
MAUI County	1,794	60	14	69	93.24%
OAHU Civilian	12,898	1,556	44	1,590	99.38%
OAHU Military	173	156	11	163	97.60%
TOTAL	17,546	1,944	88	2,001	95.52%

***Bandwidth VoIP Database received on April 5th, 2018**

****Updated Bandwidth VoIP Database received on September 6th, 2018**

*****Updated Bandwidth VoIP Database received on October 1st, 2021**

(A)	VoIP Database records submitted by Bandwidth to V2X formerly Akimeka for research and MSAG address validation.
(B)	VoIP records identified by Bandwidth as fallout records. These records contain invalid MSAG addressing information which can include house number, street name/suffix, or MSAG community.
(C)	Verification Process Completed.

Hawaii County E9-1-1 Status Report

December 1, 2024 – December 31, 2024

3. GEOGRAPHIC INFORMATION SYSTEM (GIS) – DECEMBER 2024

MAPPING LAYERS UPDATED (PART I)

9-1-1 GIS layers provided by V2X (formerly Akimeka) to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

HAWAII COUNTY		
Type of Layer	V2X formerly Akimeka GIS Server	Other/Remarks
	Date Created/Edits Performed	
CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)		
Address Points	12/24/2024 To 12/31/2024	Next Delivery 1/7/2025
		Edited spatial for one (1) record in Mountain View
		Updated routingID, updated housenumber, updated streetname, and updated alias for one (1) record in Holualoa
		Corrected spatial for two (2) records in Naalehu
		Corrected spatial for one (1) record in Ocean View
		Corrected spatial for twelve (12) records in Mountain View
		Corrected spatial for five (5) records in Kurtistown
		Corrected spatial for one (1) record in Keaau
		Corrected spatial for ten (10) records in Keaau
	12/10/2024 To 12/23/2024	Delivered 12/24/2024
		Corrected spatial for sixteen (16) records in Hawi
		Corrected spatial for one (1) record in Volcano
		Updated APt for one (1) record in Hawi
		Corrected spatial for three (3) records in Pahoa
		Corrected spatial for one (1) record in Holualoa
		Corrected spatial for twelve (12) records in Kurtistown
		Corrected TMK and corrected spatial for one (1) record in Keaau
		Corrected spatial for seven (7) records in Kailua Kona
		Corrected spatial for two (2) records in Kealakekua
		Corrected spatial for one (1) record in Captain Cook
		Corrected spatial for four (4) records in Ocean View
		Edited spatial for one (1) record in Volcano
Corrected spatial for nine (9) records in Mountain View		

Hawaii County E9-1-1 Status Report

December 1, 2024 – December 31, 2024

MAPPING LAYERS UPDATED (PART II)

9-1-1 GIS layers provided by V2X (formerly Akimeka) to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

HAWAII COUNTY		
Type of Layer	V2X formerly Akimeka GIS Server	Other/Remarks
	Date Created/Edits Performed	
CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)		
Address Points	12/10/2024 To 12/23/2024	Edited spatial for one (1) record in Kamuela
		Added new address point for one (1) record in Kamuela
		Corrected spatial for sixty-six (66) records in Keaau
		Corrected spatial for six (6) records in Kamuela
		Added address for two (2) records in Keaau
		Corrected spatial for one (1) record in Naalehu
		Corrected spatial for two (2) records in Laupahoehoe
		Added new address for two (2) records in Keaau
		Updated streetname, updated alias, updated datasource for three (3) records in Captain Cook
		Edited spatial for three (3) records in Keaau
		Corrected spatial for eight (8) records in Hilo
		Added address for one (1) record in Kurtistown
		Delivered 12/10/2024
	12/1/2024 To 12/9/2024	Edited spatial for one (1) record in Kapaau
		Added address for twenty-two (22) records in Pahoa
		Corrected spatial for two (2) records in Pahoa
		Added address for three (3) records in Waikoloa
		Added address for three (3) records in Captain Cook
		Added address for five (5) records in Naalehu
		Corrected spatial for two (2) records in Kurtistown

Hawaii County E9-1-1 Status Report

December 1, 2024 – December 31, 2024

MAPPING LAYERS UPDATED (PART III)

9-1-1 GIS layers provided by V2X (formerly Akimeka) to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

HAWAII COUNTY		
Type of Layer	V2X formerly Akimeka GIS Server	Other/Remarks
	Date Created/ Edits Performed	
CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)		
Address Points	12/1/2024 To 12/9/2024	Added address for nineteen (19) records in Volcano
		Kurtistown
		Edited spatial for one (1) record in Captain Cook
		Corrected spatial for four (4) records in Volcano
		Corrected spatial for two (2) records in Kapaau
		Added address for eighteen (18) records in Ocean View
		Added address for eight (8) records in Hilo
		Added address for one (1) record in Kealakekua
		Added address for one (1) record in Hawi
		Added address for three (3) records in Kailua Kona
		Edited spatial for four (4) records in Volcano
		Added address for four (4) records in Laupahoehoe
		Corrected spatial for seven (7) records in Keaau
		Added address for two (2) records in Holualoa
		Corrected TMK, added alias for one (1) record in Kurtistown
		Added address for eighteen (18) records in Keaau
		Corrected spatial for two (2) records in Naalehu
Added address for nine (9) records in Mountain View		
Edited spatial for one (1) record in Kurtistown		
Corrected TMK and corrected spatial for one (1) record in Hilo		

Hawaii County E9-1-1 Status Report

December 1, 2024 – December 31, 2024

MAPPING LAYERS UPDATED (PART IV)

9-1-1 GIS layers provided by V2X (formerly Akimeka) to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

HAWAII COUNTY		
Type of Layer	V2X formerly Akimeka GIS Server	Other/Remarks
	Date Created/ Edits Performed	
CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)		
Address Points	12/1/2024 To 12/9/2024	Added address for three (3) records in Kamuela Added address for one (1) record in Paauilo Corrected spatial for twenty-five (25) records in Hilo Added address for eleven (11) records in Kurtistown
Airports		
Bridges		
Building Footprints		
Bus Stops		
Churches		
Coastal Names		
Coastline		
Common Places		
Correctional Facilities		
Emergency Callboxes		
Emergency Operation Centers		
Emergency Shelters		
ESZ/ESN		
Fire Beats		
Fire Districts		
Fire Response Areas		

Hawaii County E9-1-1 Status Report

December 1, 2024 – December 31, 2024

MAPPING LAYERS UPDATED (PART V)

9-1-1 GIS layers provided by V2X (formerly Akimeka) to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

HAWAII COUNTY		
Type of Layer	V2X formerly Akimeka GIS Server	Other/Remarks
	Date Created/ Edits Performed	
CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)		
Fire Stations		
Food & Beverage		
Gas Stations		
Gate Codes		
Government Buildings		
Harbors		
Helipads		
Hiking Trails		
Hospitals		
Hydrants		
Hyrdology Layers		
Incident Response Areas		
Lodging		
Major Roads		
Medic Beats		
Medic Districts		
Medic Response Areas		
Medic Stations		
Medical Facilities		
Milepost Markers		
MSAG Communities		

Hawaii County E9-1-1 Status Report

December 1, 2024 – December 31, 2024

MAPPING LAYERS UPDATED (PART VI)

9-1-1 GIS layers provided by V2X (formerly Akimeka) to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

HAWAII COUNTY		
Type of Layer	V2X formerly Akimeka GIS Server	Other/Remarks
	Date Created/ Edits Performed	
CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)		
Net Junctions		
Ocean Rescue Boundaries		
Ocean Safety		
Parcels		
Parks		
Parks Polygon		
Points of Interest		
Police Beats		
Police Districts		
Police Response Areas		
Police Stations		
Post Offices		
Schools		
Street Centerlines	12/24/2024 To 12/31/2024	Next Delivery 1/7/2025
		Updated streetname for one (1) record in Hilo
		Delivered 12/24/2024
	12/10/2024 To 12/23/2024	Added segment for two (2) records in Captain Cook
		Added segment for one (1) record in Naalehu
		Split segment for and updated range for two (2) records in Captain Cook
	12/1/2024 To 12/9/2024	Delivered 12/10/2024
		Split segment for and updated range for two (2) records in Captain Cook



Hawaii County E9-1-1 Status Report

December 1, 2024 – December 31, 2024

MAPPING LAYERS UPDATED (PART VII)

9-1-1 GIS layers provided by V2X (formerly Akimeka) to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.

HAWAII COUNTY		
Type of Layer	V2X formerly Akimeka GIS Server	Other/Remarks
	Date Created/ Edits Performed	
CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)		
Subdivisions		
Tow Jurisdictions		
Tsunami Evacuation Zones		
Tsunami Heights		
Waste Water Plants		
WSP Cell Sectors	12/24/2024 To 12/31/2024	Next Delivery 1/7/2025
		Added nineteen (19) sectors per AT&T CRS
	12/10/2024 To 12/23/2024	Delivered 12/24/2024
		Added thirty-four (34) sectors per Verizon Wireless audit
		Added five (5) sectors per AT&T CRS
		Added ten (10) sectors per Verizon Wireless CRS
	12/1/2024 To 12/9/2024	Updated twenty (20) sectors per Verizon Wireless CRS
		Delivered 12/10/2024
		Added thirty-three (33) sectors per Verizon Wireless CRS
		Added three (3) sectors per T-Mobile CRS
WSP Cell Towers		Updated three (3) sectors per Verizon Wireless CRS
		Added sixty-nine (69) sectors per AT&T CRS



Hawaii County E9-1-1 Status Report

December 1, 2024 – December 31, 2024

GEOGRAPHIC INFORMATION SYSTEM (GIS) NARRATIVES

GIS KEY ACTIVITIES/UPDATES

GIS Key activities include the events such as GIS deliverables, meetings, agreements, etc.

Date	Key Activities/Updates
12/10/2024	Delivered Address Points, Cell Sectors, Cell Towers, Points of Interest, Street Centerlines, ESN, MSAG Communities, MedicResponseAreas, and FireResponseAreas for Hawaii County Mapflex
12/10/2024	Delivered Address Points, City, Common Names Alt Table, Display Streets, Fire EMS Zone, First In, Points of Interest, POI Alt Names, Police Zones, Street Centerlines, Street Alt Names, and Street Routes for Hawaii County Spillman
12/24/2024	Delivered Address Points, Cell Sectors, Cell Towers, Points of Interest, Street Centerlines, ESN, MSAG Communities, MedicResponseAreas, and FireResponseAreas for Hawaii County Mapflex
12/24/2024	Delivered Address Points, City, Common Names Alt Table, Display Streets, Fire EMS Zone, First In, Points of Interest, POI Alt Names, Police Zones, Street Centerlines, Street Alt Names, and Street Routes for Hawaii County Spillman

GIS FOR 911

As part of ensuring GIS data compatibility with 911 CAD systems, V2X (formerly Akimeka) removed certain spatial characteristics of street centerlines known as “true curves”. True, or geometric, curves are sometimes used in the street centerline layer to depict a road that curves in a circular (or semi-circular) fashion, like a round-about or a cul-de-sac. These features can cause processing issues in CAD and GIS software, and therefore were replaced with a series of points that depict the same geometry without the use of a geometric, or true curve.

LAVA FLOW AND ALTERNATE ROUTES

Historical events are archived in the 2018 Monthly Status Reports. V2X (formerly Akimeka) will resume to deliver updates should the event start up again.

During the month of December, 2024, V2X has been monitoring the volcanic activity at Kilauea crater should any circumstances require 911 mapping adjustments, such as road closures and alternate routing for evacuations and 911 responses.

Hawaii County E9-1-1 Status Report

December 1, 2024 – December 31, 2024

FIRE DEPARTMENT IMT (INCIDENT MANAGEMENT TEAM) MAP

Historical events are archived in the 2018 Monthly Status Reports. V2X (formerly Akimeka) will update these GIS layers upon request by the Hilo Fire Department.

ADDRESS POINTS AND STREET CENTERLINES UPDATE COMPARISON

On a routine basis, upon receipt of Hawai'i County Planning Department's Address Points and Street Centerlines layer updates, V2X (formerly Akimeka) compares and incorporates any of the County's additions, changes, and deletions into the V2X (formerly Akimeka) Address Points and Street Centerlines layers that appear necessary for the dispatch and response of 911 personnel.

The new Address Points and Street Centerlines geodatabase comparative analysis was received from the Hawai'i County Planning Department on **December 31, 2024**. A new compare process was developed by V2X (formerly Akimeka) to perform this analysis.

HAWAII COUNTY	Address Points Layer	Street Centerlines Layer
New Addresses Added	136	
Addresses Removed	0	
Address Street Name Changes	5	
Address Street Number Changes	0	
New Street Segments Added		3
Street Segments Removed		0
Street Segment Range Changes		6
Street Segment Name Changes		1

NOTE:

Some Address Points have multiple updates that are required, including Street Name and Street Number. These updates are counted as separate actions since the changes are required to make the GIS layers "9-1-1 capable" for CAD system recommendations affecting public safety dispatch and response operations.



Hawaii County E9-1-1 Status Report

December 1, 2024 – December 31, 2024

MAPFLEX SYSTEM

December 2024

V2X (formerly Akimeka) delivered GIS data to the MapFlex system on the following dates in December 2024

Hawaii County – December 10, 2024, and December 24, 2024

Maui County – December 11, 2024, and December 24, 2024

Kauai County – December 12, 2024, and December 24, 2024

Honolulu – December 13, 2024, and December 27, 2024

MAPFLEX ISSUES

The MapFlex issues are archived in the 2021 Monthly Status Report. Should the existing issues be addressed, this report will be reopened and tracked.

Hawaii County E9-1-1 Status Report

December 1, 2024 – December 31, 2024

4. SERVICE REQUESTS TRANSACTIONS

OPEN SERVICE REQUESTS – DECEMBER 2024

#	Date	Description	Category	Comments

NOTE* THERE ARE NO (0) OPENED SERVICE REQUEST PENDING FOR DECEMBER 2024.

SERVICE REQUEST YEAR-TO-DATE (YTD) SUMMARY – 2024

HAWAII COUNTY				MSAG SERVICE REQUEST CATEGORIES					
2024	TOTAL		Open	WIREFLINE		WIRELESS		VoIP	
	Created	Closed		Created	Closed	Created	Closed	Received	Returned
2023 Carryover*			0						
January	0	0	0	0	0	0	0	0	0
February	0	0	0	0	0	0	0	0	0
March	0	0	0	0	0	0	0	0	0
April	0	0	0	0	0	0	0	0	0
May	0	0	0	0	0	0	0	0	0
June	0	0	0	0	0	0	0	0	0
July	0	0	0	0	0	0	0	0	0
August	0	0	0	0	0	0	0	0	0
September	10	10	0	0	0	0	0	10	10
October	2	2	0	0	0	0	0	2	2
November	6	6	0	0	0	0	0	6	6
December	1	1	0	0	0	0	0	1	1
TOTAL	19	19	0	0	0	0	0	19	19

Note:	* The 2023 Carryover row indicated the number of Service Requests that were opened in 2023 and brought forward into 2024 in an effort to track the service request until completion. Detailed information on service tickets are available upon request.
--------------	--

Definitions:	Category	Description
	Wireline	Telephone Number (ALI) Discrepancies from land line phones that have been submitted to Intrado via 9-1-1 Net for correction.
	Wireless	Telephone Number (ALI) Discrepancies from phones that were land lines at one time, and were ported out to a wireless carrier. However, the phone number was never removed from the MSAG database.
	VoIP	Received 911 (ALI) Discrepancies from VoIP providers and returned with a valid MSAG address for 911.

Hawaii County E9-1-1 Status Report

December 1, 2024 – December 31, 2024

5. E9-1-1 DATABASE SYNCHRONIZATION

(Reference: NENA 71-501, Version 1.1 – NENA Information Document for Synchronizing Geographic Information System databases with MSAG & ALI)

Next Scheduled Database Synchronization Report – February 2025

TWO-WAY (2-WAY) COMPARISON

THREE-WAY (3-WAY) COMPARISON

INVALID MSAG STREETS AND ADDRESS RANGES – ESN 299 MSAG & ALI RECORDS