

# Oahu Civilian E9-1-1

## Status Report

*March 1, 2026 – March 31, 2026*



# Oahu Civilian E9-1-1 Status Report

March 1, 2026 - March 31, 2026

---

## TABLE OF CONTENTS

1.	PSAP Operations.....	5
	9-1-1 Call Volume Civilian PSAPS – March 2026.....	5
	9-1-1 Call Volume Civilian PSAPS – Calendar Year 2026.....	5
	Note:.....	5
	9-1-1 Call Volume By Agency – March 2026.....	6
	9-1-1 Call Volume By Agency – Calendar Year 2026.....	6
	PSAP Operation Notes:.....	8
	For Your Information.....	8
	Text to 911 Oahu Civilian PSAPs – Current Month – March 2026.....	9
	Note:.....	9
	911 Wireless Oahu Civilian PSAP Testing – March 2026.....	9
	Notes:.....	9
2.	MSAG (Master Street Address Guide).....	10
	Oahu Civilian MSAG Transactions Current Month/Year – March 2026.....	10
	Oahu Civilian Msag current month notes:.....	11
	Oahu Civilian Telephone Record (ALI) Transactions current month notes:.....	11
	Oahu Civilian Open Telephone Record (ALI) Discrepancy Status:.....	11
	TNCR (Telephone Number Change Request) Current Status – March 2026.....	12
	NOTE:.....	12
	Dispatchable Location – Status as of – March 2026.....	13
	Narrative:.....	13

# Oahu Civilian E9-1-1 Status Report

**March 1, 2026 - March 31, 2026**

---

Spectrum (Charter) 9-1-1 VoIP Database Verification Project – March 2026.....		14
Bandwidth 9-1-1 VoIP Database Verification Project – March 2026 .....		15
3. Geographic Information System (GIS) – March 2026.....		16
Mapping Layers Updated (Part I).....		16
Mapping Layers Updated (Part II) .....		17
Mapping Layers Updated (Part III) .....		18
Mapping Layers Updated (Part IV).....		19
Mapping Layers Updated (Part V).....		20
Mapping Layers Updated (Part VI).....		21
Mapping Layers Updated (Part VII).....		22
Mapping Layers Updated (Part VIII) .....		23
Mapping Layers Updated (Part IX).....		24
Geographic Information System (GIS) Narrative.....		25
GIS Key Activities/Updates.....		25
GIS for 911 .....		25
Honolulu Police Department TriTech CAD Project .....		26
MapFlex/SCC System .....		27
MapFlex Issues .....		28
Speed Limit Updates .....		28
Routing id Updates.....		28
Honolulu EMS Response Area.....		29
4. Service Requests Transactions.....		30
Open Service Requests - March 2026 .....		30
Note:.....		30



# Oahu Civilian E9-1-1 Status Report

March 1, 2026 - March 31, 2026

---

Service Request Year-to-Date (YTD) Summary – 2026 .....	30
5. E9-1-1 Oahu Civilian Database Synchronization.....	31
Two-way (2-way) comparison.....	31
Three-way (3-way) comparison .....	31
Invalid MSAG Streets and Address Ranges – ESN 199 MSAG & ALI Records Project completed .....	31



# Oahu Civilian E9-1-1 Status Report

March 1, 2026 - March 31, 2026

## 1. PSAP OPERATIONS

### 9-1-1 CALL VOLUME CIVILIAN PSAPS – MARCH 2026

Source: Intrado Viper system

9-1-1 Primary PSAP Call Volume																			
Honolulu City & County PSAPs		Wireline		Wireless				VOIP		Calls With No ALI		Admin Calls		Abandoned Calls		Other Calls		Calls With No Value	
2026	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Total Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	No. of Other Calls	% of Total Calls	No. of Calls with No Value	% of Calls with no value
March	83,833	7,813	9.32%	68,684	81.93%	9.79%	72.14%	3,555	4.24%	67	0.08%	1,424	1.70%	14,609	17.43%	1,202	1.43%	2,983	4.43%

### 9-1-1 CALL VOLUME CIVILIAN PSAPS – CALENDAR YEAR 2026

9-1-1 Primary PSAP Call Volume																			
Honolulu City & County PSAPs		Wireline		Wireless				VOIP Calls		Calls with No ALI		Admin Calls		Abandoned Calls		Other Calls		Calls with No Value	
2026	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Total Calls	No. of Calls with No ALI	% of Total Calls	No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	No. of Total Call Received	% of Total Calls	No. of Calls with No Value	% of Calls with no value
JAN	75,061	5,712	7.61%	63,464	84.55%	10.16%	74.39%	3,138	4.18%	38	0.05%	1,340	1.79%	11,351	15.12%	962	1.28%	2,092	3.61%
FEB	71,070	6,290	8.85%	58,505	82.32%	9.68%	72.64%	3,092	4.35%	36	0.05%	1,331	1.87%	11,442	16.10%	817	1.15%	2,442	4.43%
MAR	83,833	7,813	9.32%	68,684	81.93%	9.79%	72.14%	3,555	4.24%	67	0.08%	1,424	1.70%	14,609	17.43%	1,202	1.43%	2,983	4.43%
APR																			
MAY																			
JUNE																			
JULY																			
AUG																			
SEPT																			
OCT																			
NOV																			
DEC																			
YTD	229,964	19,815		190,653				9,785		141		4,095		37,402		2,981		7,517	
MON AVG	76,655	6,605	8.59%	63,551	82.93%	9.88%	73.06%	3,262	4.26%	47	0.06%	1,365	1.79%	12,467	16.22%	994	1.29%	2,506	4.16%

#### NOTE:

- **911 Calls with No ALI for March 2026 = 0.08%** - Statewide average for 2025 = 2.01%
- **911 Calls with “no value” for March 2026 = 2,983** (see report on page 7)
- Total call volumes do not include Administrative Calls. Administrative calls = Calls originating on Administrative lines that required 911 service.
- Abandoned Calls represent the number of incoming 9-1-1 calls for which the caller had hung up before a call-taker answered. Dropped Calls are hang ups after transfers.
- Abandoned Calls are **not** included in the Wireline and Wireless total counts respectively.
- All VoIP (Voice over Internet Protocol) types of 911 calls are combined in the Call Volume statistic.

## Oahu Civilian E9-1-1 Status Report

March 1, 2026 - March 31, 2026

### 9-1-1 CALL VOLUME BY AGENCY – MARCH 2026

2026	9-1-1 Call Volume by Agency									
	Honolulu Police Department						Honolulu Fire Department			
	No. of Total Calls Received	% of Total Calls	Number of Emergency Calls	Number of Non Emergency Calls	Number of Admin Calls	Number of Dropped Calls	No. of Total Calls Received	% of Total Calls	Number of Admin Calls	Number of Dropped Calls
March	68,961	82.26%	16,282	36,857	1,213	14,609	3,973	4.74%	93	73

Emergency Medical Services				Ocean Safety			
Number of Total Calls Received	% of Total Calls	Number of Admin Calls	Number of Dropped Calls	Number of Total Calls Received	% of Total Calls	Number of Admin Calls	Number of Dropped Calls
9,651	11.51%	75	246	46	0.05%	43	0

### 9-1-1 CALL VOLUME BY AGENCY – CALENDAR YEAR 2026

2026	9-1-1 Call Volume by Agency																	
	Honolulu Police Department						Honolulu Fire Department				Emergency Medical Services				Ocean Safety			
	Number of Total Calls Received	% of Total Calls	No. of Emergency Calls	No. of Non Emergency Calls	No. of Admin Calls	No. of Dropped Calls	No. of Total Calls Received	% of Total Calls	No. of Admin Calls	No. of Dropped Calls	No. of Total Calls Received	% of Total Calls	No. of Admin Calls	No. of Dropped Calls	No. of Total Calls Received	% of Total Calls	No. of Admin Calls	No. of Dropped Calls
JAN	61,782	82.31%	15,359	33,959	1,113	11,351	2,808	3.74%	86	49	9,458	12.60%	97	229	51	0.07%	44	0
FEB	58,327	82.07%	14,280	31,514	1,091	11,442	3,076	4.33%	95	42	8,809	12.39%	108	346	41	0.06%	37	0
MAR	68,961	82.26%	16,282	36,857	1,213	14,609	3,973	4.74%	93	73	9,651	11.51%	75	246	46	0.05%	43	0
APR																		
MAY																		
JUNE																		
JULY																		
AUG																		
SEPT																		
OCT																		
NOV																		
DEC																		
YTD	189,070		45,921	102,330	3,417	37,402	9,857		274	164	27,918		280	821	138		124	0
MON AVG	63,023	82.21%	15,307	34,110	1,139	12,467	3,286	4.27%	91	55	9,306	12.17%	93	274	46	0.06%	41	0

# Oahu Civilian E9-1-1 Status Report

March 1, 2026 - March 31, 2026

## 911 Calls with “no value”

During a meeting with representatives from HawaiianTel, Intrado, V2X, and PSAP representatives on March 27, 2025, it was determined that a classification of “no value” 911 calls may be the root cause of the reduction of 911 call volumes throughout the State of Hawaii PSAPs. These “no value” 911 calls lack information or data that determines the “Class of Service” of a 911 call. For example, a Landline, Wireless or VoIP call. The ANI (automatic number identification) may not contain a 10-digit number or other ALI data to properly determine the Class of Service. A definition from the Viper user’s guide may also be a factor to consider:

### “No Value” in reports:

When a trunk associated to a trunk group is not configured in Power 9-1-1, the trunk will be represented by “No Value” in a report.

The instructions below was followed, and the results are included below:


### For PSAPs that have MIS\_Power911\_5.x data:

Calls identified with “No Value” will not appear in this report unless you specifically filter for “No Value”.

- No Value appears in the Others filter subcategory:

As of April 1<sup>st</sup>, 2025, the 911 Calls with “No Value” are added to the total 911 calls received at the PSAP for the month.

Call filters used to extract the number of “No value” calls are: Only incoming 911 calls on 911 Trunks with the class of service of “No Value” This is to prevent any Administrative calls that maybe populating the “No Value” totals.



The HPD 911 Center received 2,983 “No Value” calls in March which is reflected on the Monthly 911 Call Volume Report.

# Oahu Civilian E9-1-1 Status Report

March 1, 2026 - March 31, 2026

## PSAP OPERATION NOTES:

- **A New Class of Service (COS): FIXD** = Wireless 911 calls to the PSAP via fixed indoor antennas.
- x (911) calls with the COS of FIXD were added to the Wireless Phase I (WPH 1) percentage total.
- **A New Class of Service (COS): WDL1/WDL2** = Wireless 911 calls to the PSAP via fixed indoor antennas with a general location i.e., pool area (WDL1) or a specific area i.e., room 101 (WDL2).
- x (911) calls with the COS of WDL1, or WDL2 were added to the Wireless Phase I or Phase II percentage total.

## FOR YOUR INFORMATION

FYI.....For Your Information										
PSAP Operations										
Statewide 911 Call Volumes										
PSAP	2025		2024		2023		2022		2021	
Oahu Civilian	937,825	73.86%	974,278	73.07%	988,670	68.33%	971,113	69.45%	1,052,026	68.91%
RDC Pearl Harbor	24,455	1.93%	25,072	1.88%	36,916	2.55%	31,827	2.28%	39,253	2.58%
Hawaii County	161,993	12.75%	182,298	13.67%	207,715	14.35%	199,811	14.29%	214,220	14.00%
Maui County	113,804	8.96%	111,385	8.35%	152,397	10.54%	140,524	10.05%	160,241	10.51%
Kauai County	31,727	2.50%	40,310	3.03%	61,197	4.23%	54,923	3.93%	60,986	4.00%
Total	1,269,804	100.00%	1,333,343	100.00%	1,446,895	100.00%	1,398,198	100.00%	1,526,726	100.00%

911 Call Volume % change from 2024 to 2025	
Oahu	-3.74%
RDC	-2.46%
Hawaii	-11.14%
Maui	2.17%
Kauai	-21.29%
State of Hawaii	-7.29%

911 Calls with No ALI /No Value average % for 2025	
Oahu	2.51%
RDC	0.30%
Hawaii	2.92%
Maui	2.32%
Kauai	1.99%
State of Hawaii average	2.01%

State of Hawaii 2025	
TEXT TO 911	
Oahu Civilian	4,196
RDC Pearl Harbor	61
Hawaii County	635
Maui County	525
Kauai County	514
*Total	5,931
*Totals may include PSAP training, testing, and 911 Texting errors	

## Oahu Civilian E9-1-1 Status Report

**March 1, 2026 - March 31, 2026**

**TEXT TO 911 OAHU CIVILIAN PSAPS – CURRENT MONTH – MARCH 2026**

TEXT TO 911 Oahu Civilian PSAPs 2026						
Month	Total	HPD	HFD	EMS	OS	911 (handled)
January	307	218	13	6	0	70
February	243	160	4	7	0	72
March	327	175	7	5	0	140
April						
May						
June						
July						
August						
September						
October						
November						
December						
YTD	877	553	24	18	0	282
Monthly Avg.	292.3	184.3	8.0	6.0	0.0	94.0

**NOTE:**

- Although there is a “Text to 911” plot on the MapFlex, the location of the plot is not dependable. Text to 911 Dispatchers should use their skills to ascertain the exact location of the emergency response.
- The 9-1-1 handled texts were incidents in which the Division conducted testing or the texter texted 911 in error.

**911 WIRELESS OAHU CIVILIAN PSAP TESTING – MARCH 2026**

OAHU CIVILIAN - MARCH 2026						
Date	WSP	Sites Tested	Sectors Tested	Tested By:	Test Pass/Fail	Comments:

**NOTES:**

- There were no (0) scheduled Wireless 911 Tests for the Oahu Civilian PSAP in March 2026.

## Oahu Civilian E9-1-1 Status Report

March 1, 2026 - March 31, 2026

### 2. MSAG (MASTER STREET ADDRESS GUIDE)

#### OAHU CIVILIAN MSAG TRANSACTIONS CURRENT MONTH/YEAR – MARCH 2026

OAHU CIVILIAN	9-1-1 TRANSACTIONS								
	Total	MSAG	ALI Submitted			Open ALI Discrepancy Records			Customer Addresses Affected
		MSAG (A)	TN CR (B)	ALI DR (C)	VoIP (D)	TNCR	ALI DR	VoIP DR	
2026									
<b>JANUARY</b>	1,952	1	1,951	0	0	1,422	0	0	5
<b>FEBRUARY</b>	276	0	276	0	0	1,445	0	0	0
<b>MARCH</b>	566	0	565	0	1	1,444	0	0	0
<b>APRIL</b>									
<b>MAY</b>									
<b>JUNE</b>									
<b>JULY</b>									
<b>AUGUST</b>									
<b>SEPTEMBER</b>									
<b>OCTOBER</b>									
<b>NOVEMBER</b>									
<b>DECEMBER</b>									
<b>TOTAL YTD</b>	<b>2,794</b>	<b>1</b>	<b>2,792</b>	<b>0</b>	<b>1</b>				<b>5</b>
<b>AVG PER MONTH</b>	<b>931</b>	<b>0</b>	<b>931</b>	<b>0</b>	<b>0</b>				<b>2</b>

--

#### Definitions

- (A) **Master Street Address Guide** - Represents corrections made to street records including, street names, address ranges, MSAG Communities and ESNs.
- (B) **Telephone Number Change Request** - Represents address corrections on a specific TN or group of TNs. These "invalid" TNs usually have an associated ESN 199 attached to them which indicates the need for validation.
- (C) **Automatic Location Information Discrepancy Record** - Represents an address discrepancy discovered during a live 9-1-1 call, from a landline. These record corrections are treated with a higher priority and should be processed within 48 hours as a general guideline.
- (D) **Voice over Internet Protocol Discrepancy Record** - Represents an address discrepancy discovered during a live 9-1-1 call, from a VoIP phone. These record corrections are treated with a higher priority and should be processed within 72 hours as a general guideline per Time Warner Operations Center. MSR tracking effective April 2014.

## Oahu Civilian E9-1-1 Status Report

March 1, 2026 - March 31, 2026

---

### OAHU CIVILIAN MSAG CURRENT MONTH NOTES:

A total of **566** MSAG transactions were processed in 9-1-1 Net during the current reporting month. Zero request were processed relating to the MSAG database which include: changes to high – low street ranges, combining street records, deletion of invalid records, splitting street records to align with Police, Fire, EMS and Military response areas, and inserting new MSAG records.

There were **no** customers ANI/ALI (telephone/address) records updated as a direct result.

### OAHU CIVILIAN TELEPHONE RECORD (ALI) TRANSACTIONS CURRENT MONTH NOTES:

V2X processed five hundred sixty-five (**565**) TN CRs related to the Dispatchable Location Project during the current month.

One (1) VoIP DR was submitted as the result of a 9-1-1 call. One call was made from a VoIP residential phone in Aiea

### OAHU CIVILIAN OPEN TELEPHONE RECORD (ALI) DISCREPANCY STATUS:

- **There are currently 1,444 Open TN CRs.**

**1,444** Open TN CR transactions are a result of the Dispatchable Location project. V2X continues to monitor and track the progress of the Referred records. Once a telephone number is submitted to Intrado for correction, it must be verified against HT records and/or approved by the customer. Intrado's internal process requires calling each telephone customer individually for approval to update an address in the 9-1-1 database.

- **There are no Open ALI-DRs as of March 31, 2026**
- **There is no Open VoIP DRs as of March 31, 2026**

## Oahu Civilian E9-1-1 Status Report

March 1, 2026 - March 31, 2026

### TNCR (TELEPHONE NUMBER CHANGE REQUEST) CURRENT STATUS – MARCH 2026

**NOTE:**

- 9-1-1 NET is a secure web-based application that provides access to request changes to the MSAG, ALI, TN, and ESN/ELT data supported and maintained by Intrado for the Telephone Company (TelCo).
- TNCRs are not requests to change Telephone Numbers (TNs); however, it is a corrective process within 9-1-1 NET to modify location information associated with an Automatic Location Identification (ALI) record to a valid MSAG address for 9-1-1 purposes.

<b>PSAP 9-1-1 Telephone Number Location Change Request (Telephone Number Change Request (TNCR) Status)</b>				
<b>PSAP</b>	<b>TOTAL TNCR RECORDS SUBMITTED BY AKIMEKA</b>	<b>OPENED TNCRS PENDING FURTHER ACTION BY INTRADO</b>	<b>OPENED TNCRS REFERRED TO TELCO BY INTRADO</b>	<b>TOTAL UNOPENED TNCR RECORDS</b>
<b>OAHU CIVILIAN</b>	<b>1,444</b>	<b>12</b>	<b>1,432</b>	<b>0</b>

<b>STATUS</b>
<b><u>TOTAL TNCRs SUBMITTED</u></b> - The total number of TNCR requests for modification that have been submitted in 9-1-1
<b><u>PENDING STATUS</u></b> - TNCRs assigned this status are requests which have been reviewed by the 9-1-1 Database Service Provider Data Analyst, and are pending investigation whether the request is valid or invalid, and/or whether the request requires additional information to validate.
<b><u>REFERRED STATUS</u></b> - TNCRs assigned this status are requests which have been reviewed by the 9-1-1 Database Service Provider Data Analyst, and the request requires additional information to validate. The Intrado Data Analysts assigns this status to a TNCR and the request is referred to the telephone service providers for further research.
<b><u>TOTAL UNOPENED TNCR RECORDS STATUS</u></b> - The request is submitted by V2X on behalf the PSAP; however, processing by the 9-1-1 Database Service Provider Data Analyst has not begun.

## Oahu Civilian E9-1-1 Status Report

**March 1, 2026 - March 31, 2026**

### DISPATCHABLE LOCATION – STATUS AS OF – MARCH 2026

#### NARRATIVE:

During the August 2015 State of Hawaii 911 Board meeting, V2X provided a “State of Hawaii PSAPs Proposed ALI Compliancy with FCC 15-9” presentation. Based on the 9-1-1 Board’s confirmation to add the “Dispatchable Location” information into the ALI database, V2X researched the format standards of each pertinent field and tested the delivery of the data to the PSAP. After a few configuration adjustments (eliminating the TelCo comments field from appearing on the ALI Screen), V2X standardized an additional information data format to proceed with this project.

The “Dispatchable Location” data is entered into the “Driving Directions” field in the 9-1-1 Net system and will display on the Viper Power 911 ALI Screen in the “Exact” field should a 911 call be received from that telephone number. The Windward Mall will be the pilot location starting in July 2018. There were **542** transactions submitted and **542** processed in March 2026.

Dispatchable Location			
2026	Common Name Place	TNCR*	Transactions
Quarter 1	MSAG Address	Transactions Submitted	Processed**
2025 carryover		<b>43,969</b>	<b>29,163</b>
February	Hokua Condo, 1288 Ala Moana Blvd, Honolulu	49	49
	Hale Makalei, 711 Wailepo Pl, Kailua	10	10
	Kailua Square, 315 Uluniu St, Kailua	20	20
	Hahani Plaza, 301-307 Hahani St, Kailua	17	17
	Hekili Bldg, 146 Hekili St, Kailua	35	35
	Kaimuki Plaza, 3465 Waialae Ave, Kaimuki	98	98
	Ililikai Hotel, 1777 Ala Moana Blvd, Waikiki	0	1
March	The Honolulu Advertiser, 605 Kapiolani Blvd, Honolulu	128	128
	Hawaiian Dredging, 605 Kapiolani Blvd, Honolulu	414	414
Q1		<b>782</b>	<b>2,718</b>
Total		<b>44,751</b>	<b>31,881</b>



## Oahu Civilian E9-1-1 Status Report

March 1, 2026 - March 31, 2026

### SPECTRUM (CHARTER) 9-1-1 VOIP DATABASE VERIFICATION PROJECT – MARCH 2026

V2X received the Automatic Location Identification (ALI) records from Spectrum (formally known as Charter Communications) which is the predominant Voice over Internet Protocol (VoIP) provider in the State of Hawaii. As V2X has access to these ALI Records, V2X is researching and verifying the VoIP records against an MSAG valid address and the GIS data. This research is a validation of the ALI Record to ensure that the location provided by the VoIP provider matches the GIS Information utilized by the Public Safety Agencies within their specific County 9-1-1 Service Area. This validation reduces the potential of address or location dispute during a 9-1-1 call.

The analysis of the database records indicates that there are invalid MSAG addresses utilized by the VoIP Provider. These records are being identified and will be sent back to Spectrum for corrective action.

<b>*Spectrum (Charter) 9-1-1 VoIP Database Verification Project</b>					
<b>PSAP</b>	<b>TOTAL RECORDS SUBMITTED BY SPECTRUM (A)</b>	<b>TOTAL RECORDS MATCHING &amp; VERIFIED WITH 911 DATABASES (B)</b>	<b>TOTAL RECORDS NOT MATCHING</b>	<b>NON MATCHING RECORDS CORRECTED BY V2X FORMERLY AKIMEKA (C)</b>	<b>PERCENT COMPLETED</b>
HAWAII County	22,044	21,638 (98%)	406	406	100.00%
KAUAI County	8,936	8,695 (97%)	241	241	100.00%
MAUI County	18,256	17,517 (96%)	739	739	100.00%
OAHU Civilian	87,414	85,329 (98%)	2,085	2,085	100.00%
OAHU Military	3,663	710 (19%)	2,953	2,953	100.00%
<b>TOTAL</b>	<b>140,313</b>	<b>**133,889</b>	<b>6,424</b>	<b>6,424</b>	<b>100.00%</b>

\* Spectrum VoIP Database received on June 21st, 2017

\*\* V2X provided VoIP Records with Latitude/Longitude coordinates

(A)	VoIP Database records submitted by Spectrum to V2X for research and MSAG address validation.
(B)	V2X has researched and verified the VoIP record against an MSAG valid address and GIS data. V2X is tracking corrections needed to be performed by Spectrum. Addressing data will be updated or added in the GIS if the VoIP record is determined to be valid.
(C)	Verification Process Completed.





## Oahu Civilian E9-1-1 Status Report

**March 1, 2026 - March 31, 2026**

**BANDWIDTH 9-1-1 VOIP DATABASE VERIFICATION PROJECT – MARCH 2026**

V2X received the Automatic Location Identification (ALI) records from Bandwidth which is a Voice over Internet Protocol (VoIP) provider in the State of Hawaii. As V2X has access to these ALI Records, V2X researched and verified the VoIP records against an MSAG valid address and the GIS data. This research is a validation of the ALI Record to ensure that the location provided by the VoIP provider matches the GIS Information utilized by the Public Safety Agencies within their specific County 9-1-1 Service Area. This validation reduces the potential of address or location dispute during a 9-1-1 call.

The analysis of the database records indicates that there were invalid MSAG addresses utilized by the VoIP Provider. These records were identified and sent back to Bandwidth for corrective action.

V2X will update the chart below as we receive updated ALI records from Bandwidth.

<b>*Bandwidth</b>					
<b>9-1-1 VoIP Database Verification Project *** (Updated)</b>					
<b>PSAP</b>	<b>TOTAL RECORDS SUBMITTED BY BANDWIDTH (A)</b>	<b>TOTAL NO MATCHING RECORDS IDENTIFIED BY V2X (FORMERLY AKIMEKA)</b>	<b>BANDWIDTH FALLOUT RECORDS (B)</b>	<b>NON MATCHING RECORDS CORRECTED BY V2X (FORMERLY AKIMEKA) (C)</b>	<b>PERCENT COMPLETED</b>
<b>HAWAII County</b>	<b>2,126</b>	<b>97</b>	<b>16</b>	<b>106</b>	<b>93.81%</b>
<b>KAUAI County</b>	<b>555</b>	<b>75</b>	<b>3</b>	<b>73</b>	<b>93.59%</b>
<b>MAUI County</b>	<b>1,794</b>	<b>60</b>	<b>14</b>	<b>69</b>	<b>93.24%</b>
<b>OAHU Civilian</b>	<b>12,898</b>	<b>1,556</b>	<b>44</b>	<b>1,590</b>	<b>99.38%</b>
<b>OAHU Military</b>	<b>173</b>	<b>156</b>	<b>11</b>	<b>163</b>	<b>97.60%</b>
<b>TOTAL</b>	<b>17,546</b>	<b>1,944</b>	<b>88</b>	<b>2,001</b>	<b>95.52%</b>

**\*Bandwidth VoIP Database received on April 5th, 2018**

**\*\*Updated Bandwidth VoIP Database received on September 6th, 2018**

**\*\*\* Updated Bandwidth VoIP Database received on October 1st, 2021**

(A)	VoIP Database records submitted by Bandwidth to V2X for research and MSAG address validation.
(B)	VoIP records identified by Bandwidth as fallout records. These records contain invalid MSAG addressing information which can include house number, street name/suffix, or MSAG community.
(C)	Verification Process Completed.



## Oahu Civilian E9-1-1 Status Report

March 1, 2026 - March 31, 2026

### 3. GEOGRAPHIC INFORMATION SYSTEM (GIS) – MARCH 2026

#### MAPPING LAYERS UPDATED (PART I)

*9-1-1 GIS layers provided by V2X to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.*

OAHU CIVILIAN PSAPS		
Type of Layer	V2X GIS Server	Other/Remarks
	Date Created/ Edits Performed	
<b>CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH &amp; RESPONSE (Listed Alphabetically)</b>		
Address Points	3/20/2026 To 3/31/2026	<b>Next Delivery 4/3/2026</b>
		Added location type for two (2) records in Hawaii Kai
		Added location type for one (1) record in Haleiwa
		Added new address point for three (3) records in Aiea
		Corrected spatial for nine (9) records in Downtown
		Added location type, corrected spatial, apartment for five (5) records in
		Corrected spatial for five (5) records in Sunset
		Corrected spatial for five (5) records in Makiki
		Removed apartment, corrected house number for one (1) record in
		Added new address point for two (2) records in PC PEN
		Added new address point for three (3) records in Kalihi
		Added new address point for fifteen (15) records in Punchbowl
		Added new address point for two (2) records in Hawaii Kai
		Added location type for two (2) records in Kaimuki
		Corrected spatial, routing ID, added floor, location type for four (4)
		Added location name, location type, corrected spatial for two (2) records
		Added new address point for one hundred and forty (140) records in
		Added location type for three (3) records in Honolulu
		Added floor for two (2) records in Makiki
		Added location type for one (1) record in Kalihi
		Added location type for three (3) records in Aiea
		Corrected apartment for one (1) record in Kailua
		Corrected spatial, routing ID, added location type for two (2) records in
		Added location type, location name, corrected spatial for one (1) record
		Added new address point for five (5) records in Kaneohe

## Oahu Civilian E9-1-1 Status Report

March 1, 2026 - March 31, 2026

**MAPPING LAYERS UPDATED (PART II)**

*9-1-1 GIS layers provided by V2X to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.*

OAHU CIVILIAN PSAPS		
Type of Layer	V2X GIS Server	Other/Remarks
	Date Created/ Edits Performed	
<b>CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH &amp; RESPONSE (Listed Alphabetically)</b>		
Address Points	3/20/2026 To 3/31/2026	Added location name for two (2) records in Honolulu
		Added new address point for one (1) record in Hauula
		Added location type for eight (8) records in Makiki
		Added location type, corrected spatial for four (4) records in Honolulu
		Corrected spatial, added floor, location type for four (4) records in Makiki
		Added location type, corrected spatial for sixteen (16) records in Makiki
		Added new address point for one (1) record in Kahala
		Added new address point for two (2) records in Kaimuki
		Corrected spatial for four (4) records in Sunset
		Added location name, location type, corrected spatial for one (1) record
		Added new address point for one (1) record in Kahaluu
		Added new address point for one hundred and seventy-six (176) records
		Corrected spatial, added location type for two (2) records in Makiki
		Added new address point for one (1) record in Downtown
		Added location type for one (1) record in Kahala
		Added location type, corrected spatial for two (2) records in Punchbowl
	3/6/2026 To 3/19/2026	<b>Delivered 3/20/2026</b>
		Added location type for one (1) record in Hawaii Kai
		Added new address point for one (1) record in Kunia
		Corrected spatial, added location type for one (1) record in Honolulu
		Added new address point for twenty-three (23) records in Aiea
		Added new address point for one (1) record in Kailua
		Corrected spatial for one (1) record in Makiki
		Corrected civic house for one hundred and sixty-five (165) records in Kalaeloa

## Oahu Civilian E9-1-1 Status Report

March 1, 2026 - March 31, 2026

### MAPPING LAYERS UPDATED (PART III)

*9-1-1 GIS layers provided by V2X to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.*

OAHU CIVILIAN PSAPS		
Type of Layer	V2X GIS Server	Other/Remarks
	Date Created/ Edits Performed	
<b>CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH &amp; RESPONSE (Listed Alphabetically)</b>		
Address Points	3/6/2026 To 3/19/2026	Added new address point for two (2) records in Sunset
		Added location type for three (3) records in Manoa
		Added new address point for fifty (50) records in Kalihi
		Added new address point for twenty-five (25) records in Waipahu
		Added new address point for one (1) record in Waianae
		Added new address point for one (1) record in Kaimuki
		Corrected routing ID for three hundred and thirty-four (334) records in Aiea
		Corrected spatial for one (1) record in Honolulu
		Added new address point for two hundred and one (201) records in Honolulu
		Added location type for two (2) records in Honolulu
		Corrected spatial for one (1) record in Kalaeloa
		Added location type, corrected spatial for one (1) record in Waipahu
		Added location type for one (1) record in Aiea
		Added new address point for seventeen (17) records in Manoa
		Added new address point for one (1) record in Hawaii Kai
		Added new address point for two (2) records in Kaneohe
		Added new address point for one (1) record in Makakilo
		Corrected spatial, location name for two (2) records in Kalihi
		Corrected spatial for two (2) records in Kunia
		Added location type for one (1) record in Makakilo
Corrected spatial, added floor, location type for one (1) record in Honolulu		

## Oahu Civilian E9-1-1 Status Report

March 1, 2026 - March 31, 2026

### MAPPING LAYERS UPDATED (PART IV)

*9-1-1 GIS layers provided by V2X to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.*

OAHU CIVILIAN PSAPS			
Type of Layer	V2X GIS Server	Other/Remarks	
	Date Created/ Edits Performed		
<b>CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH &amp; RESPONSE (Listed Alphabetically)</b>			
Address Points	<b>3/6/2026 To 3/19/2026</b>	Added location type, corrected spatial for thirteen (13) records in Honolulu	
		Added location type, corrected spatial for three (3) records in Makiki	
		Added location name, corrected spatial for one (1) record in Honolulu	
		Added location name, location type, corrected spatial for one (1) record in Honolulu	
		Added new address point for sixty-five (65) records in Makiki	
		Corrected spatial, added location type for one (1) record in Sunset	
		Added new address point for forty-nine (49) records in Waipio	
	<b>3/1/2026 To 3/5/3036</b>	<b>Delivered 3/6/2026</b>	
		Corrected spatial, added location type for ten (10) records in Wahiawa	
		Corrected spatial for two (2) records in Kapolei	
		Added new address point for one (1) record in Kailua	
		Corrected spatial, apartment, added location type, floor for one (1) record in Wahiawa	
		Added new address point for one (1) record in Kakaako	
		Added location type, corrected spatial for three (3) records in Wahiawa	
		Added new address point for one (1) record in Kapolei	
		Added new address point for eleven (11) records in Waipahu	
		Added new address point for fourteen (14) records in Kaimuki	
		Added new address point for seventy-one (71) records in Wahiawa	
		Corrected location name for one (1) record in Makakilo	
		Corrected spatial, house number, added location type, floor for two (2) records in Wahiawa	

## Oahu Civilian E9-1-1 Status Report

March 1, 2026 - March 31, 2026

### MAPPING LAYERS UPDATED (PART V)

*9-1-1 GIS layers provided by V2X to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.*

OAHU CIVILIAN PSAPS		
Type of Layer	V2X GIS Server	Other/Remarks
	Date Created/ Edits Performed	
<b>CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH &amp; RESPONSE (Listed Alphabetically)</b>		
Address Points	<b>3/1/2026 To 3/5/3036</b>	Added new address point for one (1) record in Kaneohe
		Corrected spatial for one (1) record in Kahaluu
		Corrected routing ID for six (6) records in Kaneohe
		Added location name, location type for five (5) records in Kaimuki
		Added new address point for three (3) records in Ewa Beach
		Added location type, corrected spatial, routing ID for twelve (12) records in Maili
		Corrected spatial, added location type, floor, apartment for two (2) records in Wahiawa
		Added location name for one (1) record in Wahiawa
		Corrected spatial, added location type, apartment for one (1) record in Wahiawa
		Added new address point for eleven (11) records in Kahaluu
		Corrected spatial for seven (7) records in Ewa Beach
		Corrected spatial, added location type, floor for four (4) records in Wahiawa
		Added location type for one (1) record in Waipahu
Airports		
AMR Response Areas		
Bridges		
Building Footprints		
Bus Stops		
Churches		
Coastal Names		
Coastline		

## Oahu Civilian E9-1-1 Status Report

March 1, 2026 - March 31, 2026

**MAPPING LAYERS UPDATED (PART VI)**

*9-1-1 GIS layers provided by V2X to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.*

OAHU CIVILIAN PSAPS		
Type of Layer	V2X GIS Server	Other/Remarks
	Date Created/ Edits Performed	
<b>CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH &amp; RESPONSE (Listed Alphabetically)</b>		
Common Places		
Correctional Facilities		
Emergency Callboxes		
Emergency Operation Centers		
Emergency Shelters		
ESZ/ESN		
Fire Beats		
Fire Districts		
Fire Response Areas		
Fire Stations		
Food & Beverage		
Gas Stations		
Gate Codes		
Government Buildings		
Harbors		
Helipads		
Hiking Trails		
Hospitals		
Hydrants		
Hyrdology Layers		
Incident Response Areas		
Lodging		
Major Roads		
Medic Beats		

## Oahu Civilian E9-1-1 Status Report

March 1, 2026 - March 31, 2026

**MAPPING LAYERS UPDATED (PART VII)**

*9-1-1 GIS layers provided by V2X to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.*

OAHU CIVILIAN PSAPS		
Type of Layer	V2X GIS Server	Other/Remarks
	Date Created/ Edits Performed	
<b>CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH &amp; RESPONSE (Listed Alphabetically)</b>		
Medic Districts		
Medic Response Areas		
Medic Stations		
Medical Facilities		
Milepost Markers		
Military Response Areas		
MSAG Communities		
Net Junctions		
Ocean Rescue Boundaries		
Ocean Safety		
Parcels		
Parks		
Parks Polygon		
Points of Interest	<b>3/1/2026 To 3/5/3036</b>	<p style="text-align: center;"><b>Delivered 3/6/2026</b></p> <p>Corrected name for one (1) record in Makakilo</p> <p>Corrected census tract for one (1) record in Kapolei</p>
Police Beats		
Police Districts		
Police Response Areas		
Police Stations		
Post Offices		
Schools		

## Oahu Civilian E9-1-1 Status Report

March 1, 2026 - March 31, 2026

**MAPPING LAYERS UPDATED (PART VIII)**

*9-1-1 GIS layers provided by V2X to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.*

OAHU CIVILIAN PSAPS			
Type of Layer	V2X GIS Server	Other/Remarks	
	Date Created/ Edits Performed		
CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)			
Street Centerlines	3/6/2026 To 3/19/2026	<b>Delivered 3/20/2026</b>	
		Corrected spatial, range for one (1) record in Kalaeloa	
		Corrected spatial, range for nine (9) records in Kalaeloa	
		Corrected spatial for eight (8) records in Kapolei	
		Corrected spatial, range, speed limit, spatial for one (1) record in Kalaeloa	
		Added new segment for one (1) record in Kapolei	
		Added new segment for one (1) record in Kunia	
		Added new segment for two (2) records in Kalaeloa	
		Corrected spatial for one (1) record in Kunia	
		Corrected spatial for one (1) record in Kalaeloa	
		Corrected range for two (2) records in Kalaeloa	
		Corrected spatial for one (1) record in Aiea	
		Split segment, corrected range for four (4) records in Aiea	
		Added ingress for six (6) records in Aiea	
		Added ingress for twenty-eight (28) records in Kalaeloa	
		3/1/2026 To 3/5/3036	<b>Delivered 3/6/2026</b>
	Added ingress for one (1) record in Maili		
Added ingress for one (1) record in Kaneohe			
Subdivisions			
Tow Jurisdictions			
Tsunami Evacuation Zones			
Tsunami Heights			
Waste Water Plants			

## Oahu Civilian E9-1-1 Status Report

March 1, 2026 - March 31, 2026

### MAPPING LAYERS UPDATED (PART IX)

*9-1-1 GIS layers provided by V2X to the PSAP are designed for use on E9-1-1 systems and NG9-1-1 systems.*

OAHU CIVILIAN PSAPS		
Type of Layer	V2X GIS Server	Other/Remarks
	Date Created/ Edits Performed	
<b>CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH &amp; RESPONSE (Listed Alphabetically)</b>		
WSP Cell Sectors	3/20/2026 To 3/31/2026	<b>Next Delivery 4/3/2026</b>
		Added nineteen (19) sectors per Verizon Wireless CRS
		Updated twenty (20) sectors per Verizon Wireless CRS
	3/6/2026 To 3/19/2026	<b>Delivered 3/20/2026</b>
		Added twenty (20) sectors per Verizon Wireless CRS
		Added eleven (11) sectors per AT&T CRS
		Updated thirteen (13) sectors per Verizon Wireless CRS
	3/1/2026 To 3/5/3036	<b>Delivered 3/6/2026</b>
		Added three (3) sectors per AT&T CRS
Updated fifteen (15) sectors per Verizon Wireless CRS		
WSP Cell Towers		

## Oahu Civilian E9-1-1 Status Report

**March 1, 2026 - March 31, 2026**

### GEOGRAPHIC INFORMATION SYSTEM (GIS) NARRATIVE

#### GIS KEY ACTIVITIES/UPDATES

- GIS Key activities include the events such as GIS deliverables, meetings, agreements, etc.

Date	Key Activities/Updates
3/6/2026	Delivered data update for Central Square including Streets, Police Beats, and Address Points (with and without the apartment records).
3/6/2026	Delivered Street Centerlines, Address Points, Fire Response Areas, Medic Response Areas, and Display Address Points to HFD, EMS, and Ocean Safety for TriTech CAD.
3/6/2026	Delivered Address Points, Common Places, Street Centerlines, Police Response Areas, Fire Response Areas, Medic Response Areas, Ocean Safety Response Areas, ESN, MSAG Communities, Cell Towers, Cell Sectors to the Honolulu MapFlex system for HPD, HFD, EMS, and Ocean Safety.
3/20/2026	Delivered data update for Central Square including Streets, Police Beats, and Address Points (with and without the apartment records).
3/20/2026	Delivered Street Centerlines, Address Points, Fire Response Areas, Medic Response Areas, and Display Address Points to HFD, EMS, and Ocean Safety for TriTech CAD.
3/20/2026	Delivered Address Points, Common Places, Street Centerlines, Police Response Areas, Fire Response Areas, Medic Response Areas, Ocean Safety Response Areas, ESN, MSAG Communities, Cell Towers, Cell Sectors to the Honolulu MapFlex system for HPD, HFD, EMS, and Ocean Safety.

#### GIS FOR 911

As part of ensuring GIS data compatibility with 911 CAD systems, V2X removed certain spatial characteristics of street centerlines known as “true curves”. True, or geometric, curves are sometimes used in the street centerline layer to depict a road that curves in a circular (or semi-circular) fashion, like a round-about or a cul-de-sac. These features can cause processing issues in CAD and GIS software and therefore were replaced with a series of points that depict the same geometry without the use of a geometric, or true curve.

## Oahu Civilian E9-1-1 Status Report

March 1, 2026 - March 31, 2026

---

### HONOLULU POLICE DEPARTMENT TRITECH CAD PROJECT

On October 10, 2018, V2X participated along with the CAD project team of the Honolulu Police Department on a teleconference GIS kickoff meeting with the TriTech CAD Company. Items that were discussed were GIS requirements for the CAD and RMS systems.

On October 25, 2018, V2X's initial delivery of 11 GIS layers to the TriTech FTP site included: Address Points, Airports, Coastline, Fire Response Areas, Medic Response Areas, MSAG Communities, Parks, Police Beats, State Boundary, Streams, and Street Centerlines.

Two spreadsheets describing the layers were also provided on the FTP site.

During the month of August 2025, the Honolulu Police Department (HPD) requested an updated map of the Police Sectors and Police Beats for District 8. The updates for District 8 have been loaded into the CAD as of February 03, 2026.

1. Two new beats were added to District 8.
  - Beat 853 was added to Sector 1.
  - Beat 873 was added to Sector 3.
2. The updated Sectors for District 8 are as follows:
  - Sector 1 includes Beats 850, 852, 853, 854, 856.
  - Sector 2 includes Beats 857, 858, 860, 861, 863.
  - Sector 3 includes Beats 865, 867, 870, 871, 872, 873.
  - Sector 4 includes Beats 874, 875, 876, 877, 878, 879.
3. The boundaries for the following beats were updated:
  - Beat 850 was updated to follow Kili Drive to the southern boundary of Makaha Valley Plantation condominiums, to Huipu Drive and east along Makaha Valley Country Club to Kamaileunu Ridgeline.
  - Beat 852 was divided along Kamaileunu Ridgeline to Kaulawaha Road. Everything west of Kaulawaha Road is now Beat 852, and everything east of Kaulawaha Road is now Beat 852.
  - Beat 853 includes everything east of Kamaileunu Ridgeline to Waianae Valley Road to the shoreline.
  - Beat 854 was updated to follow Waianae Valley Road up to the Waianae Wahiawa District Boundary, then south along the military reservation boundary to Puuhulu Road, Halona Road and south along Lualualei Homestead Road to the shoreline.
  - Beat 856 was updated to follow Lualualei Homestead Road to Halona Road and Puuhulu Road, east along the military reservation boundary and south along the western fenceline of the military reservation boundary to Mailili Stream to the shoreline.
  - Beat 857 was updated to include all the military reservation boundary of Naval Magazine Lualualei.
  - Beat 867 was divided along Palehua Road to Kaloi Gulch then north to Kaaikukai Gulch up to the Ewa Kunia District boundary. Everything west of the divide (Makakilo) is part of Beat 867. Everything east up to Kunia Road is now part of Beat 879.
  - Beat 871 was updated to include Kapolei Middle School.
  - Beat 873 was added to take care of the growing Ho'opili Community, Aloun Farms, as well as the Hawaiian Homeland and Kealii by Gentry homes west of Kualakai Parkway.
  - Beat 879 was updated to include everything between Old Fort Weaver Road and Fort Weaver Road, from Aloun Farms to the Family and Child Services in Ewa, both H-1 East and West bound Freeways between Kunia Road and Kualakai Parkway, and everything north of the H-1 West Freeway from Kaloi and Kaaikukai Gulch to Kunia Road.

## Oahu Civilian E9-1-1 Status Report

March 1, 2026 - March 31, 2026

---

During the month of July 2022, the Honolulu Police Department (HPD) requested an updated map of the Police Sectors and Police Beats for District 8. The updates for District 8 have been loaded into the CAD as of July 22, 2022.

1. District 8 now consists of 4 sectors. Sector 3 was divided in two to create a new Sector 4.
  - Sector 1 includes Beats 850, 852, 854, 856.
  - Sector 2 includes Beats 857, 858, 860, 861, 863.
  - Sector 3 includes Beats 865, 867, 870, 871, 872.
  - Sector 4 includes Beats 874, 875, 876, 877, 878, 879.
2. The boundaries for the following beats were updated:
  - Beats 850 and 852 was updated to follow the south boundary of Makaha Valley Country Club instead of Noholio Rd and Makaha Valley Rd. Beat 852 takes care of everything north of Noholio Rd up to the south boundary of Makaha Valley Country Club.
  - Beats 857 and 858 was updated to follow Saint Johns Road down to Farrington Highway and to the shoreline of Maili Beach Park instead of following Mailiili Stream. Beat 857 takes care of everything west of Saint Johns Road and Beat 858 takes care of everything east of Saint Johns Road.
  - Beats 861 and 863 was updated to follow Nanakuli Avenue south to Farrington Highway then along the west fence line of Nanakuli Beach Park. Beat 861 takes care of everything west of Nanakuli Ave and Beat 863 takes care of everything east of Nanakuli Ave.
  - Beat 863 was updated to take care of Waimanalo Gulch. Everything east of Waimanalo Gulch up to Palailai Gulch has been assigned to Beat 865.
  - Ka Makana Alii mall in Kapolei has been assigned to Beat 871 instead of Beat 872.
  - Honouliuli Water Treatment has been assigned to Beat 874 instead of Beat 871.
  - Beats 872 and 879 has been updated to follow Kualakai Parkway as their division boundary instead of cutting through the newly developed area that continues to be developed.
  - Beat 874 has been updated to follow Kualakai Parkway instead of the western fence line along the Ewa Villages Golf Course.
  - Beats 877 and 878 has been updated to follow the NAVMAG West Loch fence line instead of cutting through the agriculture area near Iroquois Road.

---

### MAPFLEX/SCC SYSTEM

March 2026

V2X delivered GIS data to the MapFlex/SCC systems on the following dates in March 2026.

**Hawaii County** – March 3, 2026, March 17, 2026, and March 31, 2026

**Maui County** – March 4, 2026, and March 18, 2026

**Kauai County** – March 5, 2026, and March 19, 2026

**Honolulu** – March 6, 2026, and March 20, 2026

## Oahu Civilian E9-1-1 Status Report

March 1, 2026 - March 31, 2026

---

### MAPFLEX ISSUES

The MapFlex issues are archived in the 2021 Monthly Status Report. Should the existing issues be addressed, this report will be reopened and tracked.

### SPEED LIMIT UPDATES

Beginning in April 2017, and now that the Street Centerline data has achieved not only an above 98% synchronization rating but also a high degree of accuracy in the spatial accuracy, a new project to correct speed limits has begun. The project is beginning in Waimanalo and continuing in a counterclockwise pattern around the island of Oahu. The initial focus is on Highways, Freeways, and other major roads, but also not limited to additional corrections, especially those which are immediately identified to positively impact vehicle routing, etc.

All updates are shared directly with the PSAPs and the agency most affected (positively) is HFD since they actively use vehicle routing, and this will assist in better CAD unit recommendations. During each GIS delivery, a list of updates is being provided.

1. No updates received in March 2026.

### ROUTING ID UPDATES

Beginning in July 2019, all Address Points and Points of Interests will be assigned a Routing ID to ensure that routing to these addresses are correct. The project begins in Waimanalo and continuing in a counterclockwise pattern around the island of Oahu.

All updates are shared directly with the PSAPs and the agency most affected (positively) is HFD since they actively use vehicle routing, and this will assist in better CAD unit recommendations. During each GIS delivery, a list of updates is being provided.

1. During the month of March 2026, there were no Routing IDs added. As of May 2024, the Routing ID updates have been completed for all address points and points of interest. Any new address points and points of interest will be assigned with a Routing ID.

# Oahu Civilian E9-1-1 Status Report

March 1, 2026 - March 31, 2026

---

## HONOLULU EMS RESPONSE AREA

During the month of December 2017, EMS requested a high-resolution map of the Honolulu Response Area which will be divided into 5 separate response areas to better support the EMS operations and ambulance response times.

1. With HPD's approval, V2X prepared a map of the requested area and provided to EMS on December 12, 2017.
2. Considering the additional response areas will certainly require the creation of additional ESZ/ESNs; HPD, EMS, and V2X will be coordinating so that the project can be mapped out on a timeline so that the changes can take place while maintaining an above 99% synchronization level between GIS, MSAG, and ALI.
3. An operational consideration has already begun to have a discussion, in that the military ESNs will be reallocated to a new numbering so that both civilian and military responses will have enough ESNs to support their individual operations.
4. During the first half of 2018, there will be further discussion on the creation of the new Response Areas, allocation of military ESNs, and creation of new ESZs/ESNs.
5. During the month of October 2019, EMS requested an updated map of the Honolulu Medic Response Area which was divided based on drive time analysis. There are now 21 (twenty-one) Medic Response Areas in Oahu.
6. During the month of August 2021, EMS requested an updated map of the Honolulu Medic District and Honolulu Medic Response Area which were extended out from the coastline. A Medic District was also added. There are now three (3) Medic Districts.
7. During the month of January 2022, there was a quarterly update to the Honolulu Medic Response Area.
8. During the month of May 2022, there was a quarterly update to the Honolulu Medic Response Area.
9. During the month of November 2022, there was a quarterly update to the Honolulu Medic Response Area.
10. During the month of May 2023, there was a quarterly update to the Honolulu Medic Response Area.
11. During the month of August 2023, there was a quarterly update to the Honolulu Medic Response Area.
12. During the month of January 2024, EMS requested an additional EMS District (District 4). The new boundaries include EMS Station Response Areas Kahuku, Waialua, Wahiawa, Waipio, and Aiea. There are now four (4) Medic Districts
13. During the month of October 2025, there was a quarterly update to the Honolulu Medic Response Area.

## Oahu Civilian E9-1-1 Status Report

March 1, 2026 - March 31, 2026

### 4. SERVICE REQUESTS TRANSACTIONS

#### OPEN SERVICE REQUESTS - MARCH 2026

#	Date	Description	Category	Comments
		None		

NOTE:

**There are no (0) open service requests for March 2026.**

#### SERVICE REQUEST YEAR-TO-DATE (YTD) SUMMARY – 2026

Oahu PSAPs				MSAG SERVICE REQUEST CATEGORIES					
2026	TOTAL		Open	WIRELINE		WIRELESS		VoIP	
	Created	Closed		Created	Closed	Created	Closed	Created	Closed
2025 Carryover*			0						
January	1	1	0	0	0	0	0	1	1
February	0	0	0	0	0	0	0	0	0
March									
April									
May									
June									
July									
August									
September									
October									
November									
December									
<b>TOTAL</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>
<u>Note:</u>	* The 2025 Carryover row indicates the number of Service Requests that were opened in 2025; however, were brought forward into 2026 in an effort to track the service request until completion.								

Definitions:	Category	Description
	Wireline	Telephone Number (ALI) Discrepancies from land line phones that have been submitted to Intrado via 9-1-1 Net for correction.
	Wireless	Telephone Number (ALI) Discrepancies from phones that were land lines at one time, and were ported out to a wireless carrier. However, the phone number was never removed from the MSAG database.
	VoIP	Received 911 (ALI) Discrepancies from VoIP providers and returned with a valid MSAG address for 911.

## Oahu Civilian E9-1-1 Status Report

March 1, 2026 - March 31, 2026

---

### 5. E9-1-1 OAHU CIVILIAN DATABASE SYNCHRONIZATION

(Reference: NENA 71-501, Version 1.1 – NENA Information Document for Synchronizing Geographic Information System databases with MSAG & ALI)

## Next Scheduled Database Synchronization Report – April 2026

TWO-WAY (2-WAY) COMPARISON

THREE-WAY (3-WAY) COMPARISON

INVALID MSAG STREETS AND ADDRESS RANGES – ESN 199 MSAG & ALI RECORDS  
PROJECT COMPLETED